



# eMarket Users Guide

Version 8.0 February 2025

#### **Copyright Notice**

Copyright 2024, General Vernova and/or its affiliates ("GEV"). All Rights Reserved. This document is the confidential and proprietary information of GEV and may not be reproduced, transmitted, stored, or copied in whole or in part, or used to furnish information to others, without the prior written permission of GEV.

# Contents

Who Should Use this Document	xi
For More Information	xi
Conventions	xi
Revision Record	xi

Introduction	1
Accessing the eMarket GUI	1
Jser Roles	1
Agent Users	2
Business Rules and Timelines	2
Energy Market Timeline	3
Regulation Market Timeline	4
Fuel Price Adjustments Submittal Timeline	6
Rules for Timeline Checks	6
Effective Dates of Data	7
Display Refresh vs. Browser Refresh	9
Browser "Back" Function with eMarket	9
Demand Bid Subaccounts	9

# 2. Interface Basics 12 Common Display Fields and Elements 12 Navigation 14 Filters Pane 15

Filters Pane	15
Messages Pane	16
Data Displays and Entry	17

3. General Tasks	20
Manage Portfolios	
Create a Portfolio	
View a Portfolio	23
Modify a Portfolio	23
Create a Copy of a Portfolio	24
Delete a Portfolio	24
Upload or Download XML Files	25
Download an XML File	25
Upload an XML Request File	
Public and Private Messages Displays	

4. Generation Tab	
Generation Offer Concepts	
Generation Portfolio Manager Display	
Unit Default Parameters Display	
Data Validation Rules	

View Specific Unit Information	35
Modify Unit Default Claim 10/30 and Ramp Rate	36
Modify Unit Default Status	36
Unit Multiple Ramp Rates Daily Default Display	36
Data Validation Rules	37
View Ramp Rates	37
Create Ramp Rates	38
Modify Ramp Rates	38
Unit Ramp Rate Hourly Updates Display	38
Data Validation Rules	43
Override Unit's Default Ramp Rate for a Day and Hour	44
Schedule Manager Display	45
Create a New Schedule	46
Modify a Schedule's Name and/or Description	46
Delete a Schedule	47
Schedule Detail Defaults Display	48
Data Validation Rules	. 50
View Schedule Detail Defaults	. 53
Modify Schedule Constraint Data	. 53
Modify Schedule Operating Limits	. 53
Enable Schedule for a Market	. 53
Schedule Offers Daily Default Display	. 55
Data Validation Rules	. 57
Modify Schedule Offers	. 58
Schedule Offers Hourly Updates Display	. 60
Data Validation Rules	. 62
Override Schedule Offers for One or More Hours of a Market Day	. 63
Remove/Delete Hourly Updates to Schedule Offers	. 64
Schedule Times Hourly Updates Display	. 66
Data Validation Rules	. 67
Override Startup and Notification Times for a Day and Hour	. 68
Schedule DA A/S Offers Display	. 69
Data Validation Rules	. 70
Schedule Selection Display	. 71
Select Schedule for an Operating Day and Market	. 72
Unit Hourly Updates Display	. 74
Validation rules	. 77
Override MW Operating Limits for a Day and Hour	. 78
Override the Status of a Generating Unit for a Day and Hour	. 79
Self-Schedule a Generating Unit	. 80
Fuel Price Adjustments Display	. 81
Validation rules	. 91
View Specific Fuel Price Adjustment Information	. 91
Submit a Fuel Price Adjustment Request	. 92
Withdraw a Fuel Price Adjustment Request	. 92
Submit Document Attachments to a Fuel Price Adjustment Request	. 92

Remove Document Attachments of a Fuel Price Adjustment Request	92
Generation by Portfolio Display	94
View DA Commitment for each Unit in Portfolio	
Generation A/S By Portfolio Display	
Generation - A/S Benchmark Results Display	97
Generation - A/S Benchmark Data Overrides Display	
Data Validation Rules	
Modify A/S Benchmark Overrides	
XML Download for Generation Display	
Units XML Report	
Unit Ramp Rates XML Report	
Unit Schedules XML Report	
Unit Schedule Details XML Report	
Unit Schedule Offers XML Report	
Unit Schedule Selection XML Report	108
Unit Hourly Updates XML Report	
Unit Hourly Ramp Rate Updates XMI Report	
Schedule Offers Hourly Updates XML Report	
Schedule Times Hourly Updates XML Report	
Fuel Price Adjustments XML Report	
Effective Hourly Fuel Prices of Units with FPAs XML Report	120
Generation by Unit XMI Report	
Schedule Day-Ahead Ancillary Service Offers	123
Dav-Ahead Ancillary Service by Unit	124
Day-Ahead Ancillary Service Benchmark Calculation Results	
Day-Ahead Ancillary Service Benchmark Data Overrides	125
E. Degulation Tab	407
5. Regulation Tab	
Regulation Offer Concepts	
Regulation Portfolio Manager Display	
Regulation Offers Default Display	
Data Validation Rules	
Modify Regulation Offers	
Regulation Hourly Updates Display	
Data Validation Rules	
Override Regulation Offer Parameters for Day and Hour	
XML Download for Regulation Display	
Regulation Offers XML Report	
Regulation Hourly Updates XML Report	
6. Demand Tab	141
Demand Portfolio Manager Display	
Demand Bids Display	
Data Validation Rules	
View Demand Bids	
Submit Fixed Demand Bids	

Submit Price-Sensitive Demand Bids	147
Deleting Ranges of Demand Bids	147
Duplicating one Day's Demand Bids	
Increment Offers and Decrement Bids (Inc/Dec) Display	
Data Validation Rules	
Submit/Modify Virtual Bids (Decrement Bids / Increment Offers)	
Deleting Ranges of Virtual Bids	
Duplicating one Dav's Virtual Bids	
Demand by Portfolio Display	
View DA Cleared Bids at Pnodes in Portfolio	
XML Download for Demand Display	
Bids XML Report	
Demand by Participant XML Report	
Detailed Demand by Participant XML Report	
7 Assat-Ralated Demand (ARD) Tab	170
APD Offer Concepte	170
ARD Oner Concepts	
ARD Fortiolio Manager Display	
Data Validation Rules	
View Specific Asset Information:	170
Modify Asset Default Claim 10/30 and Ramp Rate	
Modify Asset Default Status	177
ARD Multiple Ramp Rates Daily Default Display	178
Data Validation Rules	178
View Ramp Rates	179
Create Ramp Rates	179
Modify Ramp Rates	179
ARD Ramp Rate Hourly Updates Display	
Data Validation Rules	186
Override Unit's Default Ramp Rate for a Day and Hour	186
ARD Schedule Manager Display	
Create a New Schedule	
Modify a Schedule's Name and/or Description	
Delete a schedule	
ARD Schedule Detail Defaults Display	
Data Validation Rules	
View Schedule Detail Defaults	
Modify Schedule Constraint Data	
Modify Schedule Operating Limits	193
Enable Schedule for a Market	193
ARD Schedule Offers Daily Default Display	194
Data Validation Rules	195
Modify Schedule Offers	
Schedule Offers Hourly Updates Display	197
Data Validation Rules	

Override Schedule Offers for One or More Hours of a Market Day	. 198
Schedule DA A/S Offers Display	.200
Data Validation Rules	.201
ARD Schedule Selection Display	.202
Select Schedule for an Operating Day and Market	.202
ARD Hourly Updates Display	.204
Data Validation Rules	.207
Override MW Operating Limits for a Day and Hour	. 207
Override the Status of an ARD Asset for a Day and Hour	. 208
Self-Schedule an ARD Asset	.209
ARD by Portfolio Display	.210
View DA Commitment for each ARD in Portfolio	.211
ARD A/S By Portfolio Display	.212
ARD A/S Benchmark Results Display	.213
ARD A/S Benchmark Data Overrides Display	.214
Data Validation Rules	.214
Modify A/S Benchmark Overrides	.215
XML Download for ARD Display	.215
Asset-Related Demand XML Report	.218
Asset-Related Demand Ramp Rates XML Report	.219
Asset-Related Demand Ramp Rate Hourly Updates XML Report	.219
Asset-Related Demand Schedules XML Report	.221
Asset-Related Demand Schedule Details XML Report	.222
Asset-Related Demand Schedule Offers XML Report	.223
Asset-Related Demand Schedule Offers Hourly Updates XML Report	.224
Asset-Related Demand Schedule Selection XML Report	. 226
Asset-Related Demand Hourly Updates XML Report	. 226
Asset-Related Demand Results XML Report	. 228
Schedule Day-Ahead Ancillary Service Offers	.230
Day-Ahead Ancillary Services Result	. 230
Asset-related Demand Day-Ahead Ancillary Service Benchmark Calculation Resu	ılts
	.231
Asset-Related Demand Day-Ahead Ancillary Service Benchmark Data Overrides	.231

8. Public Tab	
System Summary Display	
Prices Display	
Day Ahead Ancillary Service (A/S) Prices Display	
Strike Prices Display	
Binding Constraints Display	
Reactive Interface Limits Display	
Net Tie Schedules Display	
Public XML Download Display	
DA System Summary XML Report	
DA Prices XML Report	
DA Ancillary Service Prices XML Report	242

DA Binding Constraints XML Report	
DA Reactive Limits XML Report	
DA Net Tie Schedules XML Report	244
DA Ancillary Service Strike Prices XML Report	
9 Demand Response Resource (DRR) Tab	246
DPP Offer Concepte	240
DRR Oner Concepts	240 240
DRR Default Parameters Display	
View Specific DRR Information	250
Modify DRR Default Claim 10/30 and Ramp Rate	252
Modify DRR Default Status	200
DRR Schedule Manager Display	253
Create a New Schedule	255
Modify a Schedule's Name and/or Description	204 25/
Delete a Schedule	254
DRR Schedule Detail Defaults Display	200
Data Validation Rules	257
View Schedule Detail Defaults	258
Modify Schedule Constraint Data	259
Modify Schedule Operating Limits	259
DRR Schedule Offers Daily Default Display	259
Data Validation Rules	
Modify Schedule Offers	
DRR Schedule Offers Hourly Updates Display	
Data Validation Rules	
Override Schedule Offers for One or More Hours of a Market Day	
Remove/Delete Hourly Updates to Schedule Offers	
DRR Schedule Times Hourly Updates Display	
Data Validation Rules	
Override/Remove Startup and Notification Times for One or More Hours of a	Market
Day	
DRR Schedule DA A/S Offers Display	
Data Validation Rules	273
Modify DA A/S offers	273
DRR Schedule Selection Display	274
Select Schedule for an Operating Day and Market	276
DRR Hourly Updates Display	277
Validation rules	
Override MW Operating Limits for a Day and Hour	
Override the Status of a DRR for a Day and Hour	
DRR by Portfolio Display	
View DA Commitment for each DRR in Portfolio	
DRR A/S By Portfolio Display	
DRR A/S Benchmark Results Display	
DRR A/S Benchmark Data Overrides Display	

Data Validation Rules	
Modify A/S Benchmark Overrides	
DRR XML Download Display	
DRRs XML Report	
DRR Schedules XML Report	
DRR Schedule Details XML Report	
DRR Schedule Offers XML Report	
DRR Schedule Selection XML Report	
DRR Hourly Updates XML Report	
Schedule Offers Hourly Updates XML Report	
Schedule Times Hourly Updates XMI Report	295
Reduction by DRR XMI Report	295
Schedule Dav-Ahead Ancillary Service Offers	296
Day-Ahead Ancillary Service by DRR	297
Day-Ahead Ancillary Service Benchmark Calculation Results	208
Day-Ahead Ancillary Service Benchmark Data Overrides	200
Day Aneda Anellary Cervice Denominant Data Overhaus	200
10. Energy Storage Facility (ESF) Tab	
ESF Daily Defaults Display	
Data Validation Rules	
ESF XML Download Display	
ESE Daily Default Parameters	
11. Continuous Storage Facilities (CSF)	
11. Continuous Storage Facilities (CSF)	<b></b>
11. Continuous Storage Facilities (CSF)         CSF Concepts         Managing CSFs in eMarket	<b></b>
11. Continuous Storage Facilities (CSF) CSF Concepts Managing CSFs in eMarket CSF Generator	<b>302</b> 
11. Continuous Storage Facilities (CSF) CSF Concepts Managing CSFs in eMarket CSF Generator Unit Daily Default Parameters	<b>302</b> 
<b>11. Continuous Storage Facilities (CSF)</b> CSF Concepts         Managing CSFs in eMarket         CSF Generator         Unit Daily Default Parameters         11.1.1.1 Modify CSF Generator Default Status	<b>302</b> 303 303 303 303 304
In Continuous Storage Facilities (CSF)         CSF Concepts       CSF Concepts         Managing CSFs in eMarket       CSF Generator         Unit Daily Default Parameters       11.1.1.1 Modify CSF Generator Default Status         11.1.1.2 Modify CSF Generator Ramp Rate	<b>302</b> 
<b>11. Continuous Storage Facilities (CSF)</b> CSF Concepts         Managing CSFs in eMarket         CSF Generator         Unit Daily Default Parameters         11.1.1.1 Modify CSF Generator Default Status         11.1.1.2 Modify CSF Generator Ramp Rate         Schedule Detail Defaults	<b>302</b> 
In Continuous Storage Facilities (CSF)         CSF Concepts       Managing CSFs in eMarket         Managing CSFs in eMarket       CSF Generator         Unit Daily Default Parameters       11.1.1.1 Modify CSF Generator Default Status         11.1.1.2 Modify CSF Generator Ramp Rate       Schedule Detail Defaults         11.1.1.3 Modify Schedule Constraint Data	<b>302</b> 303 303 303 303 304 304 304 305 305
11. Continuous Storage Facilities (CSF) CSF Concepts Managing CSFs in eMarket CSF Generator Unit Daily Default Parameters 11.1.1.1 Modify CSF Generator Default Status 11.1.1.2 Modify CSF Generator Ramp Rate Schedule Detail Defaults 11.1.1.3 Modify Schedule Constraint Data 11.1.1.4 Modify Schedule Operating Limits	<b>302</b> 
11. Continuous Storage Facilities (CSF) CSF Concepts Managing CSFs in eMarket CSF Generator Unit Daily Default Parameters 11.1.1.1 Modify CSF Generator Default Status 11.1.1.2 Modify CSF Generator Ramp Rate Schedule Detail Defaults 11.1.1.3 Modify Schedule Constraint Data 11.1.1.4 Modify Schedule Operating Limits	<b>302</b> 
11. Continuous Storage Facilities (CSF)	<b>302</b> 
<ul> <li>11. Continuous Storage Facilities (CSF)</li> <li>CSF Concepts</li> <li>Managing CSFs in eMarket</li> <li>CSF Generator</li> <li>Unit Daily Default Parameters</li> <li>11.1.1.1 Modify CSF Generator Default Status</li> <li>11.1.1.2 Modify CSF Generator Ramp Rate</li> <li>Schedule Detail Defaults</li> <li>11.1.1.3 Modify Schedule Constraint Data</li> <li>11.1.1.4 Modify Schedule Operating Limits</li> <li>Hourly Updates</li> <li>11.1.1.5 Enter Hourly Updates</li> </ul>	<b>302</b> 
<ul> <li>11. Continuous Storage Facilities (CSF)</li> <li>CSF Concepts</li> <li>Managing CSFs in eMarket</li> <li>CSF Generator</li> <li>Unit Daily Default Parameters</li> <li>11.1.1 Modify CSF Generator Default Status</li> <li>11.1.2 Modify CSF Generator Ramp Rate</li> <li>Schedule Detail Defaults</li> <li>11.1.3 Modify Schedule Constraint Data</li> <li>11.1.4 Modify Schedule Operating Limits</li> <li>Hourly Updates</li> <li>11.1.5 Enter Hourly Updates</li> <li>Schedule Offers Default</li> </ul>	<b>302</b> 
<b>11. Continuous Storage Facilities (CSF)</b> CSF Concepts         Managing CSFs in eMarket         CSF Generator         Unit Daily Default Parameters         11.1.1.1 Modify CSF Generator Default Status         11.1.1.2 Modify CSF Generator Ramp Rate         Schedule Detail Defaults         11.1.1.3 Modify Schedule Constraint Data         11.1.1.4 Modify Schedule Operating Limits         Hourly Updates         11.1.1.5 Enter Hourly Updates         Schedule Offers Default         Schedule Offers Default	<b>302</b> 
<b>11. Continuous Storage Facilities (CSF)</b> CSF Concepts         Managing CSFs in eMarket         CSF Generator         Unit Daily Default Parameters         11.1.1.1 Modify CSF Generator Default Status         11.1.1.2 Modify CSF Generator Ramp Rate         Schedule Detail Defaults         11.1.1.3 Modify Schedule Constraint Data         11.1.1.4 Modify Schedule Operating Limits         Hourly Updates         11.1.1.5 Enter Hourly Updates         Schedule Offers Default         11.1.1.6 Update Schedule Offers Default         Schedule Offers Hourly Updates         11.1.1.4 Schedule Offers Default	<b>302</b> 
<b>11. Continuous Storage Facilities (CSF)</b> CSF Concepts         Managing CSFs in eMarket         CSF Generator         Unit Daily Default Parameters         11.1.1         Modify CSF Generator Default Status         11.1.1.2         Modify CSF Generator Ramp Rate         Schedule Detail Defaults         11.1.1.3         Modify Schedule Constraint Data         11.1.1.5         Enter Hourly Updates         11.1.1.5         Schedule Offers Default         11.1.1.6         Update Schedule Offers Default         Schedule Offers Hourly Updates         11.1.1.7         Update Schedule Offers Default	<b>302</b> 
<b>11. Continuous Storage Facilities (CSF)</b> CSF Concepts         Managing CSFs in eMarket         CSF Generator         Unit Daily Default Parameters         11.1.1         Modify CSF Generator Default Status         11.1.1.2         Modify CSF Generator Ramp Rate         Schedule Detail Defaults         11.1.1.3         Modify Schedule Constraint Data         11.1.1.5         Enter Hourly Updates         Schedule Offers Default         Schedule Offers Default         11.1.1.6         Update Schedule Offers Default         Schedule Offers Hourly Updates         11.1.1.7         Update Schedule Offers Default         Schedule Offers Hourly Updates         11.1.1.7         Update Schedule Offers Default         Schedule Offers Hourly Updates         11.1.1.7         Update Schedule Offers Default         Schedule Offers Hourly Updates         11.1.1.7         Default Parameters	<b>302</b> 
<b>11. Continuous Storage Facilities (CSF)</b> CSF Concepts         Managing CSFs in eMarket         CSF Generator         Unit Daily Default Parameters         11.1.1.1 Modify CSF Generator Default Status         11.1.1.2 Modify CSF Generator Ramp Rate         Schedule Detail Defaults         11.1.1.3 Modify Schedule Constraint Data         11.1.1.4 Modify Schedule Operating Limits         Hourly Updates         11.1.1.5 Enter Hourly Updates         Schedule Offers Default         11.1.1.6 Update Schedule Offers Default         Schedule Offers Hourly Updates         11.1.1.7 Update Schedule Offers Default         Schedule Offers Hourly Updates         11.1.1.7 Update Schedule Offers Default         CSF DARD         ARD Daily Default Parameters         11.1.1.4 Modify CSE DAPD Default Status	<b>302</b> 303 303 303 303 303 304 304 304 304 305 305 305 306 306 306 307 307 307 307 307 307 307 307 309 309
<b>11. Continuous Storage Facilities (CSF)</b> CSF Concepts         Managing CSFs in eMarket         CSF Generator         Unit Daily Default Parameters         11.1.1.1 Modify CSF Generator Default Status         11.1.1.2 Modify CSF Generator Ramp Rate         Schedule Detail Defaults         11.1.1.3 Modify Schedule Constraint Data         11.1.1.4 Modify Schedule Operating Limits         Hourly Updates         11.1.1.5 Enter Hourly Updates         Schedule Offers Default         11.1.1.6 Update Schedule Offers Default         Schedule Offers Hourly Updates         11.1.1.7 Update Schedule Offers Default         Schedule Offers Hourly Updates         11.1.1.7 Update Schedule Offers Default         CSF DARD         ARD Daily Default Parameters         11.1.1.8 Modify CSF DARD Default Status         11.1.1.8 Modify CSF DARD Default Status	<b>302</b> 
<b>11. Continuous Storage Facilities (CSF)</b> CSF Concepts         Managing CSFs in eMarket         CSF Generator         Unit Daily Default Parameters         11.1.1         Modify CSF Generator Default Status         11.1.2         Modify CSF Generator Ramp Rate         Schedule Detail Defaults         11.1.3         Modify Schedule Constraint Data         11.1.4         Modify Schedule Operating Limits         Hourly Updates         11.1.5         Enter Hourly Updates         Schedule Offers Default         Schedule Offers Default         11.1.7         Update Schedule Offers Default         Schedule Offers Hourly Updates         11.1.7         Update Schedule Offers Default         Schedule Offers Hourly Updates         11.1.7         Update Schedule Offers Default         Schedule Offers Hourly Updates         11.1.7         Schedule Offers Default         CSF DARD         ARD Daily Default Parameters         11.1.1.8         Modify CSF DARD Default Status         11.1.1.9         Modify CSF DARD Ramp Rate          Schedule Detail Default	<b>302</b> 
<b>11. Continuous Storage Facilities (CSF)</b> CSF Concepts         Managing CSFs in eMarket         CSF Generator         Unit Daily Default Parameters         11.1.1         Modify CSF Generator Default Status         11.1.1.2         Modify CSF Generator Ramp Rate         Schedule Detail Defaults         11.1.1.3         Modify Schedule Constraint Data         11.1.1.4         Modify Schedule Operating Limits         Hourly Updates         11.1.1.5         Enter Hourly Updates         Schedule Offers Default         Schedule Offers Default         11.1.1.6         Update Schedule Offers Default         Schedule Offers Hourly Updates         11.1.1.7         Update Schedule Offers Default         Schedule Offers Hourly Updates         11.1.1.7         Update Schedule Offers Default         CSF DARD         ARD Daily Default Parameters         11.1.1.8         Modify CSF DARD Default Status         11.1.1.9         Modify CSF DARD Ramp Rate         Schedule Detail Defaults	<b>302</b> 
<b>11. Continuous Storage Facilities (CSF)</b> CSF Concepts         Managing CSFs in eMarket         CSF Generator         Unit Daily Default Parameters         11.1.1         Modify CSF Generator Default Status         11.1.1         Modify CSF Generator Ramp Rate         Schedule Detail Defaults         11.1.1.3         Modify Schedule Constraint Data         11.1.1.4         Modify Schedule Operating Limits         Hourly Updates         11.1.1.5         Enter Hourly Updates         Schedule Offers Default         Schedule Offers Hourly Updates         Schedule Offers Hourly Updates         11.1.1.7         Update Schedule Offers Default         CSF DARD         ARD Daily Default Parameters         11.1.1.8         Modify CSF DARD Default Status         11.1.1.9         Modify CSF DARD Ramp Rate         Schedule Detail Defaults         11.1.1.0         Modify Schedule Default Data	<b>302</b> 

11.1.1.11 Enter Hourly Updates	
CSF ATRR	
Validation rules for CSF ATRR regulation limits	
Regulation Offers Daily Default	
11.1.1.12 Modify CSF ATRR Default Status	
11.1.1.13 Modify CSF ATRR Regulation Range	
Regulation Hourly Updates	
11.1.1.14 Modify CSF ATRR Hourly Status	
11.1.1.15 Modify CSF ATRR Hourly Regulation Range	
12. Energy Offer Caps	
Offer Caps Concepts	
Offer Caps Displays	
Offer Caps XML Reports	
Appendix A. List of Fuel Index Names	

## **About This Document**

This document describes the usage of the eMarket Graphical User Interface (GUI) from the perspective of an end user, such as a public user or Market Participant. It **does not** describe the GUI from the perspective of IT administrators at ISO New England wishing to configure the eMarket application. It does describe each display in the eMarket GUI application along with a set of common tasks users will perform. Some of the tasks change only certain data on a display. Users may certainly change any fields they wish during the steps. The tasks merely provide a quick reference for users who want to do certain things.

#### Who Should Use this Document.

Market Participants wishing to use the eMarket user interface to perform market operations, and public users requesting market information should use this document.

## **For More Information**

Additional information that was used in the creation and development of this document can be found in the following documents.

- eMarket Data Exchange Specification, which is found on the <u>ISO</u> <u>New England website</u> among the documents listed on the Participate > Support > Upload and Download File Format Protocols page.
- ISO-NE Manuals > M-11 Market Operations, which is found on the <u>ISO New England website</u> among the documents listed on the Participate > Rules and Procedures > Manuals page.

#### Conventions

The following are conventions used throughout this document:

Bolding is used to highlight important screen items.

## **Revision Record**

Version	Date	Comments
1.0	03/23/2012	Original for review
1.1	05/28/2012	Updated with screenshots of production version of eMarket
		and to account for latest changes to displays
1.2	08/31/2012	Corrected errors in the validation rules.
1.3	09/15/2012	Updated screenshots in §0, §0 and §0
2.0	04/25/2013	Updated §0 to reflect the changes to the DA timeline.
		Added statement on when the cleared results of the
		Day-Ahead Market are available to be viewed and
		downloaded in §0, §0, §0, §0, §0, §0.

Version	Date	Comments
3.0	04/15/2014	<ul> <li>Updated to reflect changes for the new Regulation Market and support of Alternative Technology Regulating Resources (ATRRs). Significant changes:</li> <li>Updated the versions of web browsers supported by eMarket in §0</li> <li>Updated §0 to describe the Regulation Market timeline for submittals.</li> <li>Updated §0 to add Regulation portfolios and concepts of Alternative Technology Regulation Resources (ATRRs)</li> <li>Revised §0 Unit Default Parameters Display to remove the regulation limits from the display because the authority to submit these parameters is now governed by the eMarket Regulation roles and this display is governed by the eMarket Generation roles.</li> <li>Created a new major section 5 Regulation Hourly Updates from the Generation Tab section into this section. Note that these two displays are changed significantly. Also moved the two Regulation XML Reports from the Generation Tab section to the new Regulation Tab section.</li> </ul>
4.0	09/05/2014	<ul> <li>Updated to rescind the changes specific to the new Regulation Market and support of Alternative Technology Regulating Resources (ATRRs) and to reflect all the changes introduced in support of the Tariff changes for Energy Market Offer Flexibility (EMOF). The significant changes are:</li> <li>Updated the versions of web browsers supported by eMarket in §0</li> <li>Updated §0 to describe the changes to the eMarket timeline for submittal of energy and regulation offers and of demand bids, and to introduce the new timeline for Intraday Re-Offer periods for energy and regulation offers. Also introduced the new timelines for submittal of Fuel Price Adjustment requests.</li> <li>Changed the names of displays to emphasize those used to submit daily parameters that carry forward to future market days until they are changed at a future date from those used to submit hourly updates of parameters that are specific to one market day; for example:</li> <li>Unit Manager is now Unit (Daily) Default Parameters;</li> <li>ARD Manager is now ARD (Daily) Default Parameters;</li> <li>ARD Ramp Rates is now ARD (Multiple) Ramp Rates Daily Default;</li> </ul>

Version	Date	Comments
		- (Unit) Schedule Detail is now (Unit) Schedule Detail
		Defaults;
		- ARD Schedule Detail is now ARD Schedule Detail
		Unit) Schodule Offers is now (Unit) Schodule Offers
		Default:
		- ARD Schedule Offers is now ARD Schedule Offers
		Default;
		- Regulation Offers is now Regulation Offers (Daily)
		Default;
		This allowed for the introduction of the new hourly
		updates displays:
		- Unit Ramp Rate Hourly Updates;
		- ARD Ramp Rate nouny Opuales, - (Unit) Schedule Offers Hourly Undates:
		- (Unit) Schedule Times Hourly Updates;
		- ARD Schedule Offers Hourly Updates.
		<ul> <li>Added description of new display for Fuel Price</li> </ul>
		Adjustments
		<ul> <li>Moved the Startup and No Load Cost offer parameters</li> </ul>
		from the unit level (e.g. Unit [Manager] Default
		Parameters display) to be schedule level parameters
		(e.g. Unit Schedule Offers Default display) that can be different for each cabedule. With this abando all unit
		financial offer parameters appear on one display where
		fuel blend information can be submitted together with
		the financial offers and to allow overrides of the financial
		offers on an hourly basis.
		<ul> <li>Moved the Regulation Limits offer parameters from the</li> </ul>
		unit level (e.g. Unit [Manager] Default Parameters
		display) to the Regulation Offers Default display. This
		was done in anticipation of the forthcoming new Regulation Market where regulation offers by other
		regulation market where regulation oners by other
		Resources [ATRR]) will need to be supported.
		Moved the Use Offer Slope and Use Startup No Load
		flags from the schedule detail defaults (Units and ARDs)
		set of data to the schedule offers default set so that
		hourly overrides of the flags could be supported with the
		Utters Hourly Updates.
		Added Ulaim10 and Ulaim30 offers to the set of daily     default asset data that could be everyidden with Heurity
		Undates (Unit and ARD)
		<ul> <li>Added regulation price and automatic response rate</li> </ul>
		(ARR) to the set of daily default data that could be
		overridden with the Regulation Hourly Updates.
		Changed the definition of the cost-based schedules:
		Prior to Energy Market Offer Flexibility, schedule 99 was
		the Mitigation schedule for a unit's primary fuel and

Version	Date	Comments
		<ul> <li>schedule 98 was for the unit's alternate fuel; schedule 97 was the Reference schedule for the unit's primary fuel and schedule 96 was the Reference schedule for the unit's alternate fuel.</li> <li>With Energy Market Offer Flexibility, schedules 95 through 98 are now Reference schedules for a unit's schedule:</li> <li>For single-fuel units, schedule 98 is the only Reference schedule;</li> <li>For dual-fuel units, schedule 98 is the Reference schedule for the unit's fuel #1 (likely its least cost fuel) and schedule 97 is the Reference schedule for the unit's fuel #1 (likely its least cost fuel) and schedule 97 is the Reference schedule for the unit's fuel #1 (likely its least cost fuel), schedule 97 is the Reference schedule for the unit's fuel #1 (likely its least cost fuel), schedule 97 is the Reference schedule for the unit's fuel #1 (likely a seasonal alternate fuel), and schedule 96 is the Reference schedule for the unit's fuel #3 (likely a seasonal alternate to either its primary or alternate fuel);</li> <li>Schedule 95 is reserved for the eventuality that a unit may have a seasonal alternate for both its least cost and its alternative fuels.</li> <li>Changed the validation rules for submittal of daily default parameters. You example, a value for RTHOL must be submitted when submitting an update to a unit's schedule detail default parameters; it is no longer optional.</li> <li>Changed the validation rules for hourly updates: when submitting hourly updates, values for all related parameters must now be submitted when you want to submit an update for an hour. For example, you can no longer submit an hourly update for only the Economic Max of a unit; you must also submit an update for all the other related parameters for the hour (Economic Minimum, RTHOL, Emergency Minimum, and potentially Claim10 and Claim30) even if the update values of financial offers if you want to submit an update of your financial offers for an hour, you must submit values for all financial parameters and their associated fuel</li></ul>
4.1	11/20/2014	Added appendix A listing fuel index names and references to it throughout the document. Removed reference to SSL3.0

Version	Date	Comments
4.2	12/19/2014	<ul> <li>Revised section 0 to refer to the Web Browser Support for SMD Applications section of our website for a list of supported browsers and security protocols.</li> <li>Replaced the unit and ARD Schedule Selection display screenshots in §0 and §0 and added description of the new Schedule ID data column</li> </ul>
5.0	12/15/2014	<ul> <li>Major Revision # to re-instate all elements for the enhancement of the Regulation Market and for alternative technology regulating resources. Changes in this revision include:</li> <li>Updated §0 to reflect changes to the eMarket deadlines for the Regulation Market. In particular, changes to the close hour of the Regulation Market Intraday Re-Offer Period and to what can be submitted during this period, and finally changes to the number of minutes before the beginning of the hour that intraday re-offers can be submitted.</li> <li>Updated §0 to mention ATRRs in portfolios</li> <li>Revised §0 to describe the modified Regulation Offers Default Display and the special validation rules for ATRR offers</li> <li>Revised §0 to described the modified Regulation Hourly Updates Display and the special validation rules for ATRR offers</li> <li>Updated §0 to show the modified XML Regulation download messages.</li> <li>Replaced "Automatic Ramp Rate" with "Automatic Response Rate" throughout to be consistent with the term used in the Market Rule.</li> </ul>
5.1	06/25/2015	<ul> <li>Revision to document the changes to the demand displays and XML download reports for Participants who register subaccounts in the ISO-NE Customer and Asset</li> <li>Management System (CAMS) and other editorial changes.</li> <li>Added note in §0 Effective Dates of Data about the need to submit data in successive market day order.</li> <li>Added §0 Demand Bid Subaccounts to discuss the nature and particularities of subaccounts.</li> <li>Described changes for subaccounts made to the displays and validation discussed in sections 0 Demand Bids Display</li> <li>0 Increment Offers and Decrement Bids (Inc/Dec) Display and Error! Reference source not found.</li> <li>Described changes to the display and the XML reports discussed in §0 XML Download for Demand Display</li> </ul>

Version	Date	Comments
5.2	07/22/2015	<ul> <li>General revision to reflect changes to the eMarket MUI in regards to demand bid subaccounts:</li> <li>Modified §0 Demand Bid Subaccounts to state that an inactive subaccount will be shown on the drop-down lists if there are demand bids for the subaccount on the selected market day. This is necessary for Participants to be able to delete demand bids that may have been submitted before the subaccount was made inactive (terminated/deleted).</li> <li>Corrected §0, §0, §0 and §0 to clearly state that active subaccounts and only inactive subaccounts for which there are demand bids on the selected market day are listed on the selector drop-down list for subaccount name.</li> <li>Added note to §0 and §0 to clearly state that one can only delete demand bids when selecting an inactive subaccount; bids cannot be modified.</li> <li>Added note to §0 and §0 to specify that demand bids cannot be duplicated from one subaccount to another.</li> <li>Corrected the specification of when information on the demand bids that were cleared in the Day-Ahead Market is available in the Demand by Participant (§0) and Detailed Demand by Participant (§0) XML reports.</li> </ul>

Version	Date	Comments
5.3	11/28/2016	General revision to reflect changes to the eMarket MUI in
		regards to:
		Eliminated the Use Startup No Load flag on all displays
		and in all XML reports. Since Participants must
		necessarily enter Startup and No Load cost with all their
		bids/offers, they can just as well submit zero values to
		redundant hid/offer parameter. Affected displays:
		0 Schedule Offers Daily Default Display and 0 Schedule
		Offers Hourly Updates Display. Affected XML reports:
		0 Unit Schedule Offers XML Report and 0 Schedule
		Offers Hourly Updates XML Report
		<ul> <li>Since a Participant's hourly updates of a unit's Cold</li> </ul>
		Notification or Cold Startup times can impact the unit's
		eligibility for 10-minute and 30-minute off-line reserve
		designations, the Schedule Times Hourly Updates
		reserve eligibility under a selected schedule, both the
		daily default and for those hours where there are hourly
		updates of the Cold Notification and Cold Startup times.
		Added capability for Participant owners of dispatchable
		ARDs (DARD pumps in pump storage facilities) to
		submit Maximum Daily Consumption and Maximum
		Daily Starts for their assets and to view their configured
		Min Down Time and Min Run Time parameters.
		Display Affected XML reports: 0 Asset-Related
		Demand Schedule Details XML Report
		<ul> <li>Participants can now submit fuel price adjustment (FPA)</li> </ul>
		requests for market days up to seven days in the future.
		Processing of FPA requests for a market day beyond
		tomorrow is suspended until the beginning of the day
		before the requested market day. Additionally, the FPA
		Limit (FPAL) that is used to cap FPA requested prices is
		threshold set by the Market Meniter: rather the EBAL for
		each of the fuel index is actually set by the Market
		Monitor. See revised descriptions in sections 0 Fuel
		Price Adjustments Submittal Timeline and 0 Fuel Price
		Adjustments Display.
5.4	02/16/2018	Modified description of deadlines in 0 Energy Market
		Timeline:
		- Day-Ahead market for two days from now and beyond
		Ke-Utter period open time     Intraday physical parameters submitted for DBBs
		Added chapter 0 that describes the displaye and
		functions of the new Demand Response Resource
		(DRR) Tab.
		Corrected description of the content of all XML reports

Version	Date	Comments
5.5	07/25/2018	<ul> <li>Updated section 4.12.4. After EMOF project implementation, all generating units should price their dispatch level and not bid same EcoMin and EcoMax except non-dispatchable units.</li> </ul>
6.0	02/12/2019	<ul> <li>New revision to reflect support for Continuous Storage Facilities (Energy Storage Devices). Changes in this revision include:</li> <li>New chapter 10 Continuous Storage Facilities (CSF)</li> <li>Correction of timeline rule for Real-Time (RT) Intraday Physical Parameter Resubmittal (DRRs only) in section 1.4.1.</li> </ul>
6.1	05/24/2019	Modified requirements for Participants to bid into the Day- Ahead market: including DNE Dispatchable Generators (DDG) – section 4.3.
7.0	11/06/2019	<ul> <li>New revision to reflect support for Energy Offer Caps.</li> <li>Changes in this revision include:</li> <li>New chapter 11 Energy Offer Caps</li> <li>Updates in sections related to hourly offer updates for Generators and DRRs (4.9, 4.15.9, 9.7, 9.12.7)</li> </ul>
7.1	05/15/2020	Modified requirements for Participants to bid into the Day- Ahead market: any resource with capacity supply obligation, except of solar plants – sections 4.3, 4.7, 4.11.
7.2	09/18/2020	Day Ahead Market Closing time is changed from 10:00 to 10:30 effective 10/01/2020. Modified sections: 1.4.1, 1.4.4, 4.13.
7.3	04/27/2022	Modified requirements for Participants to bid into the Day- Ahead market: DA schedule is not required for intermittent non-dispatchable resources with capacity supply obligation – sections 4.3, 4.7, 4.11.

Version	Date	Comments
8.0d	02/07/2024	<ul> <li>Added DayAhead Ancillary Services updates.</li> <li>Changes in this revision include: <ul> <li>New sections</li> <li>Schedule DA A/S Offers Display</li> <li>A/S by Portfolio Display</li> <li>Schedule Day-Ahead Ancillary Service Offers XML Report</li> <li>Day-Ahead Ancillary Service by Uni XML Report</li> <li>ARD Schedule DA A/S Offers Display</li> <li>ARD A/S by Portfoio Display</li> <li>Schedule Day-Ahead Ancillary Service Offers XML Report</li> <li>ARD A/S by Portfoio Display</li> <li>Schedule Day-Ahead Ancillary Service Offers XML Report</li> <li>Asset-Related Demand Day-Ahead Ancillary Services Result XML Report</li> <li>A/S Prices Display</li> <li>DA Ancillary Service Prices XML Report</li> <li>DRR Schedule DA A/S Offers Display</li> <li>DRR A/S by Portfolio Display</li> <li>Schedule Day-Ahead Ancillary Service Offers XML Report</li> <li>DRR A/S by Portfolio Display</li> <li>Schedule Day-Ahead Ancillary Service Offers XML Report</li> <li>Day-Ahead Ancillary Service Offers XML Report</li> <li>Day-Ahead Ancillary Service Offers XML Report</li> <li>Updates in sections related Max Daily Award Limit</li> <li>Schedule Detail Defaults Display</li> <li>ARD Schedule Detail Defaults Display</li> <li>DRR Schedule Detail Defaults Display</li> <li>DA System Summary Sections</li> <li>System Summary Display</li> <li>DA System Summary XML Report</li> </ul> </li> </ul>

Version	Date	Comments
8.0	07/01/2024	<ul> <li>Added DASI Benchmark updates.</li> <li>Changes include: <ul> <li>New sections</li> <li>Generation - A/S Benchmark Results Display</li> <li>Generation - Day-Ahead Ancillary Service Benchmark Calculation Results XML Report</li> <li>Generation - Day-Ahead Ancillary Service Benchmark Data Overrides XML Report</li> <li>ARD - A/S Benchmark Results Display</li> <li>ARD - A/S Benchmark Results Display</li> <li>ARD - A/S Benchmark Overrides Display</li> <li>ARD - A/S Benchmark Overrides Display</li> <li>ARD - A/S Benchmark Coverrides Display</li> <li>ARD - A/S Benchmark Coverrides Display</li> <li>ARD - Asset-related Demand Day-Ahead Ancillary Service Benchmark Calculation Results XML Report</li> <li>ARD - Asset-Related Demand Day-Ahead Ancillary Service Benchmark Data Overrides XML Report</li> <li>DRR - A/S Benchmark Results Display</li> <li>DRR - A/S Benchmark Results Display</li> <li>DRR - A/S Benchmark Results Display</li> <li>DRR - Day-Ahead Ancillary Service Benchmark Calculation Results XML Report</li> <li>DRR - Day-Ahead Ancillary Service Benchmark Data Overrides XML Report</li> <li>DRR - Day-Ahead Ancillary Service Benchmark Data Overrides XML Report</li> <li>DRR - Day-Ahead Ancillary Service Benchmark Data Overrides XML Report</li> <li>DSR - Day-Ahead Ancillary Service Benchmark Data Overrides XML Report</li> <li>DSR - Day-Ahead Ancillary Service (A/S) Prices Display</li> <li>Strike Prices Display</li> <li>ESF – ESF Daily Defaults Display</li> <li>ESF – ESF Daily Default Parameters XML Report</li> </ul> </li> </ul>
8.0	02/25/2025	Section 10 – correct ESF tab user role access requirements.

# 1. Introduction

This chapter contains introductory material and concepts relevant to the eMarket Graphical User Interface (GUI). It describes such topics as high level GUI functionality, accessing the GUI, user roles, business rules and timelines.

## Accessing the eMarket GUI

Please refer to the *Web Browser Support for SMD Applications* page on the <u>ISO New England website</u>, which can be found under Participate > Support > Web Browser Support, for information on the browsers and security protocols ISO New England supports.

All users need to register with ISO-NE Customer Support in order to use the eMarket application to view public information or to submit and view private information in the ISO New England Energy Market. This is done by the user's company Security Administrator using the ISO New England Customer and Asset Management System (CAMS) who will create the user accounts and assign each the various rights to access the eMarket application resulting in a digital certificate being issued to the user. Refer to the *Customer & Asset Management System (CAMS) Frequently Asked Questions* page on the <u>ISO New England website</u>, which can be found under Participate > Support > FAQs, for more information.

Once registered, market system users will be provided with the link to access the SMD home page, which will then allow direct access to the eMarket application, one of the SMD software applications. Access to the SMD Application Sandbox is also restricted to registered market users. Please contact Customer Support for the URL's to these pages.

All questions or inquiries about eMarket access should be addressed to the ISO New England's Customer Support Department at (413) 540-5220 or via email at <u>custserv@iso-ne.com</u>.

#### **User Roles**

Roles define the displays and actions that a user can use to update or view data. Distinct roles are defined for each type of market assets, e.g., Asset Related Demand (ARD), Unit (Generation), Demand<sup>1</sup>, Demand Response Resource (DRR) and Regulation Resources. As the names indicate, a user can only utilize the displays associated with the asset type. For example, a user with an ARD role can use all the ARD displays, but cannot use any Demand, Generation, Regulation or DRR displays.

Roles are further divided into two sub-types; "Read-only" and "Read/Write" (also known as "Update"). Read-only roles restrict the user to strictly viewing data on a

<sup>&</sup>lt;sup>1</sup> Load Response roles are retired/discontinued following the implementation of the Price-Responsive Demand (PRD) project in June 2018.

display, while Read/Write roles allow the user to view and submit data using a display. For example, a Participant user with a Read Only ARD role can only view the Participant's market data using the ARD displays, while one with a Read/Write ARD role can view and change the Participant's market data using the ARD displays. The Public displays can be viewed by any user with any role. They are all read-only displays.

Refer to the *Customer and Asset Management System Application Group Roles* document, which is found on the <u>ISO New England website</u> among the documents listed on the Participate > Support > User Guides page, for a complete list and description of the eMarket roles.

## **Agent Users**

Some users can represent or act on behalf of more than one Participant. Such users are referred to as **agents**. Agents need to specify the Participant they are representing when using eMarket. This is done by selecting the Participant in the upper right of the header.



**Note**: Although the eMarket application provides the capability to define users as agents, that capability to define agent users in CAMS is not available at this time (August 2014).

## **Business Rules and Timelines**

The associated business rules and timelines can be found in the document *Market Rule 1*, which is found on the <u>ISO New England website</u> among the documents listed on the Participate > Rules and Procedures > Transmission, Markets, and Services Tariff page, and in the **ISO New England Manuals** that are found on the <u>ISO New England website</u> listed on the Participate > Rules and Procedures > Manuals page.

Submission deadlines are market restrictions established by Market Rule defining deadlines by which data must be submitted. If data is submitted after a submission deadline, that data submittal will be rejected.

## **Energy Market Timeline**

The following submission deadlines for energy offers exist in eMarket:

Deadline	Description
Day-Ahead Market for two days from now and beyond – Open and Close hour	Normally, the market opens at 12:00 Eastern time or as soon as the Day-Ahead market results for tomorrow are approved and posted, whichever is the latest, each day for the market day two days from now and beyond. Energy offer/bid submittals can be made between 12:00 and 23:59 every day, for the day after tomorrow and up to nine days in the future.
Day-Ahead Market for tomorrow and beyond – Open and Close hour	Normally, the market opens at 00:00 and closes at 10:30 Eastern time each day for the next day's market. Energy offer/bid submittals can be made between midnight (00:00) and 10:30 every day, for up to ten days in the future. If a bid or offer is to be used in the Day-Ahead Market (DAM), it must be submitted by the 10:30 deadline on the day before the operating day. The markets database is unavailable for submittal of any energy offers/bids for tomorrow and beyond between Day- Ahead Market Close and Re-Offer Period Open, which is when the Day-Ahead commitment process is running. <b>Note</b> : The Real-Time Intraday Re-Offer Period for today is however open, so the markets database is available for submittal of intraday re-offers of financial parameters for units and Asset Related Demands (ARDs), and for submittal of intraday updates of physical parameters for Demand Response Resources (DRRs).
Re-Offer Period Open hour	Normally, the Re-Offer Period opens daily at 12:00 Eastern time or as soon as the Day-Ahead market results are approved and posted, whichever is the latest, but no later than 13:30 Eastern time. While the Re-Offer Period is open, energy offers/bids by units, ARDs, and DRRs can be submitted for tomorrow's market day. For those assets that were not committed in the Day-Ahead Market for tomorrow, changes to both financial and non-financial offer/bid parameters for tomorrow can be submitted during this period of time. <b>Note</b> : During the Re-Offer Period, energy offers/bids for two days from now and up to nine days in the future can also be made.

Deadline	Description
Re-Offer Period Close hour	Normally, the Re-Offer Period closes daily at 14:00 Eastern time. For a bid or offer to be in effect for the Real- Time Market (RTM), it must be submitted by this deadline on the day before the operating day. After this hour, only hourly updates for tomorrow's market can be submitted when the Real-Time Intraday Re-Offer period opens. <b>Note</b> : The Real-Time Intraday Re-Offer Period for today is however open, so the submittal of intraday re-offers of financial parameters for units and ARDs and the submittal of physical parameters for DRRs is allowed as per intraday re-offer rules.
Real Time (RT) Intraday Re-Offer Period – Open hour and special rules for Close hour (units and ARDs only)	<ul> <li>The RT Intraday Re-Offer period opens at 18:30 Eastern time the day before the operating day and implicitly closes at 22:30 of the operating day. During this period of time, hourly updates of unit and ARD energy offers for future hours of the operating day can be submitted. Offers for the next hour can be submitted up to 30 minutes before the beginning of the hour. Therefore</li> <li>After 23:30 the day before the operating day, hourly updates for the first hour of the operating day can no longer be submitted</li> <li>After 22:30 of the operating day, hourly updates for the operating day can no longer be submitted.</li> <li>During the RT Intraday Re-Offer period, only hourly updates of financial energy offers can be submitted; that is to say changes to incremental energy offers</li> <li>(MW/Price pairs) and under strict rules, changes to generator's Startup and No Load Cost offers, including changes to the associated fuel blend parameters. All other components of a unit or ARD asset offer/bid cannot be changed during this period.</li> </ul>
Real Time (RT) Intraday Physical Parameter Resubmittal (DRRs only)	The RT Intraday Resubmittal period for DRRs opens at the time of Re-Offer close (subject to Day-Ahead market approval). During this period of time, hourly updates of DRR physical parameters (See §0 for the list of parameters) for current and future hours can be submitted.

There are some special conditions where the above times may change such as extenuating circumstances when the market window must be extended. Market Participants are notified whenever these times are altered; the notifications are posted as special notices on the ISO website. Market Participants can sign up with the Customer Support Department at ISO New England to receive these notices by email.

#### **Regulation Market Timeline**

The following submission deadlines for regulation offers exist in eMarket:

Deadline	Description
Regulation Market for two days from now and beyond – Open and Close hour	The market opens at 18:30 and closes at 23:59 Eastern time each day for the market day two days from now and beyond. Regulation offers, daily and hourly updates, can be submitted between 18:30 and 23:59 every day, for the day after tomorrow and up to nine days in the future. <i>Same as the offers/bids for the Energy market.</i>
Regulation Market for tomorrow and beyond – Open and Close hour	The market opens at 00:00 and closes at 14:00 Eastern time each day for the next day's market and beyond. Regulation offers, daily and hourly updates, can be submitted between midnight (00:00) and 14:00 every day, up to ten days in the future.
	Note that 14:00 is the close of the Energy market Re- Offer Period, when a generator's economic limits for tomorrow are final and cannot be changed. These are the limits against which regulation limits are validated.
Regulation Market Intraday Reoffer Period – Open and Special rules for Close hour	<ul> <li>The Intraday Reoffer period opens at 14:00 Eastern time the day before the operating day and implicitly closes are 22:55 of the operating day. During this period, regulation offers hourly updates for thure hours of the operating day can be submitted. Offers for the next hour can be submitted up to 5 minutes before the start of that hour. Therefore</li> <li>After 23:55 the day before the operating day, hourly updates for the <u>first</u> hour of the operating day can no longer be submitted</li> <li>After 22:55 of the operating day, hourly updates for the <u>first</u> hour of the operating day can no longer be submitted.</li> <li>During the Intraday Reoffer period, <u>hourly updates of only the regulation financial</u> offer parameters (Regulation Service Price, Regulation Inter-Temporal Opportunity Capacity Cost, and Regulation Other Capacity Cost) can be submitted.</li> <li>For Alternative Technology Regulation, Automatic Response Rate, Regulation High and Low Limits) can be submitted.</li> <li>What this means is that Participants can submit hourly updates of their regulation financial offers at any time for future hours of today and for any hour of tomorrow.</li> </ul>

#### Fuel Price Adjustments Submittal Timeline

The following submission and processing deadlines and rules for Fuel Price Adjustment (FPA) requests exist in eMarket:

- FPA requests can be submitted at any time with a start hour for any future hours of today and any hour of the next seven days. FPA requests for the next hour of today must be submitted at least 30 minutes before the start of the hour.
- FPA requests are processed within one minute after being received except for periods of time where the processing is suspended:
  - Processing of FPA requests for tomorrow is suspended from the closure of the Day-Ahead Market and the opening of the Re-Offer Period for tomorrow while the commitment software is running to clear the tomorrow's Day-Ahead Market.
  - Processing of FPA requests for tomorrow is suspended from the closure of the Re-Offer Period and the opening of the RT Intraday Re-Offer Period for tomorrow while the commitment software is running to establish and finalize the tomorrow's operating plan.
  - Processing of FPA requests for days after tomorrow is suspended until the beginning of the day before the start date of the FPA request.

FPA requests whose processing is suspended remain in "Pending" state until processing resumes.

#### **Rules for Timeline Checks**

Every submittal (display or XML upload) to the eMarket application has an embedded timestamp that cannot be edited. This timestamp tells eMarket when the data was submitted. Almost all the submissions have the ability to enter day and sometimes time information; either for the past or the future. Deadline validation is performed for data submittals only; there is no deadline validation performed on data queries, which means that one can view and retrieve data at any time.

The time against which these validations are done will be the time that the eMarket application receives the submission for processing, which is the earliest time that eMarket can recognize the submission.

Consider the following examples (assumes a submission deadline of 10:30):

• You send a submittal for the next day at 10:29.45 AM. eMarket receives the complete submittal at 10:29:48 AM. Assume the validation and database processing required to submit this transaction is significant, such that the transaction does not complete until 10:30:12 AM. The transaction succeeds, because

eMarket received the complete request at 10:29:48 AM, before the cut-off window.

- You send a submittal for the next day at 10:31.45 AM. eMarket receives the complete submittal at 10:31:48 AM. eMarket will reject this submission because it was received after the cut-off time.
- You send a submittal for the next day at 10:29.45 AM. Due to unusual network latency, eMarket receives the complete submittal at 10:30:13 AM. eMarket will reject this submission because it was received after the cut-off time, even though it was sent before the cut-off time. eMarket has no way of knowing that this submittal was sent before the cut-off time, and therefore can only rely on the time the submittal was received.

In the eMarket GUI, data entry fields on displays will be disabled and deemphasized based on the above deadlines to prevent the user from trying to submit data when the market is closed. Only some data submittals are allowed during the Re-Offer Periods. The data entry fields for these data values will be enabled and emphasized during the Re-Offer Periods when data submittal is allowed.

## **Effective Dates of Data**

Much of the data in the eMarket application is time sensitive. As data is entered, you are typically required to enter the date for which the data applies. As a rule, it is not necessary to submit data for each Market day. With displays labeled as "Default", the submitted data is effective starting on the Market day specified and for all subsequent days up to the day the data is changed.

**Note: Data must be submitted for successive market days.** This means that you should not submit data for a future date, say July 10, and then submit data for an earlier date, say July 5, because the latter data submittal will overwrite the data previously submitted.

Hourly bid data on the other hand only applies to a specific Market day and hour. Specifically, data on displays labeled as "Hourly Updates" applies only to the specific day and hour for which the override is entered:

- Unit Ramp Rate Hourly Updates
- Schedule Offers Hourly Updates
- Schedule Times Hourly Updates
- Schedule DA Ancillary Service "A/S" Offers
- Unit Hourly Updates
- Fuel Price Adjustment requests
- DA Ancillary Service "A/S" Benchmark Data Overrides
- Regulation Hourly Updates

- ARD Ramp Rate Hourly Updates
- ARD Schedule Offers Hourly Updates
- ARD Schedule DA Ancillary Service "A/S" Offers
- ARD Hourly Updates
- ARD DA Ancillary Service "A/S" Benchmark Data Overrides
- Demand Bids
- Inc/Dec Bids
- DRR Hourly Updates
- DRR Schedule Offers Hourly Updates
- DRR Schedule Times Hourly Updates
- DRR Schedule DA Ancillary Service "A/S" Offers
- DRR DA Ancillary Service "A/S" Benchmark Data Overrides

## Display Refresh vs. Browser Refresh

For cyber security reasons, the eMarket GUI does not use cookies to remember the last eMarket display page that the user accessed.

Consequently, if you perform a browser refresh to reload the web page using

- The F5 function key, or
- The Refresh function in Internet Explorer (toolbar button or Refresh on the View drop-down menu)
- The Reload function in Chrome (toolbar button or Reload on the page tab)
- The Reload function in Mozilla (toolbar button or Reload on the page tab)

eMarket will present its initial web page rather than reload the web page with the display you had selected along with your filter selections. To refresh the information shown in a display page, use the *Refresh* button provided on the eMarket display.

## Browser "Back" Function with eMarket

Since the eMarket GUI does not use cookies to remember the last eMarket display page that the user accessed, using the browser's "Back" function to return to the eMarket GUI after navigating away will <u>not</u> return the user to the eMarket web display tab that was on display prior to navigating away. Rather, the user will be returned to the default eMarket initial web display tab.

**Note**: The response to an XML file upload and to all XML Download requests will be a downloaded response XML file that the user will be prompted to open or save. The web browsers can be configured in various ways to open the downloaded response file, from selecting the application to open the file (Firefox and Chrome) to using the application associated with the .XML file extension (Firefox and Internet Explorer). If the user's browser is the application designated/selected to open the file, it is recommended that its options be set to open the file in a new tab or window. Otherwise the response file will be opened in the same window display tab used to interact with eMarket and the user will not be able to get back to the eMarket web display tab that was on display prior to the action that caused the response XML file to be generated.

## **Demand Bid Subaccounts**

Participants with registered subaccounts in the ISO-NE Customer and Asset Management System (CAMS) for their demand bids may now use these subaccounts when their users submit demand bids into the Market using the eMarket application.

**Note**: *The subaccount feature is optional in the eMarket application*. For Participants who do not register subaccounts in CAMS, the functionality of the eMarket GUI and the XML reports obtained using the eMarket GUI are unchanged. See the

**eMarket Data Exchange Specification** for the effect of the subaccount feature on the eMarket Web Services.

For Participants with registered subaccounts in CAMS, a default subaccount named "Default" is automatically created in the eMarket application. Participant users can use this subaccount just like their registered subaccounts to submit and view demand and virtual bids, to view their bids that cleared in the Day-Ahead Market and to request XML Download reports. This subaccount is used when a Participant with registered subaccounts does not specify a subaccount when submitting demand or virtual bids using the SubmitDemandBid XML request.

```
As described in §0 <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetRegHourlyResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <RegHourly day="2014-12-15" ID="444">
    <HourlyProfile>
      <HourlyValues time="2014-12-15T00:00:00-04:00">
        <ARR>21.5</ARR>
        <Available>true</Available>
        <Capability>37.5</Capability>
        <RegHighLimit>680</RegHighLimit>
        <RegLowLimit>400</RegLowLimit>
        <RegCapOther>70</RegCapOther>
        <RegITOCap>70</RegITOCap>
        <RegServPrice>70</RegServPrice>
      </HourlyValues>
      <HourlyValues time="2014-12-15T01:00:00-04:00">
        <ARR>21.5</ARR>
        <Available>true</Available>
        <Capability>37.5</Capability>
        <RegHighLimit>680</RegHighLimit>
        <RegLowLimit>400</RegLowLimit>
        <RegCapOther>70</RegCapOther>
        <RegITOCap>70</RegITOCap>
        <RegServPrice>70</RegServPrice>
      </HourlyValues>
      <HourlyValues time="2014-12-15T02:00:00-04:00">
        <Available>true</Available>
        <Capability>37.5</Capability>
        <RegHighLimit>680</RegHighLimit>
        <RegLowLimit>400</RegLowLimit>
        <RegCapOther>70</RegCapOther>
        <RegITOCap>70</RegITOCap>
        <RegServPrice>70</RegServPrice>
      </HourlyValues>
      <HourlyValues time="2014-12-15T23:00:00-04:00">
        <Available>true</Available>
        <Capability>37.5</Capability>
        <RegHighLimit>680</RegHighLimit>
        <RegLowLimit>400</RegLowLimit>
        <RegCapOther>70</RegCapOther>
        <RegITOCap>70</RegITOCap>
        <RegServPrice>70</RegServPrice>
      </HourlyValues>
    </HourlyProfile>
```

```
<ShortName>UNIT</ShortName>
</RegHourly>
</GetRegHourlyResponse>
```

Demand Tab, users of Participants that have registered subaccounts in CAMS for a given Market Day must select a subaccount in order to view, submit or delete demand bids (be they Fixed, Price-Sensitive or Virtual (Inc/Dec) bids) using the eMarket GUI. Similarly, they must select a subaccount to view the demand bids that cleared in the Day-Ahead Market on the Demand By Portfolio display. They can also select a subaccount to filter the demand bid information returned in the XML Download reports; if a subaccount is not selected, demand bid information for all subaccounts is returned in the report. It is important to note that <u>only subaccounts active for the selected Market day and inactive subaccounts for which demand bids exist for the selected Market day will be listed in the drop-down selection lists presented to the users. Inactive subaccounts will appear with an asterisk (\*) appended to their name.</u>

**Note**: Since Participant users can submit demand bids for several days into the future and it may be possible for the Participant to terminate (inactivate or delete) a subaccount after bids for future Market Days have been submitted, it is important to remember that the bids are not deleted when the subaccount is terminated; they remain in place and will be considered when clearing the Day-Ahead Market on those future days. *It is the responsibility of the Participant users to delete the bids that may be in place for future days when a subaccount is terminated.* 

# 2. Interface Basics

This chapter describes the common topics and concepts used in the eMarket GUI. This chapter's sub-sections describe basic actions such as display navigation, screen layouts, filters, and data entry.

## **Common Display Fields and Elements**

A typical display in eMarket looks like this: A eMarket User Interface G SO new england 16-Jan-2018 19:14 В Prices Binding Reactive Net Tie Constraints Interface Limits Schedule D **Reactive Interface Limits** elect Date Reactive Interview rface Limits on 17-J BH+KRE Interface on 17-Jan-2018 Date: 17-Jan-2018 С .42 -50 .75 .82 BH-EXP Int ce on 17-1a 99999 99999 99999 99999 27 -154 -139 BSTN Interface on 17-Jan-2018 E Refresh Message Tex F

The basic elements are:

#### A. Header Area

- 1. **Market Status** Indicator displays "Open" or "Closed" depending on whether the market system is open to receive Participant offers and bids.
- 2. Date and Time current wall clock date and time
- 3. Participant Selector For most users, it simply shows which Participant they represent with their digital certificate. For agent users, it shows the Participant that the user is currently representing; the dropdown list shows all the Participants that the user can represent and provides the means to select a Participant on the list that they want to represent. For ISO New England's Customer Service personnel, it provides them the list of all Participants; they can select from the list the Participant on whose behalf they can submit offer/bids.

- 4. **Certificate User** name of the user associated with the digital certificate used to access the eMarket application
- 5. **User** this will normally be the same as the certificate user name and the drop-down list will show only that user's name. This drop-down box is for ISO New England's Customer Service personnel; it provides them the list of users registered under the selected Participant.

#### B. Navigation Area

- 1. **Navigation Tabs** allow the user to choose which set of displays of eMarket to view. Only tabs for displays that the user is allowed to view based on his role are shown.
- 2. **Navigation Sub Tabs** allow user to choose specific displays within a category.
- 3. **Data Window Title** –displays the title of the currently selected display from the tabs.
- C. **Filters pane** contains the filters for the selected display. See <u>section</u>0 for more details.
- D. Display Pane
  - 1. **Display Title** The display title reflects the type of information that is presented in the display, such as Day-Ahead Market (DAM) LMPs, generation schedules, and demand bids. The data display is determined by selections made from the navigation tabs and filters.
  - 2. **Display Contents** presents the data based on the selected navigation tabs and filters.
- E. Action Buttons A display can present any or all of the following buttons:
  - New use this button to add a new row to a grid display and edit the data in the added row. You can use the button several times to add more than one row and then edit the data in the added rows. The data in the new row is shown on a pink background and it is not updated in the database until you select the Update button. The displayed rows of data will be shown with normal background when it is successfully stored in the database.
  - 2. **Delete** use this button to delete one or more rows of data in the database. Only the highlighted rows in the display are deleted from the database. You can select more than one row to delete at the same time.
  - 3. **Update** use this button after you change the data in the display and you want to submit the data to the database.
  - 4. **Refresh** use this button to retrieve the most recent data from the data base, i.e., to refresh the information shown on the display.

- F. **Messages Pane** shows error, warning and confirmation messages for user actions. It can be collapsed or expanded by clicking the double arrow icon in the pane header. See <u>section</u> 0 for more details.
- G. **Display Update Progress Bar** A display popup labeled "Please Wait ..." will be presented when a display update is initiated. The popup will automatically close when the update completes.

## **Navigation**

Users choose which display to view by using the Navigation Tabs. The tabs are presented in two rows. The top row defines the category of displays to view and the sub tabs show displays within that category.

The first row has up to five tabs which may show based on your defined roles. The five tabs are:

- **Public** for use by all registered market system users; it provides access to displays of information from the cleared DA market.
- **Generation** provides access to the generating unit displays.
- **Demand** provides access to the demand displays.
- **ARD** provides access to the ARD displays.
- **Regulation** provides access to the regulation displays.
- **DRR** provides access to the Demand Response Resource displays.
- **ESF** provides access to the Energy Storage Facility displays.

The sub tabs row changes based on the navigation tab chosen. For example, choosing the Generation tab shows these sub tabs.

 Public
 Generation
 Demand
 ARD
 Regulation
 DRR

 Private
 Unit Default
 Portfolio
 Ramp Rate
 Schedule
 Schedule
 Schedule Offers
 Schedule Times
 Schedule
 Hourly
 Fuel Price
 Generation
 XML

 Messages
 Manager
 Default
 Mourly Updates
 Mourly Updates
 Hourly Updates
 Selection
 Updates
 Adjustments
 By Portfolio
 Download

Users can always tell which display is being shown in two ways:

- A. The selected navigation tabs are highlighted, and
- B. The display name is shown in the display pane.

A	IS	new er	ngland		
	Pour G	eneration De	mand ARI	C Regulation	
	Private	Unit Default	Portfolio	Ramp Rate	Ram
В	messages	Parameters	Manager	Derault	Hou
	Unit D	ally Defau	uit Para	meters	1

The eMarket displays are not different web pages. You will notice that the URL shown in your browser address bar does not change as you select different eMarket displays. Consequently, you cannot use the browsers "Back" and "Forward" toolbar buttons to go back to a previously shown eMarket display. You must access it using the display tabs.

#### **Filters Pane**

The Filters pane provides a set of filters applicable to the currently shown display. It sits on the left side of the eMarket GUI window as shown below:

ISO new england			Market Status: OPEN(0 Participani	V. 1) Certific t: ISO New England Inc	22-Aug-2014 15:39:18 Superuser	
Public Generation Demand ARD Regulation						
Private Unit Default Portfolio Ramp Rate Ramp Ra Messages Parameters Manager Default Hourly L	te Schedule Schedule Detail Defaults	Schedule Schedule Offers Offers Default Hourly Updates	Schedule Times Schedule Hou Hourly Updates Selection Upo	urly Fuel Price Generation dates Adjustments By Portfolio	XML Download	
Schedule Detail Defaults						
Select Date, Unit and Schedule	Schedule Details for Unit - DFLPRIC	E (Price-based) on 24-Aug-2014				
Date: 24 Aug 2014						<b>_</b>
Ddto: 24-A0g-2014	Schedule Available: Ye	es	Max Daily Starts:		Emergency Min:	55.0
Portfolio: AAB	Day Ahead Market: 🗸		Max Daily Energy (MWh):		Economic Min:	55.0
Unit: UNIT NAME	Real Time Market: 🔽		Min Downtime (hr): 1	.0	Economic Max:	97.0
Schedule: DFLPRICE			Min Runtime (hr): 1	.0	RT High Operating Limit *:	97.0

The filter selections vary based on the display. Some displays require only a date filter while others may require date, portfolio and asset filters. When you navigate to a display, the appropriate filter selections are shown in this pane.

The Filters pane can be hidden or resized to allow tailoring the eMarket layout to your liking. By default, the Filters pane is expanded as shown above. If you wish to completely hide the Filters pane, simply click on the double arrow icon in the pane header and the pane will collapse into a single bar on the left as shown below. To restore it, simply click on the double arrow icon again.

19	nev	venglan	d			e Mari Version : 2:03 Market Status: OPEN(01) Certificate User: Sv Participant: ISO New Englend Inc								(et Use 2014072211: peruser Vuser:	e <b>r Inter</b> 19) 22-Aug-20 <b>Superuser</b>	face 14 15:53:23	
Public	Generation	Demand	ARD Regul	ation													
Private Messages	Unit Default Parameters	Portfolio Manager	Ramp Rate Default	Ramp Rate Hourly Updates	Schedule Manager	Schedule Detail Defaults	Schedule Offers Default	Schedule Offers Hourly Updates	Schedule Times Hourly Updates	Schedule Selection	Hourly Updates	Fuel Price Adjustments	Generation By Portfolio	XML Download			
Sche	dule Deta		ults RICE (Price-b	ased) on 24-Aug-S	2014												
	Scheo	dule Available	Yes				Max	Daily Starts:					Em	ergency Min:	60.0		
	Day A	head Market					Max Daily Er	nergy (MWh):					E	conomic Min:	182.0		
	Rea	l Time Market	u 🔽 🚽	»			Min D	owntime (hr): 8.0					Ed	onomic Max:	182.2		
							Min	Runtime (hr): 4.0					RT High Oper	ating Limit *:			

## **Messages Pane**

The Messages pane shows error, warning and action confirmation messages. It appears at the bottom of the eMarket GUI window. By default, only its header bar is shown. To view the full Messages pane at any time, click on the double arrow icon in the pane header.

ISO new england				Mai	rket Status	: CLOSED			<b>e</b> Versio Certificate	<b>Mark</b> n: 2.0.1(20 User: Supe	et Use	er Interface 9) 22-Aug-2014 16:24:27
				Re	adOnly Pa	rticipant:	ISO New Env	gland Inc			Y User:	Superuser 👻
Public Generation Demand ARD Regulation												
Public         System         Prices         Binding         Reactive         Net Tie         XML           Messages         Summary         Constraints         Interface Limits         Schedules         Download												
System Summary												
Select Date 🛞 System Summary for 23-Aug-2014												
Date: 22 Aug 2014												
Day-Ahead Demand	01 / 13	02 / 14	03 / 15	04 / 16	05 / 17	06 / 18	07 / 19	08/20	09/21	10 / 22	11/23	12/24
	11648	11319	11265	11244	11256	11758	12296	13574	14482	15446	16442	16972
	17283	17344	17447	17520	17567	17328	17018	16850	16819	15591	13746	12242
Day-Ahead Load Forecast	01/13	02 / 14	03 / 16	04 / 18	05 / 17	06 / 18	07 / 19	08/20	09/21	10 / 22	11/23	12724
	11000	19860	10720	10000	10550	16950	12000	14070	14900	15990	10930	10270
Day-Abead Operation Reserve Objective	01/13	02/14	03715	04716	05717	06718	07 / 19	08720	09/21	10/22	11/23	12/24
	2404	2324	2337	2337	2337	2352	2324	2324	2324	2324	2324	2324
	2324	2328	2715	2715	2715	2721	2715	2715	2715	2334	2715	2324
												Ribeb
Messages												*

Whenever an update to save entered data is unsuccessful, the Messages pane is automatically expanded (if collapsed) and an error message is shown for each error on the display. Similarly, the pane will be expanded if collapsed when warning messages about the submitted data are posted. When the Messages pane is expanded, it can be collapsed again by clicking on the double arrow icon in the pane header.
l	ISO	nev	w engla	and								Ma	rket Status	: CLOSED			e. Versin Certificate	<b>Mark</b> on: 2.0.1(2 User: Supe	et Us 014072211 eruser	er In 19)	terfa	ace
												Re	adOnly Pa	articipant:	ISO New E	ngland Inc			🎽 User	Superus	er	*
Public	Gener	ration	Demand	ARD R	egulation																	
Public Messa	jes Sur	stem Immary	Prices	Binding Constraints	Reactive Interface Lin	Net Tie Schedules	XML Download															
Sys	stem S	Sumn	nary																			
Select	Date				~	System Summa	ry for 23-Au	g-2014														
	Date: 0					Name																<u> </u>
	Date: 2.	23-AUg-21	114			Day-Ahead Der	nand		01/13	02 / 14	03 / 15	04 / 16	05 / 17	06 / 18	07 / 19	08 / 20	09/21	10 / 22	11/23	12 / 24		
									11648	11319	11265	11244	11256	11758	12296	13574	14482	15448	16442	16972		
						Development			17283	17344	17447	17520	17567	17328	17018	16850	16819	15591	13746	40040		
						Day-Anead Loa	iu Polecasi		11600	11020	10720	10600	10550	11290	12660	14070	14900	15490	15930			
									16480	16660	16710	16730	16820	16850	16570	16220	16230	15310	13810	$\sim$	$\mathbf{N}$	
						D			04.740	00.444	00745	04748	05.7.47	08.740	07.440	00/20	00.704	(0.100	44.400	A11 2110 -	コン	-
																						Refresh
Messa	jes																					- 🖌 🗵
Time			Туре	Number	Message Text																	•
22-Au	-2014 16:	:12:04	Error	0	The market is (	currently closed at	nour ending 24	4-AUG-2014	01 (Timestam	p: 22-AUG-14	16:12:03).											

### **Data Displays and Entry**

Enterable and non-enterable fields are distinguishable from each other by background color.

- A. Enterable fields are shown with a white background.
- B. Non-enterable fields are shown with the screen background color or a grey background color.

ISO new england				eMa Verzion 24 Market Skuluss: Officis) Centricate Uren Participanti <mark>BOthern England Sc</mark>	rket User Interface 8.1(201407221119) Superviser 22:Aug-2014 16:53:52 V Users Superviser V
Public Generation Durand AND Republic	rion (				
Privale Unit Default Portfolio Kamp Rate Metologist Parameters Manager Default	Ranp Rate Hourty Update	schedule Schedule Schedule Schedule Offers Schedule Offers Schedule Haruper	Times Schedule Hearly Puel Price Generation XML dates Selection Updates Adjustments By Portfolie Download		
Schedule Detail Defaults					
Select Date, Unit and Schedule	66. Bel	hedula Datails for Unit - ISOPRCUT (Price-based) on 24-Aug-2014		(A)	
Date: 24-Aug-2014	3			~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	
Portfolio: Al_Units	*	Day Alward Market	Max Daily Scarts:	Energine y Her. (6.0	
UNIT WATE	~	Day Areas Harlet	Min Develope (he's	Extension Marcia o	
Schedule: ISOPROUT		and the result of	Mo Budger Ork 0.0	ET Heb Oversition Line 7: 0.0	
		Fast Start (10 min): Ves	Hot to Cold Time (hr): 0.0		
		Fast Start (30 min): Yes	Hot to Inter Time (fir): 0.0		
			Hist Notification Time (hr): 0.0		
		B	Inter Notification Time (hr): 0.0		
		$\bigcirc$	Cold Notification Time (hr): 0.0		
			Hot Starbup Time (hr): 0.0		
			Inter Startup Time (hr): 0.0		
			Cold Startup Time (hr): 0.0		
				<ul> <li>Will not be used by eligence and convertingent</li> </ul>	
					Update Refresh
Messages					8

To update data, the process is similar throughout the eMarket GUI:

- 1. Click to place the cursor in the enterable field that you want to update or use the TAB key to move to the next enterable field.
- 2. Change the data to a new value.

- When the Enter key is hit or when another data entry field is selected, the background color of the field where data was entered is highlighted in pink to indicate that the new value is unsaved.
- The application title in the header changes from white to pink, as shown below.

IS	new engl	land											Market Status: OP Partic	N(01) Dent: ISO New England Inc	Certificat	Market ( ion: 2.0.1(201407) a Usar: Suparusar	User Int 221119) 22-Ar Useri Superuse	19-2014 17:06:15
Public 6	eneration Demand	ARD Reg	gulation															
Private Messages	Unit Default Portfo Parameters Manag	olio Ramp Rati ger Default	e Ramp Rate Hourly Up	dates Manager	Schedule Detail Defaults	Schedule Offers Default	Schedule Offers Hourly Updates	Schedule Times Hourly Updates	Schedule Hourly Selection Update	Fuel Price Adjustments	Generation By Portfolio	XML Download						
Sched	ule Detail De	faults																
Select Date	Unit and Schedule		•	Schedule Details	for Unit-ISOPRCI	JT (Price-based)	an 24-Aug-2014											
Date	24-Aug-2014				and a surface of					Mar Da						_		
Portfolio	Al_Units		*	50	w Ahead Market:	10 7				Max Daily Energ	y (Math): 1			Eller	poncy Min:	.0		_
Uni	UNIT NAME		~	F	eal Time Market: 🔽	Ŧ				Min Down	time (br): 1			Ecor	omic Max:	.0		_
Schedule	ISOPROUT		*							Min Run	time (hr): 1		_	RT High Operat	ing Limit *: 0	.0		_
				Fa	st Start (10 min): y	'es				Hot to Cold	lime (hr): 0.0							
				Fa	st Start (30 min): y	'es				Hot to Inter	Fime (hr): 0.0			Condense	Available: 🔽			
										Hot Notification	fime (hr): 0.0			Condense Startu	o Cost (\$): 🛛	.00		
										Inter Notification	fime (hr): 0.0			Condense Hourt	y Cost (\$):	.00		
										Cold Notification	fime (hr): 0.0			Conder	se Power: 0	.0		
										Hot Startup	fime (hr): 0.0			Condense Notification	Time (hr):	.0		
										Inter Startup	fime (hr): 0.0							
										Cold Startup	Time (hr): 0.0							
														Will not be used by dispatch and o	an màme a l			
																	Update	Refresh
Messages																		

- 3. Click the **Update** button to save the data to the database.
  - The "Please Wait..." progress bar is shown in the header.
  - When the update is complete, the "Please Wait..." progress bar is removed, all unsaved highlights are removed and at least one message is added to the Messages pane indicating the completion status.
  - The changed data values are now stored in the database.

Inevitably users will make mistakes during data entry. When this happens, eMarket automatically expands the Messages pane showing one or more error messages and also highlights the field(s) in error. Similarly, when some of the entered data is accepted but violates certain cautionary checks, eMarket will expand the Messages pane to show warning messages.

When the market is closed (see §0), eMarket does not allow data submittals. To prevent data entry while the market is closed, eMarket shows you in several ways as shown below:

- A. The Market Status Indicator will show that the market is closed.
- B. The data cells in the display are shown with a grey background indicating that they are non-enterable.
- C. The "Update", "Delete" and the "New" buttons on applicable displays are not shown.

ISO new england			A Market Status:	Ve CLOSED Centifica	eMarket User Interface rsion: 2.0.1(201407221119) te User: Superuser 22-Aug-2014 17:11:09
PT			Part	dpant: ISO New England Inc	V Useri Superuser Y
Public Generation Demand ARD Regulation					
Private Unit Default Portfolio Ramp Rate Ramp Rate Messages Parameters Manager Default Hourly Up	e Schedule Schedule Schedule Offers Schedule Times dates Manager Detail Defaults Offers Default Hourly Updates Hourly Updates	Schedule Hourly Fuel Price Generation Selection Updates Adjustments By Portfolio	201L Download		
Schedule Detail Defaults					
Select Date, Unit and Schedule	Schedule Details for Unit - ISOPRCUT (Price-based) on 24-Aug-2014			B	
Date: 24-Aug-2014					
Portfolio: Al_Units	Schedue Avalable: No	Max Daly Starts:		Entergency Min:	0.0
UNIT NAME	Real Time Market:	Min Downtime (hr): 0.0		Economic Max:	0.0
Schedule: ISOPROUT		Min Runtime (hr): 0.0		RT High Operating Limit *:	0.0
	Fast Start (10 min): Yes	Hot to Cold Time (hr): 0.0	1		
	Fast Start (30 min): Yes	Hot to Inter Time (hr): 0.0	1	Condense Available:	
		Hot Notification Time (hr): 0.0	3	Condense Startup Cost (\$):	0.00
		Inter Notification Time (hr): 0.0	1	Condense Hourly Cost (\$):	0.00
		Cold Notification Time (hr): 0.0	1	Condense Power:	0.0
		Hot Startup Time (hr): 0.0	)	Condense Notification Time (hr):	0.0
		Inter Startup Time (hr): 0.0	1		
		Cold Startup Time (hr): 0.0	1		
				• WE not be used by disasch and commitment	C

Another item of note is that if you have new data in the display that has not been submitted to the database, it may be lost if you select the Refresh button or attempt to navigate to a different display. eMarket will warn you of this by presenting this dialog:

Editing Data	×
There may be unsay	ved data. Continue?
	OK Cancel

This allows you to click **OK** to continue and lose your changes, or **Cancel** to cancel your previous action thereby giving you the chance to save the entered data.

# 3. General Tasks

This section discusses the tasks that apply to one or more categories within the application.

## **Manage Portfolios**

Portfolios provide filters of data for the eMarket user interface. Portfolios are used to group resources and/or location nodes together to benefit you in viewing and managing data, and can be used in each of the ARD, Demand, DRR, Regulation and Generation sections of eMarket. By using portfolios, you can organize resources in a matter suited to your business. You can create any number of portfolios with each portfolio uniquely named by you to describe its usage. Portfolios that you create belong only to you and cannot be shared.

The combination of a user's portfolios determines the information that is reported in the asset-oriented XML Download reports. For example, the "Generation by Unit" XML report contains information about all the unique generating units *listed in all* of your portfolios.

A portfolio contains one or more resources, and a resource can appear in any number of portfolios. Any defined resource (ARD, DRR, Pnode, ATRR<sup>2</sup> or Unit) can be included in multiple portfolios. There is no requirement that a resource appear in at least one portfolio, so it is possible that a resource will not appear in any portfolio.

**Note**: any unit, ARD asset, DRR, regulating resource or node that is not associated with a portfolio does not appear in the filters used for choosing a resource. In other words, only assets listed in portfolios can be selected to view/update its market data. That's because the user must first select a portfolio and only assets listed in the selected portfolio will be available for selection in the asset selection combo box drop-down list.

Portfolios are not effective dated. The data in a portfolio exists from when the portfolio is created until the portfolio is deleted.

<sup>&</sup>lt;sup>2</sup> Alternative Technology Regulation Resources

The Portfolio Manager display under Generation, Demand, DRR, Regulation or ARD is used for creating, modifying or deleting portfolios. It looks like this:

ISO new england		Market Status: CLOSED	Ve Certific	eMarket User Interface
#**		Participant:	ISO New England Inc	Vuser: Superuser V
Public Generation Demand ARD Regulation				
Private Unit Default Portfolio Ramp Rate Ramp Rate Schedule	Schedule Schedule Schedule Offers	Schedule Times Schedule Hourly Hourly Undates Selection Undates	Fuel Price Generation	XML Download
Portfolio Manager A		C		G
Portfolios	Units Included in Portfolio Mkt_Adm		Units Not Included in Po	ortfolio Mkt_Adm
ААА	AES THAMES	<u> </u>	BELLOWS FALLS	<u> </u>
AAB	ALTRESCO 🤣		BERKSHIRE POWER	
AAC	AMOSKEAG		BERLIN 1 GT	
AAD	ANP-BELLINGHAM 1		BRANFORD 10	
AAE	ANP-BELLINGHAM 2		BRAYTON PT 1	
MITIC	AND-BLACKSTONE ENERGY 1	F	BRIDGEDORT ENERGY 1	
Mit Adm	ASCUTNEY GT	_	BRIDGEWATER	
	AYERS ISLAND		BRISTOL REFLISE	
	AZISCOHOS HYDRO		BULL HILL WIND	
	BAR HARBOR DIESELS 1-4		CABOT	
	BAR MILLS		CANAL 2	
	BELDENS-NEW		CAPE GT 4	
B	BERKSHIRE WIND POWER PROJECT		CDECCA	
	BETHLEHEM		CLEARY 9/9A CC	
	BOLTON FALLS		DARTMOUTH POWER	
	BONNY EAGLE/W. BUXTON	•	DIGHTON POWER LLC	•
New Copy Delete	Filter:		F	ilter:
Messages				8

The basic features of this display are:

- A. **Portfolio List** this area shows the list of the existing portfolios owned by the user ordered by name.
- B. **Portfolio Action Buttons** these buttons are for managing the portfolios themselves:
  - 1. **New** creates a new portfolio
  - 2. **Copy** creates a copy of an existing portfolio with all of the same contents
  - 3. **Delete** removes an existing portfolio
- C. **Items Included List** this middle section of the display shows the items that are contained within the portfolio currently selected in the **Portfolio List**.
- D. **Filters** you can type in characters which limit the items in the list above the filter. This is used to more easily find items.
- E. Add To Portfolio (left arrow) clicking this icon adds the selected item(s) in the **Items Not Included List** on the right to the **Items Included List**
- F. Remove from Portfolio (right arrow) clicking this icon removes the selected items from the Items Included List and moves them to the Items Not Included List. *Removing the last item in a portfolio automatically deletes the portfolio because a portfolio cannot be empty.*
- G. **Items Not Included List** this right section of the display shows the items that are not currently in the selected portfolio and can be added. Note that

with the Generation, DRR, Regulation and ARD Portfolio Managers, only items that belong to the Participant that the user represents are shown on this list.

The following sections go through the steps for creating, modifying, and deleting portfolios.

**Note**: Demand portfolios are particular. When you create a Demand portfolio with a name that is the same as a Generation, Regulation and/or ARD portfolio, the generating units and ARDs listed in those portfolios, but not the ATRRs, are automatically listed in the Demand portfolio that you created. For example, if you create a Generation portfolio named "East" and add unit Gen1 to it. Then create a Demand portfolio named "East" and you will find that the Pnode for Gen1 is already listed. That is because generating units, including regulation capable units, and ARDs have Pnodes associated with them. Therefore, if you want to create a Demand portfolio that includes the Pnodes of units and ARDs listed in Generation and ARD portfolios, give the same name to all three portfolios.

### Create a Portfolio

There is no limit to the number of portfolios that you can create. Each portfolio is user-specific, meaning that only you can manage and use the portfolios that you create.

To create a portfolio:

- 1. In the navigation sub tabs, click the **Portfolio Manager** tab.
  - The appropriate Portfolio Manager display is shown in the display pane.
- 2. Click the **New** action button.
  - The following dialog is shown:



- 3. Enter the name of the new portfolio in the dialog box.
- 4. Click **Ok**.
  - The portfolio now appears in the Portfolio List
  - The very first item in the Items Not Included List is automatically added to the new portfolio, because a portfolio cannot be empty. You will have to remove it from the Items Included List if you don't want it in the portfolio, but do this only after adding the items that you do want listed in the new portfolio. Removing it while it is the only item listed will automatically delete the portfolio that you just created.

- 5. Select the desired item(s) in the **Items Not Included List.** Multiple contiguous items may be selected by holding down the shift key. Random items may be selected by holding down the Ctrl key.
  - The selected items are highlighted
- 6. Click the **Add to Portfolio** button
  - Items are added to the Items Included List for the selected portfolio
  - Items are removed from the Items Not Included List
- 7. (optional) Enter text into the Filter area below the Items Not Included List.
  - The list is reduced to only items that match the typed filter as shown:

ISO new england	Market Status:	CLOSED		۱ Certif	eMar /ersion: 2.0.: icate User: S	<b>ket Use</b> 1(201407221119 uperuser	r Inter	face
	Part	icipant:	ISO New Engl	and Inc		💙 User:	Superuser	*
Public Generation Demand ARD Regulation								
Private Unit Default Portfolio Ramp Rate Ramp Rate Schedule	Schedule Schedule Offers Schedule Times Schedule	Hourly	Fuel Price	Generation	XML			
Messages Parameters Manager Default Hourly Updates Manager	Defail Defaults Offers Default Hourly Updates Hourly Updates Selection	Updates	Adjustments	By Portfolio	Download			
Portfolio Manager								
Portfolios	Units Included in Portfolio Mkt_Adm		Units	Not Included in F	Portfolio Mkt_	Adm		
AAA	AES THAMES	-	DOMIN	ION BRIDGEPOR	RT FUEL CELL			
AAB	ALTRESCO		FRAMI	NGHAM JET 1				
AAC	AMOSKEAG		MIDDL	ETOWN 2				
AAD	ANP-BELLINGHAM 1	•	iddl 🛑	ETOWN 3				
AAE	ANP-BELLINGHAM 2		MILFO	RD POWER				
All_Units	ANP-BLACKSTONE ENERGY 1		MILLEP	INIUM				
MITIG	ANP-BLACKSTONE ENERGY 2							
Mkt_Adm	ASCUTNEY GT							
	AYERS ISLAND	-						
	AZISCOHOS HYDRO							
	BAR HARBOR DIESELS 1-4							
	BAR MILLS							
	BELDENS-NEW							
	BERKSHIRE WIND POWER PROJECT							
	BETHLEHEM							
	BOLTON FALLS							
	BONNY EAGLE/W. BUXTON	-		_				
New Copy Delete	Filter:				Filter: MI			
Messages								*

8. Repeat steps 5-7 until all desired items are listed in the portfolio.

### View a Portfolio

- 1. In the navigation sub tabs, click the **Portfolio Manager** tab.
  - The appropriate Portfolio Manager display is shown in the display pane.
- 2. In the **Portfolios List** on the left, select the portfolio that you want to view.
  - The contents of the portfolio are displayed in the **Items Included List**
- 3. (optional) Enter text into the **Filter** below the **Items Included List**.
  - The list is updated to show only those items that match the filter.

### **Modify a Portfolio**

- 1. View the portfolio that you want to modify (§0)
- 2. To add items to the portfolio:

- a. Select the desired item(s) in the **Items Not Included List.** Multiple contiguous items may be selected by holding down the shift key. Random items may be selected by holding down the Ctrl key.
  - The selected items are highlighted.
- b. Click the **Add to Portfolio** icon.
  - Items are added to the Items Included List for the selected portfolio.
  - Items are removed from the Items Not Included List.
- 3. To remove items from the portfolio:
  - a. Select the desired item(s) in the **Items Included List.** Multiple contiguous items may be selected by holding down the shift key. Random items may be selected by holding down the Ctrl key.
    - The selected items are highlighted.
  - b. Click the Remove from Portfolio icon.
    - Items are removed from the Items Included List
    - Items are added to the Items Not Included List
    - If the item removed is the last in the portfolio, the portfolio is automatically deleted.
- 4. Repeat steps 2-3 as desired.

#### Create a Copy of a Portfolio

- 1. View the portfolio that you want to copy (§0)
- 2. Click the **Copy** button.
- 3. The following dialog is shown:



- 4. Enter the name of the new portfolio in the dialog.
- 5. Click the **OK** button to copy the portfolio.

#### **Delete a Portfolio**

- 1. View the portfolio that you want to delete (§0)
- 2. Click the **Delete** button.
- 3. The following dialog is shown:

Delete Portfolio		×
Delete the portfolio "M	IBP_Test" ?	
	ОК	Cancel

4. Click the **OK** button to delete the portfolio.

## **Upload or Download XML Files**

Each Navigation Tab has an XML Download sub tab that looks similar to this one:

ISO new england	Market Status: CLOSED	<b>eMarket User Interface</b> Variloni 2.0.3(201407221113) Certificate Uzer Superuser 22-Aug-2014 17:21:44
	Participant: ISO New En	gland Inc 💙 User: Superuser 💙
Public Generation Demand ARD Regulation		
Public Messages         System         Prices         Binding Constraints         Reactive         Net Tie         XML Download		
XML Download		В
Select Date	A	
Dete: 24-Aug-2014  Day-Ahead System Summary Day-Ahead Prices Day-Ahead Binding Constraints Day-Ahead Reactive Limits Day-Ahead Net Tie Schedules	Upload XML SDAP Req           File:	submit
Messages		*

The fields on this display are:

- A. **Download Report List** list of reports/files available for download.
- B. Upload XML SOAP Request field and controls used to upload XML files
  - 1. **File** name of the file containing an XML formatted request that you want to submit to the Market system. The name of the file is set by using the Browse button
  - 2. Browse Button click to find and set the name of the file to upload
  - 3. **Submit Button** click to upload the file once you have defined an upload filename.

#### Download an XML File

To download XML reports/files:

1. In the Navigation sub tabs, click the **XML Download** tab.

- The XML Download display is shown in the display pane.
- 2. Select the desired date from the **Date** filter located in the **Filters pane**.
- 3. Click the name of the specific XML report/file to be downloaded. This will bring up a popup giving you the choice to Open or Save the downloaded XML file. Remember that if you select Open, your browser will attempt to open the files based on its .xml filename extension and that the application designated to view .xml files may be your browser. In the event that it's your browser, the file may open in your current window tab or a new tab depending on the settings of your browser. See note in §0.

ISO	new engl	and						Market Status: C Partic	LOSED sipant: ISO Ne	Certifi Certifi aw England Inc	Market Version: 2.0.1(201) icate User: Superus	<b>User</b> 407221119 er Y User:	Interface
Public	Generati	on	Demand		ARD	Regulation							
Public Messages	System Summary		Prices		Binding Constraints	Reactive Interface Limits	Net Tie Schedules	XML Download					
XML Do	wnload												
Select Date			«	XML D	ownload on 23-Aug-2	014							
Date: 2	23-Aug-2014		3	<u>Day</u> <u>Day</u> <u>Day</u> <u>Day</u>	-Ahead System -Ahead Prices -Ahead Binding -Ahead Reactiv -Ahead Net Tie	Summary Constraints e Limits Schedules	File Downlos Do you w P	nd ant to open or save this Name: public_getprices Type: XML Document From: emktmulprj-new Dpen Thile files from the Internet co arm your computer I/you do ave this file. What's the risk?	file? sresponse.xml	Cancel	Browse		
Messages													*

4. Alternatively, you can right-click the file that you want to download. That will bring you a popup menu and give you more choices as to what you want to do with the downloaded XML file.

### **Upload an XML Request File**

You can create files containing XML formatted requests to submit or get data from the Market system. Refer to the eMarket Data Exchange Specification for information on how to create all the various kinds of eMarket requests that can be created in an XML file. You can upload a file containing an XML formatted eMarket request using any of the XML Download display tab.

To upload an XML request file:

- 1. Click the **XML Download** tab under any of the Navigation sub tabs.
  - The XML Download display is shown in the display pane.
- 2. In the **Upload XML SOAP Request** box on the display click the **Browse** button.
  - The Windows Choose File dialog opens.

ISO	new england	Market	Status: CLOSED Participant: I	<b>eMarke</b> Version: 2.0.1( Certificate User: Supr SO New England Inc	t User Interface 201407221119) eruser 22-Aug-2014 17:25:39 v User: Superuser v
Public Public Messages XML Do Select Date Date: 2	Choose File to Upload  Comparison of the state of the st	0 SubmitScheduleBidl SubmitScheduleBidl SubmitScheduleBidl SubmitScheduleBidl SubmitScheduleBidl SubmitScheduleBidl SubmitScheduleBidl SubmitScheduleBidl SubmitScheduleBidl SubmitScheduleBidl SubmitScheduleBidl SubmitScheduleBidl SubmitScheduleBidl SubmitScheduleBidl	d Upload X* File:	IL SOAP Request	
Messages					8

- 3. Select the desired file that you want to upload and click **Open**.
  - The filename is shown in the Upload XML SOAP Request File box.
- 4. Click the **Submit** button.

An XML message file is downloaded in response to every upload request. It contains a completion message or the data that you requested. Note that the name of the response file is distinctive when it's an error response. You will be presented with the following popup giving the choice to open, save or discard the file.

File Down	load - Security Warning 🛛 🗙
Do you	want to open or save this file?
	Name: emkt Type: XML Document, 239 bytes From: <b>emktmuiprj-new</b>
	<u>Open</u> Save Cancel
	While files from the Internet can be useful, this file type can potentially harm your computer. If you do not trust the source, do not open or save this software. <u>What's the risk?</u>

### **Public and Private Messages Displays**

These eMarket displays provide the means for eMarket to communicate messages to all market system users (Public Messages) or to specific groups of users (Private Messages). The messages are assigned priorities by the sender.

ISO	new england						Market Status: CLOSED	ISO New England Inc	eMarket User Version: 2.0.1(20140722111 Certificate User: Superuser	9) 22-Aug-2014 17:28:57
Public	Generation	Demand	AR	)	Regulation					
Public Messages	System Summary	Prices	Bind	ding istraints	Reactive Interface Limits	Net Tie Schedules	XML Download			
Public Me	ssages		u				u			
Select Date		«	Messages f	or 23-Aug-2014						
Date: 23-A	). Aug-2014		ID	Priority	Text					
										Polant
										Keiresii
Messages										×

Note that this messaging capability is currently not used by ISO New England.

ISC	new england							Market Sta ReadOnly	tus: CLOSED Participant: 19	60 New Englar	eMa Versii Certificate L Ind Inc	arket Us on: 2.0.1(201407 Jser: Superuser	s <b>er Int</b> 221119) 22-A Jser: <mark>Superus</mark>	e <b>rface</b> ug-2014 17:30:01 er <b>v</b>
Public	Generation	Demand	ARD		Regulation									
Private Messages	Unit Default Portfolio Parameters Manage	r Ramp Ra r Default	te Ramp Ra Hourly U	ate Sche Ipdate Mani	edule ager	Schedule Detail Defaults	Schedule Offers Default	Schedule Offe Hourly Update	Schedule Time Hourly Update	Schedule Selection	Hourly Updates	Fuel Price Adjustments	Generation By Portfolio	XML Download
Private	Messages													
Select Date		<b>«</b>	Messages for	23-Aug-2014										
Date:	23-Aug-2014		īD	Priority	Text									
														Refresh
Messages														*

# 4. Generation Tab

To access the Generation Tab, you must be a registered user with a Generation Read/Write or Read-Only role. When you have this access, the Generation tab will be shown and selecting it will show all of its sub tabs as shown below.

 Public
 Generation
 Demand
 ARD
 Regulation

 Private
 Unit Default
 Portfolio
 Ramp Rate
 Schedule
 Schedule
 Schedule Offers
 Sc

## **Generation Offer Concepts**

When submitting data, it is important to understand the hierarchy of the Generation offer data and the implications of data overrides. Figure 1 below shows the hierarchy of the Generation displays used to submit data and where the same offer data appears in different displays, the data of which display has precedence over (overrides) the others. [**Note**: only the data elements subject to overrides are shown.]

The Unit Default Parameters display is at the root of the hierarchy. The Unit record itself is initially defined by ISO New England with default offer data when the asset is instantiated in the Market system. Participants must update some data values, like the unit's default dispatch availability status and single value ramp rate, using the display. For units capable of providing off-line reserves, the default Claim10 and Claim30 values must be updated on this display.

To participate in the energy market, a Participant must define at least one schedule for the unit using the Schedule Manager display and all of the child data that goes with it. The schedule defines a container for which detail offer data must be submitted.

Managing generating unit schedules is accomplished by performing the following general steps:

- Create or modify a schedule using the Schedule Manager display.
- Create or modify schedule-specific default data, which include MW operating limits, Startup and Notification times, MinRun and MinDown times, and market participation (Day-Ahead or Real-Time) using the Schedule Detail Defaults display.
- Create or modify schedule-offer default data (Startup and NoLoad costs and Incremental Energy Offers [Price/MW pairs], including fuel blend data for multi-fuel generators) using the Schedule Offers Default display.
- Identify the schedule or schedules to be used in the clearing of the Day-Ahead and Real-Time (Balancing) Markets using the Schedule Selection display.

For units that are eligible to participate in the Regulation Market, Regulation Offers must be submitted using the displays under the Regulation asset tab.



Figure 1 – Generation Display Hierarchy and Data Precedence

The other displays allow for overriding schedule based default data or a unit's default dispatch availability status data. Offer data in other displays higher in the hierarchy are overridden by the presence of data in these displays:

- The Unit Ramp Rate Default display can be used to define a default ramp rate curve for a unit that overrides the simple slope defined with the Unit Default Parameters display.
- The limits on the Hourly Updates display (Emergency Min, Economic Max, Economic Min, and RT High Operating Limit) override for specified hours of the day the corresponding limit values defined in the Schedule Detail Defaults display for all schedules.
- The dispatch availability status (Unavailable, Economic, Must Run) on the Hourly Updates display overrides for specified hours of the day the default dispatch availability status (Default Status) defined on the Unit Default Parameters display. For units capable of providing off-line reserves, the display can be used to override for specific hours of the day the default Claim10 and Claim30 values defined on the Unit Default Parameters display.
- The Startup and NoLoad costs and the incremental energy offers (Price/MW pairs) along with their associated fuel blend data for multi-fuel units shown on the Schedule Offers Hourly Updates display override for specified hours of the day the default values defined in the Schedule Offers Default display for the corresponding schedule.
- The Startup and Notification times shown on the Schedule Times Hourly Updates display override for specified hours of the day the default values defined in the Schedule Detail Defaults display for the corresponding schedule.

**Note**: For Generators that are part of a Continuous Storage Facility (CSF), refer to chapter 11 Continuous Storage Facilities (CSF) for additional considerations.

## **Generation Portfolio Manager Display**

A generation portfolio is a collection of generating resources that is defined by each individual generation user. The user assigns a unique name to each portfolio when it is created. Once a portfolio is created, the user assigns it one or more generating units. A generating unit can be assigned to more than one portfolio.

Data is filtered by generation portfolios on the following displays:

- Unit Default Parameters
- Unit Multiple Ramp Rates Default
- Unit Ramp Rate Hourly Updates

- Schedule Manager
- Schedule Detail Defaults
- Schedule Offers Default
- Schedule Offers Hourly Updates
- Schedule Times Hourly Updates
- Schedule DA A/S Offers
- Schedule Selection
- Unit Hourly Updates
- Fuel Price Adjustments
- Generation by Portfolio
- A/S by Portfolio

**Note**: A unit that is not associated with a portfolio cannot be selected in these displays' tooltray filters.

See §0 Manage Portfolios for more information on the purpose of portfolios and details on using this display.

## **Unit Default Parameters Display**

The Unit Default Parameters display allows you to view unit ownership information and to update a unit's default ramp rate, dispatch status and when applicable, its off-line reserve Claim Capability values. Generator offer data is defined on a unit basis, as well as on schedule basis. The Unit Default Parameters display is for managing the unit's more static offer data.

ISO New England requires that the Participant submit to the ISO, unit specific information about a generating unit. This information is used to create the initial generating unit record in the market system database and must be submitted in writing to ISO-NE and verified by ISO-NE before the Participant submits offers. (For more information on the data required, see **ISO New England Manual for Market Operations Manual 11**, which is found on the <u>ISO New England</u> <u>website</u> among the documents listed on the Participate > Rules and Procedures > Manuals page.

When the unit-specific information is received, the ISO creates the necessary records in the market system database. Some of this information is shown on the Unit Default Parameters display, and users cannot modify the information from here.

ISO new england				Market Status: OPEN(01) Participant: ISO Ne	c v England Inc	eMarket User Interface Varion: 2.0.1(201407221119) ertificate User: Superuser 22-Aug-2014 18:141:17 Varia Superuser
Public         Generation         Demand         ARD         Regulation           Private         Unit Default         Portfolio         Ramp Rate         Ramp Rate         Ramp Rate         Hourly           Messages         Parameters         Manager         Default         Hourly	ate Schedule Schedule Updates Manager Detail De	auts Offers Default Hourly Updates	Schedule Times Schedule Hourly Updates Selection	Hourly Fuel Price Generation Updates Adjustments By Portfoli	Download	
Unit Daily Default Parameters	Unit Datails for UNIT NAME of	v 74-Aug-2014				
Date: 24-Aug-2014	Asset ID: Unit Short Hame: Unit Long Hame: Type of Unit: Ramp Rate (MW/Mrn): Ramp Rate (Capite): Claim 10 Capable: Claim 10 Capable: Claim 30 Capable: Claim 30 Capable: Claim 30 Capable:	8889898888 UNIT UNIT NAME UNIT TYPE #1 5.0 6.9 Yes 65.0 67 Yes 67.0 67		Lead Participant ID: Lead Participant Name: DA Schedule Regulation Resource: Default Status:	8868888888 Participant Name Yes Yes C Economic C Lnavalable C Must Run	
Messages						Update

The format of the Unit Default Parameters display is shown below:

The fields on this display are:

- Asset ID the ISO-NE generated unique identifier for the asset. This is the preferred reference number used in doing business with the Customer Service Department.
- Unit Short Name the abbreviated name of the generating unit.

- Unit Long Name the full name or description of the generating unit. This label is shown on other generation displays and in the Unit filter of all generation displays.
- **Type of Unit** descriptive name of the type of unit
- Ramp Rate (MW/Min) the number of MW per minute with which the unit can respond to dispatch signals when it is on-line. This value is used in the calculation of spinning reserves unless it is overridden by a default ramp rate curve on the Ramp Rate Default display or an override for an hour defined on the Ramp Rate Hourly Updates display.
- Ramp Rate Cap the unit's demonstrated ramp rate Capability value that was established during the last audit conducted by ISO New England. The offered value will be capped (constrained) to this value if it is defined. If the demonstrated capability value is undefined, it will be shown as "UD".
- Claim 10 Capable indicates if the generating unit is registered as capable of producing Ten Minute Non-Spinning Reserve from an offline state.
- **Claim 10 (MW)** the number of MW with which a resource can respond within 10 minutes from an offline state. Used in the calculation of Ten Minute Non Spinning Reserves.
- **Claim 10 Cap** the unit's demonstrated Claim 10 Capability value that was established during the last audit conducted by ISO New England. The offered value will be capped (constrained) to this value if it is defined. If the demonstrated capability value is undefined or the unit is not Claim 10 Capable, it will be shown as "UD".
- **Claim 30 Capable** indicates if the generating unit is registered as capable of producing Thirty Minute Reserve from an offline state.
- Claim 30 (MW) the number of MW with which a resource can respond within 30 minutes from an offline state. Used in the calculation of Thirty Minute (non-spinning) Reserves.
- Claim 30 Cap the unit's demonstrated Claim 30 Capability value that was established during the last audit conducted by ISO New England. The offered value will be capped (constrained) to this value if it is defined. If the demonstrated capability value is undefined or the unit is not Claim 30 Capable, it will be shown as "UD".
- Lead Participant ID the ISO-NE assigned unique identifier of the Market Participant whose users are responsible for submitting the

operating information of the generating unit using the eMarket application.

- Lead Participant Name the full name of the Market Participant whose users are responsible for submitting the operating information of the generating unit using the eMarket application.
- DA Schedule Required indicates if the generating unit is classified as a capacity resource and therefore required to submit generation offers in the DA market. A capacity resource is a generating unit, for which the Participant has acquired a Capacity Supply Obligation (CSO) in the Forward Capacity Market (FCM). Intermittent, non-dispatchable resources are exempt from this requirement.
- **Regulation Resource** indicates if the generating unit is registered as a regulation resource.
- **Default Status (Economic/Unavailable/Must Run)** the default dispatch availability status of the unit.

### **Data Validation Rules**

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

- $0 \leq \text{Ramp Rate}$ .
- A warning will be issued if the Ramp Rate exceeds Ramp Rate Cap when the demonstrated capability is defined (not "UD")
- A warning will be returned if the unit is Claim 10 capable and any of the following conditions exist.
  - Claim 10 = 0 or NULL
  - Claim 10 > Claim 10 Cap when the demonstrated capability is defined (not "UD") – meaning that the Claim 10 Cap value will be used instead of the offered value.
- A warning will be returned if the unit is Claim 30 capable and any of the following conditions exist.
  - Claim 30 = 0 or NULL
  - Claim 30 > Claim 30 Cap when the demonstrated capability is defined (not "UD") – meaning that the Claim 30 Cap value will be used instead of the offered value.
  - Claim 30 < Claim 10 meaning that the Claim 10 value will be used instead of the offered Claim 30 value.

### View Specific Unit Information

1. In the Generation Navigation sub tabs, click the **Unit Default Parameters** tab.

- The Unit Default Parameters display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired unit from the **Unit** filter.
    - The default unit data for the selected date and selected unit is shown in the Unit Default Parameters display.

### Modify Unit Default Claim 10/30 and Ramp Rate

A unit's Claim 10/30 values and its default ramp rate data are specified at the unit level. To define this data:

- 1. View the desired unit's information as described in §0
- 2. Enter all of the following unit-specific information:
  - a. Claim 10 (MW) if Claim 10 Capable
  - b. Claim 30 (MW) if Claim 30 Capable
  - c. Ramp Rate (MW/Min)
- 3. Click the **Update** button to save the data.

### Modify Unit Default Status

- 1. View the desired unit's information as described in §0
- 2. Select one of the following radio buttons:
  - a. Economic
  - b. Unavailable
  - c. Must Run
- 3. Click the **Update** button to save the selection.

## Unit Multiple Ramp Rates Daily Default Display

This display provides for viewing and modifying a unit's default ramp rate curve. A ramp rate defines how quickly a unit can change its generation in MW per min. Depending on the unit's physical characteristics this rate can vary as a function of the unit's MW output. When that is the case, the Participant can use this display to model the unit's ramp rate curve. Ramp rate curves consist of Energy Ramp Rate (MW/Minute) over a range of the unit's MW output. Up to 10 MW ranges can be defined. The default ramp rate curve shown on the display is effective for the date selected and for all future days until it is redefined or removed at a future date. Note that the effective date of the data may be a date prior to the date selected. See §0 Effective Dates of Data.

**Note**: The existence of a ramp rate curve on this display <u>overrides</u> the simple slope specified in the Ramp Rate field on the Unit Default Parameters display.

The format of this display is shown below:

Public Generation Demond APD Rep Private Unit Default Portfolo Ramp Rate Hersign Forward Portfolo Ramp Rate Linit Multiple Ramp Rates Da	e Ramp Ra Hourly L	ite Schedule S Jodats Manager D	chedule etai Defaults Cffers Default	Schedule Offers Hourly Updates	Schedule Times Hourly Updates	Schedule Selection	Market : Hourly Updates	Participan Participan Fuel Price Adjustments	11) t: ISO New Generation By Portfolio	England Inc XML Download	eMarket User Interface Version: 2.0.1(20140722119) Certificate User: Superuser User: Superuser
Select Date and linit	iny Dela	Unit Pamp Pater for IP	NTT NAME on 24-Aug-2014								
Dete: 24-Aug-2014 Portfolio: All_Usinks Unit: UNIT NAME		- MAR MAR 65 1159	Energy Ramp Rate							New	Delete Update Befresh
Messames											

The fields on this display are:

- **MW** the unit's MW output level up to which the ramp rate applies.
- Energy Ramp Rate- the MW/Minute that the unit can change generation while its MW output is less than or equal to the MW value specified and greater than a lesser MW value specified on a separate row or zero if none. The ramp rate specified for the largest MW value will be used if the unit's MW output is greater than this largest MW point defined for the curve.

#### **Data Validation Rules**

- Energy Ramp Rate  $\geq$  0; MW > 0
- eMarket will give you a warning if any of the entered rates is greater than the Ramp Rate Cap shown on the Unit Default Parameters display.
- MW/Ramp Rate pairs can be entered in any order. eMarket will sort them and show them in increasing MW value order after the data is submitted and stored in the database.

### **View Ramp Rates**

To view the ramp rate curve segments of a unit:

- 1. In the Generation Navigation sub tabs, click the Ramp Rate Default tab.
  - The Unit Multiple Ramp Rates Daily Default display is shown in the display pane.

- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired unit from the **Unit** filter.
    - The display shows the selected unit's default ramp rate curve data for the selected date; if a ramp rate curve is not defined for the selected date, nothing is shown on the display.

### **Create Ramp Rates**

To create segments of a ramp rate curve for a unit:

- 1. View the unit's ramp rate curve segments (§0).
- 2. Click the **New** button; you can click more than once if you want to create multiple segments.
  - A new row for each click is added in the grid with a pink background to indicate it has not been saved.
- 3. Type in the desired **MW** and **Energy Ramp Rate** values in the appropriate cells.
- 4. Repeat steps 2-3 as desired.
- 5. Click the **Update** button to save the data.

### **Modify Ramp Rates**

To update ramp rate curve segments:

- 1. View the unit's ramp rate curve segments (§0).
- 2. (optional) To add new segments to the curve, do as described in §0.
- 3. (optional) To delete existing segments in the curve:
  - a. Click in the row to be deleted. The row will be highlighted.
  - b. Click the **Delete** button. The row is removed.
- 4. To change the parameters of a curve segment, enter the desired **MW** and **Energy Ramp Rate** values in the appropriate cells.
- 5. Repeat steps 2-4 as needed.
- 6. Click the **Update** button to save the data.

**Note**: to use the Ramp Rate defined on the Unit Default Parameters display, starting on the date selected, all Ramp Rate segments must be deleted from this display.

## Unit Ramp Rate Hourly Updates Display

This display provides for viewing, entering and modifying hourly updates to a unit's default ramp rate characteristics for a given market day. A ramp rate defines how quickly a unit can change its generation in MW per min. Depending on the unit's physical characteristics this rate can vary as a function of the unit's MW output, in other words the unit's ramp rate characteristic is a curve defined as ramp rate for up to 10 ranges of the unit's MW output. With this display, you can define a unit's ramp rate characteristics on an hourly basis for a given market day to be either a single ramp rate or a ramp rate curve and thereby account for the unit's physical configuration throughout the day.

**Note**: The existence of a ramp rate definition for an hour on this display overrides both the simple slope specified in the Ramp Rate field on the Unit Default Parameters display and the default ramp rate curve for the day, if one is defined, specified on the Ramp Rate Default display.

The format of this display is shown below. There are two illustrations. The only difference is in the default values shown in the upper section when there is a default ramp rate curve defined for the unit on the selected market day date and when there is none.

Elle Edit View Higtory Bookmarks Tools Help																- 8
eMkt MUI × M Inbox - mpir	nsonneault@g 🔅	< 🖸 🕨 Nor	ah Jones Live	Amster	× Φ											
A https://emktmuiprj-new/emktmui/EMKT/Applicat	tion.html													V C Google	▶ 🚖 自 🖡	<b>↑</b> =
8 Gmail 🗌 DevTrack 🌞 CBC 🗌 eMktPrjDev 🗌 eM	iktPrjBAT 📑 ISO I	New England	📥 Delta 📣	Marriott	[]] Alstom	QA GateKee	per 🕨 Bin	g 💶 You'	Tube [	eMktDev	🗷 CAPA	() SIRSP	ls 📋 Service Desk 👖 WIR	RE 🔄 Access Rights 🔄 GCA 🔄 PMO 🧕 Intellicast - Weather A		
ISO new england														Version Version Market Status: OPEN(01) Cantificate U Participant: <u>ISO New England Inc</u>	arket User Inter 2.0.1(201407221119) eri Superuser 22-Aug-20 Viseri Superuser	rface 014 19/21/0
Public         Generation         Demand         AID         Regulation           Private         Linit Default         Portfolio         Ramp Rate         Ramp Rate           Massages         Parameters         Manager         Default         Heavily U	ite Schedule Ipdates Manager	Schedule Detail Default	s Schedule Offers Def	fault Ho	hedule Offers urly Updates	Schedule T Hourly Upo	ines Sche Lates Selec	dule Ho. Son Upo	urly dates	Fuel Price Adjustments	Generation By Portfol	n 3ML Down	oad			
Unit Ramp Rate Hourly Updates																
Select Date and Unit	Default Values for	r UNIT NAME of	24-Aug-201-	4												
Date: 24-Aug-2014		Daily RR	# 1.64/	RR	¥ M//	RR	# 144/	RR	4 h	MV RR	6 A N	NY R				
Portfolio: All_Units		12	6		7		8				10					
UNIT NAME																
	Override Hourly \	Values for UNIT	NAME on 24-	Aug-2014										Shown only if there is a	default ramn	、 I
	Hour	RR	8 580	RR	8 MA	RR	2 545	RR	5 N	AN RR	3 M	W RF		Shown only it there is a	ucrauit rainp	' I
		CAN1			7						10			rate curve defined for t	he selected	
	01		1 65.0	8.0	2 76	0 7.0	3 80.0	6.0	4	85.0 6	5.0 5	90.0	1.0			
			8 95.0	3.0	7 100	0 2.0	0 105.0	1.5	9 1	120.0	1.0 10			market day date.		1
	02		1 65.0	8.0	2 76	0 7.0	3 80.0	6.0	4	85.0 6	5.0 5	0.00	1.0			
	83		1 65.0	8.0	2 120	0 1.0	3		4		6					
			8		7		8		9		10					
	04		1 0.00	0.0	2 120	0 1.0	8		-		10					
	05		1 65.0	8.0	2 76	0 7.0	0.08	6.0	4	85.0 0	5.0 6	90.0	LD			
			5 95.0	3.0	7 100	0 2.0	8 105.0	1.5	9 1	120.0	1,0 10					
	00		6 95.0	3.0	7 100	0 2.0	8 105.0	0.0		120.0 1	1.0 10	40.0	1.0			
	07		1 65.0	8.0	2 120	0 1.0	3		4		6					
			6		7		8		•		10					
	10		6 6.0		7						10					
	09		1 05.0	8.0	2 76	0 7.0	3 80.0	0.0	4	85.0 0	5.0 5	90.0	1.0			
	10		6 95.0	3.0	7 100	0 2.0	8 105.0	1.5	0 1	120.0	1.0 10					
			6 95.0	3.0	7 100	0 2.0	8 105.0	1.5		120.0 1	1.0 10	40.0				
	11		1 05.0	8.0	2 120	0 1.0	3		4		5					
	12		0		7		3		*		10					
			0		7						10					
	13		1 65.0	8.0	2 75	0 7.0	3 80.0	6.0	4	85.0	5.0 5	90.0	1.0			
			- A A				* : 16E A			ana 611 - 1					Update	Refresh
Messages																

ISO new england													eMarket User Interface Version 2.0.1031405221119) Maiket Status: OFENO1 Santoparti Santoparti Soliter England Srd Versi Spenore
Public Generation Demand ARD Regulation													
Private Unit Default Portfolio Ramp Rate Ramp R Messages Parameters Manager Default Hearty	tate Schedule Updates Manager	Schedule Detail Defaults	Schedule Offers Defa	suit Houri	ule Offers y Updates	Schedule Tir Hourly Upd	hes Scher Aes Select	ion Update	Fuel P Adjust	rice Ger ments By I	eration Portfolio	XML Download	
Unit Ramp Rate Hourly Updates													
Select Date and Unit	Default Values for UP	IT NAME on 24	-Aug-2014										a
Date: 24-Aug-2014		Daily RR											
Portfolio: Al Links		1.0										1	
CHELTWICE.	Override Hearly Valu	es for UNIT NA	ME on 24-A	wg-2014									
	Hour	RR J	MV	RR	N MA	RR I	MI	RR J	MIV	RR #	M	RR	
	V V Cop	4 <b>·</b>			2			4		6			Notice that wething is shown for a
	P1		65.0	8.0	2 74.0	7.0	80.0	50 4	85.0	4.0 5	50.0	40	Notice that nothing is shown for a
		5	95.0	3.0	7 100.0	2.0	105.0	1.5 9	120.0	1.0 10			default ramp rate curve if one is not
	02	1	65.0	0.0	2 75.0	7.0	0.08	6.0 4	85.0	6.0 6	90.0	4.0	
	63	6	95.0	3.0	7 100.0	2.0	105.0	1.5 9	120.0	1.0 10			defined for the selected market day
		6			7			9		10		_	defined for the selected market day
	D4	1	65.0	0.0	2 120.0	1.0		4		6			date.
		5	45.0		7	10				10		40	
		5	95.0	3.0	7 100.0	2.0	105.0	1.5 9	120.0	1.0 10	40.0	-10	
	08	1	65.0	8.0	2 75.0	7.0	0.08	6.0 4	85.0	6.0 6	90.0	4.0	
	17	6	95.0	3.0	7 100.0	2.0	105.0	1.5 9	120.0	1.0 10			
	67	0	65.0	0.0	7 120.0	1.0				9		_	
	DB	1	65.0	0.0	2 120.0	1.0		4		5			
		5			/					10			
	09		95.0	8.0	Z 76.0	7.0	80.0	8.0 4 15 R	85.D	6.0 5	\$0.0	4.0	8
	10	1	65.0	8.0	2 75.0	7.0	0.08	6.0 4	85.0	5.0 5	90.0	4.0	٥
		0	95.0	3.0	7 100.0	2.0	105.0	1.5 9	120.0	1.0 10			
		1	65.0	0.8	2 120.0	1.0		4		5			
	12	1	85.0	8.0	2 120.0	1.0	-	4		5		_	
		8			/					10			
	13	1	65.0	8.0	2 76.0	7.0	80.0	6.0 4	85.0	6.0 5	0.02	4.0	۵ ۲
					- Inter								Update Refresh
Messages													8

The Default Values section is provided as a reference to show what are the default daily values for the chosen day that are being overridden by the hourly update values entered in the section below. The fields in this section of the display are:

- **Daily RR** the unit's default energy ramp rate defined on the Units Default Parameters display for the selected market day date.
- #/MW/RR the unit's default ramp rate curve segments or MW blocks; # is the segment number, MW is the unit's MW output upper bound for the block and RR is the ramp rate value for the range of MW output from the MW value of the previous segment (0 if there is no previous segment) up to the MW value of the segment. The RR of the last segment is the value used for unit MW output values greater than the MW value of the last segment.

The Default Values section can be collapsed using the double up-arrow icon at the extreme right of the section title bar to show more rows in the hourly section as shown below. The collapsed section can be expanded again to see the default values using the double down-arrow icon at the extreme right of the collapsed section title bar.

ISO	ew engla	and																			Market Status: OPEX(33) Con Puncipants S3 New Droland Int	eMarket User Interface Verion: 2.0.(20140722119) thoate User: Superuser User: Superuser
Public Generation	Demand	ARD	Regulatio	n																		
Private Unit Defau Messages Parameters	it Portfol s Manag	io Ram er Defe	ip Rate vuit	Ramp Rate Hourly Up	e Sche dates Man	edule Sc ager De	thedule Ital Defaults	Schedule Offers Dr	e S sfault H	chedule ( ourly Up	Offers : dates I	Schedule Ti Yourly Upd	nes Sch Wes Sele	edule ction	Hourly Updates	Fuel Adju	Price atments	Gene By Po	ortfolio	XML Download		
Unit Ramp R	ate Ho	urly U	pdate	s																		
Select Date and Unit					Default Valu	es for UNIT	NAME on 2	4-Aug-20	14													
Potes as a					Override Ho	urly Values	for UNLT N	AME on 24	-Aug-201	•												
Date: 24-Aug-	-2014				Hour		RR	e Mir	RR		MN	RR	MI MI	RR		MIC	RR		MI	RR		
Portfolio: Al_Units	\$			*	~	- Copy		1		2					4			6				
UNIT: UNIT NA	AME			~				6		7					9			10				
					. 01			1 65.	3 81	2	76.0	7.0	1.08	6	0 4	85.0	5.0	5	90.0	4.0		
				<b></b>				8 951	3	7	100.0	2.0	105.0	1	5 9	120.0	1.0	10				
					62			1 65.	81	2	76.D	7.0	1.08	6	0 4	85.0	6.0	6	0.00	4.0		
_			_ /					8 95.	3 31	7	100.D	2.0	8 105.0	1	.5 9	120.0	1.0	10				
			1/		63			65.		2	120.0	1.0		<u> </u>			1	0		_		
		<u> </u>	r		04			1 65.		2	120.0	1.0			4		1	8	_	_		
	01							8		7					9			10				
	02				05			1 05.		2	76.D	7.0	1.08	6	0 4	85.0	6.0	6	90.0	4.0		
	02							8 95.	3.	7	100.0	2.0	8 105.0	1	5 9	120.0	1.0	10				
	03				00			1 65.	0 01	2	76.D	7.0	1.08	6	0 4	85.0	5.0	6	0.08	4.0		
	04							5 95.	0 3	7	100.0	2.0	3 105.0	1	5 9	120.0	1.0	10				
	05				07			1 65.		2	120.0	1.0			4		1	5		_		
	06	_			03			1 65.		2	120.0	1.0	,		4		1	6	_	_		
	07							6		7			3					10				
	07				09			1 05.	8.	2	76.D	7.0	1.08	6	0 4	85.0	6.0	5	90.0	4.0		
	08							6 95.	3	7	100.0	2.0	8 105.0	1	5 9	120.0	1.0	10				
	09				10			1 65.	0 0.	2	76.D	7.0	1.08	6	0 4	85.0	5.0	6	90.0	4.0		
	10							5 95.	0 0	7	100.0	2.0	3 105.0	1	5 9	120.0	1.0	10				
	11				11			1 65.	9 81	2	120.0	1.0		<u> </u>		_	1	5				
	12				12			1 05.		2	120.0	1.0			4			5				
	14	-						6		7			3					10				
	1.5	_			13			1 65.	9 81	2	75.D	7.0	1.08	6	0 4	85.0	5.0	6	90.0	4.0		
L								5 95.	3.	7	100.0	2.0	8 105.0	1	5 0	120.0	1.0	10				
					14			1 65.	8.	2	76.0	7.0	1.08	6	0 4	85.0	5.0	5	90.0	4.0		
								6 95.	0 0.	7	100.0	2.0	105.0	1	5 9	120.0	1.0	10				
					15			66.	8.	4	120.0	1.0										
																						Update Refres
Messages																						

The Override Hourly Values section shows each hour of the day and fields to enter overrides. When the fields are blank, it means that there is no override of the default values for that hour. Hence setting all data entry fields for an hour to blank (NULL) means that the applicable daily default value is to be used for the market hour; i.e. it is equivalent to removing the override for the market hour.

The description of the fields in the Override Hourly Values section of the display are the same as those in the Default Values section, except they define the unit's ramp rate characteristic for the hour-ending shown in the Hour column. *Either a single ramp rate override or a ramp rate curve override can be defined for an hour, not both.* 

The top row of the grid provides you with the means to enter or clear overrides for a selected range of hours. You select the "from" and "to" hours using the drop-down list boxes under the Hour column, enter a single ramp rate or a ramp rate curve using the data entry fields on the right and then select the "Copy" button. As illustrated below, the values entered in the top row are copied to the rows for each hour in the range selected and the cells where values are being changed are highlighted. This process can be repeated to enter different ramp rate updates for other hour ranges before selecting the "Update" button to save the values in the database. If you do use the top row, you need to **remember that leaving all data entry field on this row blank means that you want to remove the overrides for all hours in the range selected**. For example, if you want to remove overrides for every hour of the day, simply select "01" as the "From" hour and "24" as the "To" hour in the Hour drop-down selections, select Copy to blank out all data entry fields below and then select Update. Since you did not enter anything in the data entry fields, all overrides are removed.

ISO new england														eMarket User Interface Venice: 0.01(2014)7223339) Market Status: OFEN(3) Sundayetti Danogetti ED Nee Englad Dir Veni Danogetti ED Ne	5
Public Generation Demand ARD Regulation															
Private Unit Default Portfolio Ramp Rate Ramp R Messages Parameters Manager Default Hourly	tate Schedule Updates Manager	Schedule Detail Defaults	Schedule Offers Default	Schedule Hourly U	e Offers Jpdates	Schedule Time Hourly Update	Sched. Selection	ule Hour on Upde	rly P ates A	uel Price idjustments	General By Port	ion XM folio Der	L whiload	lead	
Unit Ramp Rate Hourly Updates															
Select Date and Unit	Default Values for	UNIT NAME on 2	4-Aug-2014												1
Datas da la const		Daily RR	# 14W	RR ¥	MV	RR #	MW	RR	# 1.61	W RR		MV	RR		
Detfolio: 24-Aug-2014		1.0	1 05.0	8.D 2 7	116.0	1.0 3			4		5				
ONET WARE	Override Hearly V	alues for UNIT N	AME on 24-Aug	2014											
	Hour	RR	MW .	RR #	MAI	RR #	MI	RR J	F 545	r RR		MV	RR		
	07 ¥ 12 ¥ C	opy 1.5		2		3			•		1				
	P1		85.0	8.0 2	76.0	70 3		6.0		5.0 5.0	5	50.0	40	40	
			95.0	3.0 7	100.0	2.0 8	105.0	1.5		0.0 1.0	10				1
	02		65.0	8.0 2	76.0	7.0 3	0.08	6.0	4 0	5.0 5.0	0	59.0	4.0	4.0	1
	ca		95.0	3.0 7	120.0	1.0 3	105.0	1.5	4 12	1.1	6				1
				7		8		4	9		10				1
	D4		65.0	0.0 2	120.0	1.0 0			4		6			Hour RR	1
	05		65.0	0.0 2	76.D	7.0 3	80.0	6.0	4 0	5.0 5.4	6	90.0	4.0	40	1
			95.0	3.0 7	100.0	2.0 8	105.0	1.5	9 12	0.0 1.0	10			and X (a) X Conv. 4.5	1
	10		95.0	3.0 7	100.0	2.0 8	105.0	1.5	9 12	0.0 0.1 0.0 1.0	10	40.0	4.0	■ 0/ ▼ 12 ▼ Copy 1.5	1
	07		0.00	8.0 2	120.0	1.0 3			4		6				
	08		85.0	8.0 2	120.0	10 3		_	4	_	10		_		
				7		8			9		10			Before colecting "Cony" example	
	09		65.0	8.0 2	76.0	7.0 3	80.0	6.0	4 8	5.0 5.0	5	90.0	4.0	Before selecting Copy, example	
	10		95.0 1 05.0	8.0 2	76.0	7.0 3	105.0	0.0	4 9	5.0 5.0	5	90.0	4.0	where you want to set the unit's	
			95.0	3.0 7	100.D	2.0 8	105.0	1.6	9 12	9.0 1.0	10			where you want to set the unit's	
			65.0	8.0 2	120.0	1,0 3			4	_	6		_	ramp rate characteristics to a	
	12		85.0	8.0 2	120.0	1.0 3		_	4		6				
				7		0			•		10			single ramp rate of 1.5 for hours	
	13		45.0	8.0 2	76.0	7.0 3	80.0	6.0	-	6.0 U.O.		NO 11	4.0	onding 07 through 12	·
														Refresh	
Messages															2

ISO new england															Market Status: OPEN(01) Participants ISO New England In	eMarket User Inte Version: 2.0.1(201407221139) Certificate User: Superuser 22-Aug- User: Superuser	2014 19:31:09
Public Generation Demand ARD Regulation																	
Private Unit Default Portfolio Ramp Rate Ramp F Messages Parameters Manager Default Hoerly	Rate Sched Updates Manag	ule Schedule er Detail Defaults	Schedule Offers Defer	uit Sched Hourh	ule Offers y Updates	Schedule Tir Hourly Upd	nes Sch Mes Sele	edule Hi ction Up	ourly pdates	Fuel Pric Adjustm	ce ( ents B	ieneration ly Portfolio	XML Download				
Unit Ramp Rate Hourly Updates																	
Select Date and Unit	Default Values	for UNIT NAME on S	24-Aug-2014														â
Data at a start		Daily RR	# 14N	RR	V MV	RR	N MV	RR		MN	RR	# MW	RR				
Date: 24-Aug-2014		1.0	1 05.0	8.0	2 115.	9 1.0	3		4			5					
CHICI UNLI NAME	Override Hour	ly Values for UNIT N	AME on 24-A	ug-2014													
	Hour	RR	8 MV	RR A	MA	RR I	M	RR		MIC	RR	a mu	RR				
	¥ ¥	Copy 1.5	' <u> </u>	3			·		4			6					
	01		5						•		4.0	10	- 40				
	-		5 95.0	3.0 7	100.0	2.0	3 105.0	1.5		120.0	1.0	10	4.0				-
	02		1 65.0	8.0 2	76.4	7.0	0.00	6.0	4	85.D	6.0	5 90.0	4.0				
	63		8 95.0	3.0 7	100.0	2.0	105.0	1.5	9	120.0	1.0	4					
			6	7			3		9			10		/	After selecting "Control	opy", the values	
	D4		1 65.0	0.D 2	120.0	1.0			4			6					
	05		1 65.0	0.0 2	76.4	7.0	3 80.0	8.0	4	85.0	5.0	5 90.0	4.0		entered on the to	p row are copied to	)
			6 95.0	3.0 7	100.0	2.0	105.0	1.5	9	120.0	1.0	10			the rough for each	of the colocted	
	08		1 65.0	8.0 2	76.4	7.0	0 80.0	0.0	4	85.0	6.0	5 90.0	4.0	×	the rows for each	of the selected	
	87	1.5	•	1	1	1	)	1	4	1		6			hours. The fields y	where values are	
			6	7	-							10					
	D9	1.5	1	2	2				4			5			changed are highl	ighted to show	
	09	1.5	•	2	1				4			5			whore data entries	s will be made whe	
			•	7					9			10			where data entrie	s will be made whe	20
		1.0	0									10			the "Indate" but	on is selected	
	11	1.5	1	2	2				4			6			the opuate but	Join is scietted.	
	12	14	6	7					•		_	10					
	12	1.5	6	7			,	_	9	_	_	10	_				
	13		1 65.0	8.0 2	76.0	7.0	0 80.0	6.0	4	85.0	6.0	5 90.0	4.0				
					100.1		104.0			175.0						Update	Refresh
Messages																	

ISO new england															Market Status: OPEN(01) Participant - <mark>50 New England Inc.</mark>	eMarket User Interface           Verion: 2-0.1(00140722119)           Cartificate User: Suparuser           22-Aug-2014 19:33:08           Verie: Suparuser           Verie: Suparuser
Public Generation Demand ARD Regulation																
Private Unit Default Portfolio Ramp Rate Ramp Ra Messages Parameters Manager Default Hourly U	te Schedule Ipdates Manager	Schedule Detail Defaults	Schedule Offers Defa	uit Sched	Je Offers Updates	Schedule Tim Hourly Upda	ies Sched bes Selecti	ule Hou on Upo	arly Fi Johes A	uel Price djustments	Generali By Port	ion XM Tolio Der	L whilead			
Unit Ramp Rate Hourly Updates																
Select Date and Unit «	Default Values for I	UNIT NAME on I	24-Aug-2014													8
5 M		Daily RR	4 MN	RR I	MV	RR	MIV	RR	# 144	r RR		MV	RR			
Date: 24-Aug-2014		1.0	1 65.0	8.0 2	116.	1.0 3			4		5					
Portfolio: Al_Units			•	3					9		10					
Unit: UNIT NAME Y	Ownedda Hansha Ha	deserves and the second second														
	Bour	RR	2 MV	RR A	Mar	RR #	MI	RR	a 140	88		MI	RR			
	04 ¥ 04 ¥ Ce	av.	1 50.0	7.0 2	80.0	6.0 0	90.0	4.0	4 10	0.0 2	0 5	120.0	1.0			
	••		8	7					8		10		_	<u> </u>		
	D1		1 65.0	8.0 2	76.0	7.0 3	0.08	6.0	4 8	5.0 5.	0 5	90.0	4.0			
			5 95.0	3.0 7	100.0	2.0 8	105.0	1.5	9 12	0.0 1.	0 10			N	Before select	ing "Copy", example
	02		1 65.0	8.0 2	76.6	7.0 3	0.08	6.0	4 8	5.0 6.	0 6	90.0	4.0			ing copy ) chample
			8 95.0	3.0 7	100.0	2.0 0	105.0	1.5	9 12	0.0 1.	0 10				where you w	ant to set the unit's
	10		6 00.0	7	120.0	1.0 0		_	9	_	10		-		intere yearn	
	D4		1 65.0	8.D 2	120.0	1.0 0			4		6				ramp rate ch	aracteristics to a
			6	7		8			9		10					
	05		1 65.0	0.0 2	76.0	7.0 0	0.08	6.0	4 8	5.0 6.	0 5	90.0	4.0		different ram	ip rate curve for
	05		1 65.0	8.0 2	76.0	7.0 3	105.0	0.0	4 8	5.0 5.	0 5	90.0	4.0			· · · · · ·
			6 95.0	3.0 7	100.0	2.0 8	105.0	1.5	9 12	0.0 1.	0 10					
	87	1.5	1	2		3			4		5					
			6	7		8			•		10		_			
	00	1.6		7					-		-					
	09	1.5	1	2					4		8					
			6	7					9		10					
	10	1.5	1	2		3			4		5					
	11	1.5		2				_	4		5	_	-			
			8	7		8					10					
	12	1.5	·	2		3			4		5					
			8	7		0					10					
			8 05 U	8.0 7	100.0		80.0	6.0		5.0 5.		0.0	41			-
																Update Refresh
Messages																8



#### **Data Validation Rules**

- Ramp Rate  $\geq$  0; MW > 0
- eMarket will give you a warning if any of the entered rates is greater than the Ramp Rate Cap shown on the Unit Default Parameters display.
- MW/Ramp Rate pairs can be entered in any order. eMarket will sort them and show them in increasing MW value order after the data is submitted and stored in the database.

• Either a single ramp rate or a ramp rate curve can be defined for an hour, not both.

### **Override Unit's Default Ramp Rate for a Day and Hour**

As discussed in §0 Unit Default Parameters Display, you define on this display a unit's daily default ramp rate. Similarly, as discussed in §0 Unit Multiple Ramp Rates Daily Default Display, you can define on this display a daily default ramp rate curve for the unit that supersedes the daily default. Both the daily default single ramp rate and the daily default ramp rate curve for a selected market day are shown in the Default Values section of the display. If you want to profile the unit's ramp rate characteristics on an hourly basis,

- 1. In the Generation Navigation sub tabs, click the **Ramp Rate Hourly Updates** tab.
  - The Unit Ramp Rate Hourly Updates display is shown in the display pane.
- 2. In the Filters pane:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired unit from the **Unit** filter.
    - The display reflects the hourly overrides for the selected unit.
- 3. To update the overrides for individual hours:
  - a. Enter the override value for a single ramp rate or for a ramp curve in the hours that you wish. Remember that if you are switching from a ramp rate curve override to a single ramp rate value, you need to blank each segment of the ramp rate curve in addition to entering the single ramp rate value.
  - b. Click the **Update** button to save the data.
- 4. To update the overrides for a range of hours
  - a. Specify the range of hours by selecting "From" and "To" hour-ending values in the **Hour** drop-down list on the top row.
  - b. Enter the override value for either a single ramp rate or a ramp rate curve in the top row.
  - c. Select the **Copy** button to copy the entered values to the rows for each hour in the selected range.
  - d. Repeat steps a through c to enter different values in other range of hours if necessary.
  - e. Click the **Update** button to save the data for the selected hours.

## Schedule Manager Display

Schedule Manager enables users to view, create, and update schedules. The format of this display is shown below:

<b>I</b> !	50	new	englan	d											Market Stati	us: OPEN(01) Participant:	ISO New England 1	e Vers Certificat	Marke ion: 2.0.1(20 a User: Super	<b>et Use</b> 1407221119 User <b>V</b> ser:	22-Aug Superuser	2014 19:49:43
Public	Gener	ration	Demand	ARD Reg	gulatio	0																
Private Messages	Un Par	it Default rameters	Portfolio Manager	Ramp Rab Default	•	Ramp Rate Hourly Up	dates Manage	Schedule Detail Defaults	Schedule Offers Default	Schedule Offers Hourly Updates	Schedule Times Hourly Updates	Schedule Selection	Hourly Updates	Fuel Price Adjustments	Generation By Portfolio	XML Download						
Sche	dule	e Mana	ader																			
Select II			-9			77	Schedule Manae	er for UNIT NAME														
							Schedule Name		Description				Schedule Ty	pe								
Port	olo: 4	Al_Units				~	DFLPRICE		DFLPRICE				1 (Price)	~								
1	Jnit: L	INIT NAME				~	UNIT_R3		UN IT_Fue	I 3 Ref. Schedule			96 (Cost)	~								
							UNIT_R2		UNIT_Fuel	2 Ref. Schedule			97 (Cost)	~								
							UNIT_R1		UNIT_Fuel	1 Ref. Schedule			98 (Cost)	*								
							UNIT_M		UNIT_Mitig	gation Schedule			99 (Cost)	~								
																	New	Delet	•		Update	Refresh

The fields on this display are:

- Schedule Name a short name for the schedule, defined by the Participant. This label appears in the Schedule filter on the Generation displays.
- **Description** a brief description of the schedule, defined by the Participant. This label appears in the Generation by Portfolio display, which shows the DAM results for units by generation portfolio.
- **Schedule Type** identifies the number and type of the schedule, as follows:
  - **0 94** price-based schedules
    - **95 99** cost-based schedules, reserved for use by ISO New England.

By convention, schedules 95 through 98 are *Reference schedules*, none of which will be flagged as available. They show the reference values determined by the ISO-NE Market Monitor for each of the fuels that the unit is configured to use. Schedule 99 is the *Mitigation schedule*, and it is the only one that will be flagged as available. It shows the generator parameters that will be used by the Market clearing software to dispatch the generator and to calculate LMPs at the generator node *should the generator be mitigated*.

- Schedule 95, with the name XXXX\_R4 where XXXX is the generator short name, is the reference schedule for the generator's fourth fuel;
- Schedule 96, with the name XXXX\_R3 where XXXX is the generator short name, is the reference schedule for the generator's third fuel;
- Schedule 97, with the name XXXX\_R2 where XXXX is the generator short name, is the reference schedule for the generator's second fuel.

- Schedule 98, with the name XXXX\_R1 where XXXX is the generator short name, is the reference schedule for the generator's first fuel; for single-fuel units, this will be the only reference schedule.
- Schedule 99, with the name XXXX\_M where XXXX is the generator short name, is the mitigation schedule for the generator.

### **Create a New Schedule**

Users can define more than one price-based schedule for a generating unit. To assist in creating multiple schedules for unit, the Schedule Manager display allows you to assign a schedule name and a description to a specific unit schedule. To create a new schedule:

- 1. In the Generation Navigation sub tabs, click the **Schedule Manager** tab.
  - The Schedule Manager display is shown in the display pane.
- 2. In the Filters pane:
  - a. Select the desired portfolio from the **Portfolio** filter.
  - b. Select the desired unit from the **Unit** filter.
    - Existing schedules for the selected unit are listed.
- 3. Click the **New** button.
- 4. Type the following information in the new row:
  - a. Schedule Name
  - b. Description
- 5. Select an unused type of schedule from the **Schedule Type** drop-down menu.
- 6. Click the **Update** button to save the data.

### Modify a Schedule's Name and/or Description

After a schedule is created and saved to the database, you cannot modify the Schedule Type field. Only the schedule's name and description can be changed.

To modify an existing schedule's parameters:

- 1. In the Generation Navigation sub tabs, click the **Schedule Manager** tab.
  - The Schedule Manager display is shown in the display pane.
- 2. In the Filters pane:
  - a. Select the desired portfolio from the **Portfolio** filter.
  - b. Select the desired unit from the **Unit** filter.
    - The existing schedules for the selected unit are listed.
- 3. Modify either or both of the following in any of the listed schedules:
  - a. Schedule Name
  - b. Description

4. Click the **Update** button to save the data.

### **Delete a Schedule**

- 1. In the Generation Navigation sub tabs, click the **Schedule Manager** tab.
  - The Schedule Manager display is shown in the display pane.
- 2. In the Filters pane:
  - a. Select the desired portfolio from the **Portfolio** filter.
  - b. Select the desired unit from the **Unit** filter.
    - The existing schedules for the selected unit are listed.
- 3. Select a cell in the row of the schedule that you want to delete.
- 4. Click the **Delete** button. If the schedule is not flagged available in any of the market days for the period that market information is preserved in the market database, it is deleted; otherwise you will get an error message.

## **Schedule Detail Defaults Display**

The Schedule Detail Defaults display is used to view and manage a generating unit's default market offer parameters. The format of the display is shown below:

ISO new england									Marke	t Status: OPEł	(01)	Certificate U	eM. Ven Iser: emktsuperusi	arket ion: 6.0.0(2 ir512	<b>User</b> .	Interface 12-Sep-2024 19:16:37
										Particip	ant: ISO	New England Inc		Y User:	emktsuperuse	er512 👻
Public Generation Demand ARD Regulation	DRR ESF															
Private Unit Default Portfolio Ramp Rate Ram Messages Parameters Manager Default Hou	np Rate Schedule Infy Updates Manager	Schedule Detail Defaults	Schedule Offers Default	Schedule Offers Hourly Updates	Schedule Times Hourly Updates	Schedule DA A/S Offers	Schedule Selection	Hourly Updates	Fuel Price Adjustments	Generation By Portfolio	A/S By Portfolio	A/S Benchmark Data	A/S Benchmark Data Overrides	XML Download		
Schedule Detail Defaults																
Select Date, Unit and Schedule	Schedule Details for		and a part of		Price-based) on (	04-Nov-2024										
Date: [0+Nov-2024 3] Portola: Text v Unit: an v Schedule: **	Schedule Day Ahead Real Tim Fast Start ( Fast Start (	Available: Yes 4 Market: 2 e Market: 2 (10 min): No 30 min): No				Mao Max Daily Ei Max Daily Award Min Di Min Hot to Ci Hot to In Hot Notificati Inter Notificati Cold Notificati Hot Start	: Daily Starts: hergy (MWh): Limit (MWh): wwntime (hr): Runtime (hr): hld Time (hr): hr Time (hr): on Time (hr): on Time (hr): up Time (hr):	: 1 : 6.0 : 8.0 : 48.0 : 24.0 : 1.0 : 2.0 : 1.0				RT Hi	Emergency M Economic M Economic M. gh Operating Limit	in: 145.0 in: 150.0 ix: 255.0 **: 255.0		
						Inter Start Cold Start	up Time (hr): up Time (hr):	3.0				* Will not be used	by dispatch and com	nitment		
Messages																Update Refresh

The fields on this display are:

- Schedule Available indicates whether the schedule is to be used. This is managed on the Schedule Selection display.
- **Day Ahead Market** this check box indicates whether the schedule is enabled for Day-Ahead market use.
- **Real Time Market** this check box indicates whether the schedule is enabled for Real-Time market use.
- **Fast Start (10 min)** if the unit is Claim 10 capable<sup>3</sup>, this indicates whether the entered parameters qualify the unit for 10-min fast startup operation and therefore make it eligible for off-line non-spinning reserves.
- **Fast Start (30 min)** if the unit is Claim 30 capable<sup>3</sup>, this indicates whether the entered parameters qualify the unit for 30-min fast startup operation and therefore make it eligible for off-line non-spinning reserves.
- Max Daily Starts the maximum number of times that the unit can be started in one operating day under **normal** operating conditions. A blank field means the value is unlimited.
- **Max Daily Energy** the maximum amount of energy that the unit can produce in one operating day. A blank field means the value is unlimited.

<sup>&</sup>lt;sup>3</sup> The indication of whether the unit is Claim 10 or Claim 30 Capable can be seen on the Unit Default Parameters display (§0)

- Max Daily Award Limit expressed in MWh, this is the limit on the total energy, Operating Reserves and EIR for a day in the DAM. A blank field means the value is unlimited.
- **Min Downtime** the minimum number of hours that the generator owner requires between the time the generator is released for shutdown by the ISO and the time the generator is scheduled to be released for dispatch to the ISO.
- **Min Runtime** the minimum number of hours that the unit must remain online after it has been scheduled to reach its Economic Minimum Limit before it can be released for shutdown from its Economic Minimum Limit.
- Hot to Cold Time the time (in hours) for the unit to transition from hot to cold status.
- Hot to Inter Time the time (in hours) for the unit to transition from hot to intermediate status.
- Hot Notification Time the notification time (in hours) needed for the unit to synchronize to the system from a hot temperature state; the time is measured from the time the startup dispatch instruction is received from the ISO.
- Inter Notification Time the notification time (in hours) needed for the unit to synchronize to the system from an intermediate temperature state; the time is measured from the time the startup dispatch instruction is received from the ISO.
- **Cold Notification Time** the notification time (in hours) needed for the unit to synchronize to the system from a cold temperature state; the time is measured from the time the startup dispatch instruction is received from the ISO.
- Hot Startup Time the time (in hours) for the unit to startup from hot temperature state after the notification time elapses.
- Inter Startup Time the time (in hours) for the unit to startup from intermediate temperature state after the notification time elapses.
- **Cold Startup Time** the time (in hours) for the unit to startup from cold temperature state after the notification time elapses.
- Emergency Min the lowest level of energy in MW the unit can produce and maintain a stable level of operation. The Participant will allow operation of the unit at this level during a Minimum Generation Emergency.
- Economic Min the lowest MW level at which the unit can be economically dispatched.
- **Economic Max** the highest MW level at which the unit can be economically dispatched.

• **RT High Operating Limit** – the maximum MW output that the unit can achieve in response to an ISO New England request for energy.

### **Data Validation Rules**

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

- Data is entered for each of the following values, i.e., non-blank values appear in the data entry cells:
  - Min Downtime and Min Runtime.
  - Hot to Cold and Hot to Inter times.
  - All Startup and Notification times.
  - All limits (Emergency Min, Economic Min, Economic Max and RT High Operating).

Only Max Daily Starts, Max Daily Energy and the Max Daily Award Limit parameter values may be blank (unspecified).

• Day Ahead Market checkbox

Dispatchable resources with capacity supply obligation (CSO > 0) for the given market day are required to have an available DA schedule. If you change this checkbox from checked to unchecked for an available schedule, an error message will be displayed:

"Price based capacity resource (<ID>) <Name> must have one price based schedule available for day ahead market on <market day>"

The available schedule may be shared for DA and RT markets. In case the schedules are separate, the RT available schedule is always mandatory, while the DA available schedule is required only for the capacity resources for the duration of their capacity supply obligation.

Intermittent, non-dispatchable resources are exempt from this requirement.

- Emergency Min > 0 if Economic Max > 0
   Economic Min > 0 if Economic Max > 0
   i.e., the Emergency and Economic Minimum limits must be greater than zero if the Economic Maximum limit is greater than zero.
- Economic Max ≥ CSO if CSO > 0 Warning

   for a resource with a Capacity Supply Obligation, its Economic Maximum
   Limit should be at least as high as its Capacity Supply Obligation. A warning
   will be returned if the rule is violated; it is only a warning because the
   resource may not be fully available:

"Unit [<ID-Name>] Price Schedule [<Schedule ID-Name>] beginning [<market day>] Unit having a Capacity Supply Obligation must have Eco Max [<EcoMax entered>] >= CSO [<CSO value>] whenever the resource is physically available" • Emergency Min ≤ Economic Min ≤ Economic Max ≤ RT High Operating Limit This is the limit nesting rule. The data submitted is rejected if this rule is violated.

If the schedule is flagged as available at the time the values are submitted and the unit is a regulating resource, the limit nesting rule is extended to the regulation limits (i.e. Economic Min  $\leq$  Regulation Low < Regulation High  $\leq$ Economic Max) where the regulation limits are the more constraining of the limits among the daily default (those entered on the Regulation Offers Daily Default display) and the hourly updates (those entered on the Regulation Hourly Updates display) for the selected market day. A warning message is returned when the limit nesting rule with regulation limits is violated.

- Hot To Cold Time  $\geq$  Hot To Inter Time  $\geq$  0
- Cold Startup Time ≥ Inter Startup Time ≥ Hot Startup Time ≥ 0
- Cold Notification Time  $\geq$  Inter Notification Time  $\geq$  Hot Notification Time  $\geq$  0
- Min Downtime ≥ 0
- $24 \ge Min Runtime \ge 0$
- Max Daily Energy must be blank to specify an unlimited capacity, or a value greater than zero if you want to define a limit on the unit's energy capability and be treated as a Limited Energy Generation (LEG) resource. If a non-blank value is entered, then Max Daily Energy should be greater than or equal to Economic Min x Min Runtime; a warning message will be reported if it is not.
- When a unit self schedules for a total number of hours greater than its Min Runtime, the Max Daily Energy (if defined) must be greater than or equal to Economic Min x the number of hours that the unit self schedules or a warning will be returned.
- **Max Daily Award Limit** error: eMarket rejects submittals when both of the following are true:
  - Max Daily Award Limit is not blank AND
  - Max Daily Award Limit is less than or equal to zero.
- **Max Daily Award Limit** warning message: the system issues a submittal warning when all of the following are true:
  - Max Daily Award Limit is not blank AND
  - The unit is self-scheduled for any number of hours (not necessarily consecutive) AND
  - The Max Daily Award Limit is less than Economic Minimum multiplied by the total number of self-scheduled hours for the day.
- **Max Daily Award Limit** warning message: the system issues a submittal warning both of the following are true:
  - Max Daily Award Limit is not blank AND

- Max Daily Award Limit is less than Economic Minimum multiplied by Minimum Run Time.
- **Max Daily Award Limit** warning message: the system issues a submittal warning all of the following are true:
  - Max Daily Award Limit (MWh) is not blank AND
  - Max Daily Energy (MWh) is not blank AND
  - Max Daily Award Limit is less than Max Daily Energy.
- For Claim 10 capable Units, a warning will be returned when the sum of cold notification and cold startup time exceeds the Claim 10 criteria, i.e., ≥ 10min because time values make the unit ineligible for off-line reserve capability.
- For Claim 30 capable Units, a warning will be returned when the sum of cold notification and cold startup time exceeds the Claim 30 criteria, i.e. ≥ 30min because time values make the unit ineligible for off-line reserve capability.
- For Claim 10 capable Units and Claim 30 capable Units, a warning will be returned when Min Runtime > 1 or Min Downtime > 1 because time values greater than 1 hour make the unit ineligible for off-line reserve capability.
- An error message will be returned if any of the following offer parameter values exceed their threshold value established by the ISO-NE Market Monitor<sup>4</sup>:
  - Cold Notification Time, Cold Startup Time
  - Inter Notification Time, Inter Startup Time
  - Hot Notification Time, Hot Startup Time
  - Hot To Cold Time, Hot To Inter Time
  - Min Downtime, Min Runtime
- An error message will be returned if the sum of each of the following offer parameter values is greater than the sum of their respective reference values by more than a threshold value established by the ISO-NE Market Monitor<sup>5</sup>. The reference values used for this validation are those found in the unit's cost-based Reference schedule 98; they are fuel independent, hence the use of schedule 98 because there is such a schedule for every unit.
  - Hot Notification Time, Hot Startup Time, Min Downtime, Min Runtime
  - Inter Notification Time, Inter Startup Time, Min Downtime, Min Runtime
  - Cold Notification Time, Cold Startup Time, Min Downtime, Min Runtime
- A warning message will be returned if any of the following offer parameter values exceed their threshold value established by the ISO-NE Market Monitor<sup>6</sup>: Economic Max, Economic Min, Emergency Min, Max Daily Energy, and Max Daily Starts.

<sup>&</sup>lt;sup>4</sup> Refer to Market Rule 1, Appendix A, Section III.A.6.3.

<sup>&</sup>lt;sup>5</sup> Refer to Market Rule 1, Appendix A, Section III.A.6.3. Currently defined as 6 hours

<sup>&</sup>lt;sup>6</sup> Refer to Market Rule 1, Appendix A, Section III.A.6.1.
### View Schedule Detail Defaults

To view the default values of a generator schedule:

- 1. In the Generation Navigation sub tabs, click the **Schedule Detail Defaults** tab.
  - The Schedule Detail Defaults display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired unit from the **Unit** filter.
  - d. Select the desired schedule from the **Schedule** filter.
    - The display shows the selected schedule's default detail information.

### Modify Schedule Constraint Data

Constraint data includes minimum downtime, minimum runtime, maximum daily starts, maximum daily energy and maximum daily award limit. To modify schedule constraints:

- 1. View the unit's schedule details (§0)
- 2. Enter the desired changes for any or all of the following offer parameters:
  - a. Minimum Downtime (hours)
  - b. Minimum Runtime (hours)
  - c. Maximum Daily Starts
  - d. Maximum Daily Energy (MWh)
  - e. Max Daily Award Limit (MWh)
- 3. Click the **Update** button to save the data.

## **Modify Schedule Operating Limits**

- 1. View the unit's schedule details (§0)
- 2. Enter the desired changes for any or all of the following operating limits:
  - a. Economic Max (MW)
  - b. Economic Min (MW)
  - c. Emergency Min (MW)
  - d. RT High Operating Limit (MW)
- 3. Click the **Update** button to save the data.

### Enable Schedule for a Market

Another schedule parameter is market participation. The Participant selects the schedules that are enabled for the Day-Ahead Market (DAM) and/or the Real-

Time market (RTM). The following steps enable a schedule for the specified market(s):

- 1. View the unit's schedule details (§0)
- 2. To enable/disable a schedule for use in the DAM, click the **Day Ahead Market** checkbox.
- 3. To enable/disable a schedule for use in the RTM, click the **Real Time Market** checkbox.
- 4. Click the **Update** button to save the data.

**Note**: If the schedule is flagged as available, you will not be able to change the schedule's applicable market flags. That is because one price-based schedule must be flagged as available for each of the markets at all times. To change a schedule's market eligibility, you must first make one or more other schedules available (one for each market).

# Schedule Offers Daily Default Display

The purpose of this display is to view and update the unit's daily default Startup and No Load costs values, its incremental energy offers, its Use Bid Slope flag and if the unit is a multi-fuel unit, the fuel blend associated with each financial offer parameter. Incremental energy offers consist of price/MW pairs, also referred to as schedule offer segments. Schedule offer segments specify a MW amount and the price per MWH for generation from the previous segment's MW amount up to this segment's MW amount. Up to 10 segments can be defined for each schedule.

Offers in MW are cumulative. For example,

- To offer the first block of 15 MW of generation at \$10.00, you enter an offer segment of 15 MW @ \$10.00
- To offer the next block of 20 MW of generation at \$30.00, you enter an offer segment of 35 MW @ \$30.00

And so on. You can enter the segment offers in any order of MW values; eMarket will organize the segments and display them in increasing MW value order. The price value of each segment must however be greater than the price of the previous segment after the segments are sorted in increasing MW value order. In other words, the offer segments must be monotonically increasing in MW and price value.

The slope from zero to the first MW point (which can be zero) is equal to zero; that is to say that the price/MWH is fixed and equal to the price of the first segment. The price along the segment between MW points is a calculated slope or block, depending on the status of the Use Offer Slope checkbox.

The last MW point should be greater than or equal to the Economic Maximum Limit. If it is not, the curve is extended with a slope equal to zero.



This is all illustrated in Figure 2.

Units are eligible to change segment offer Price/MW pairs and Startup and No Load cost offers after the close of the DA market during the daily Re-Offer period and during the RT Intraday Re-Offer period.

The format of the display is different for multi-fuel units and single-fuel units as shown below; for multi-fuel units, the <u>fuel index</u> names of each fuel that the unit is configured to use are shown along with data entry cells to specify the fuel blend percentages associated with each of the financial offer parameters. **See Appendix A for list of Fuel Index Names registered with Market Monitoring.** 

																		eMa	arket	User	Interf	ace
IS	0	new	englar	nd											Market Sta	tus: OPEN(01		Version: : Certificate Use	2.0.1(201407 r: Superuser	221119)	23-Aug-201-	09:41:49
	1															Participant:	ISO New England In	c	~	User: Su	Deruser	~
Public	Gones	ation	bream	APD P	ecu datic																	
Private	Uni	t Default	Portfolio	Ramp Ra	ate	Ramp Rate	Schedule	Schedule	Schedule	Schedule Offers	Schedule Times	Schedule	Hourly	Euel Price	Generation	XML						
Messages	Par	ameters	Manager	Default		Hourly Updates	Manager	Detail Defaults	Offers Default	Hourly Updates	Hourly Updates	Selection	Updates	Adjustments	By Portfolio	Download						
Sched	dule	Offers	Dail	y Defai	ult																	
Select Date	e, Unil	t and Sched	ule			< scł	edule Offer fo	IF UNIT NAME - D	FLPRICE (Price-ba	ed) on 24-Aug-2	014											
Dat	e: 24	4-Aun-2014						Fuel Calentina														
Portfol	io: A	I Units				~		Puel Selection	No2													
Un	it: U	NIT NAME				~	Hot	: Startup Cost (\$):	84	5.00												
Schedu	le: D	FLPRICE				~	Intermediate	Startup Cost (\$):	846	5.00												
							Cold	i Startup Cost (\$):	846	5.00												
								No Load Cost (\$):	536	7.00												
								Incremental Energy (	lffers													
								Use Offer Slope														
								M90'	Pr	ce .												
								55.0	22	0.81												
								60.0	22	5.49												
								70.0	23	4.83												
								75.0	23	9.50												
								80.0	24	4.18												
								85.0	24	8.85												
								90.0	25	3.52												
																				U	pdate	Refresh
Messages																						

Figure 3 – Schedule Offers Default Display of a single-fuel unit

																							~ ~ ~	
		<b>.</b>																		el	farket	: Use	r Inte	rface
																				Version	2.0.1(2014	07221119		
15	Ч	newe	ingland	1														atus: OPEN(01	)	Certificate L	lser: Superu:	er	23-Aug-	2014 09:44:03
																		Participant:	ISO New England Inc			🗸 User:	Superuser	*
Public G	iener	ration De	mand .	ARD Regula	lation																			
Private Messages	Uni Par	it Default rameters	Portfolio Manager	Ramp Rate Default	Ramp Hour	Rate ly Updates	Schedule Manager	Schedule Detail Defaults	Schedule Offers Default	Sched Hourly	ule Offers 7 Updates	Schedule Time Hourly Update	es Schedu selectio	k H n L	iourly Ipdates	Fuel Price Adjustments	Generation By Portfolio	XML Download						
Sched	lule	e Offers	Daily	Default																				
Select Date,	, Unil	t and Schedu	le			« Sche	dule Offer fo	W UNIT NAME - D	FLPRICE (Price-ba	sed) on (	24-Aug-201	14												
Data					10							Fuels												
Date	a: 5	4-Aug-2014			L	2					MA_na	tgas2	No2											
Portrolio	D: A	VI_Units				1						*		*										
Unit	t: U	INIT NAME				2	Hot	: Startup Cost (\$):	84	95.00		100		0										
Schedule	e: D	FLPRICE				-	Intermediate	: Startup Cost (\$):	: 84	95.00		100		0										
							Cold	i Startup Cost (\$):	84	95.00		100		0										
								No Load Cost (\$):	62	82.00		100		0										
								Incremental Energy I	Offers															
								Use Offer Slope	e: 🗖															
								MW	P	ice		%		%										
								65.0	2	19.78		100		0										
								60.0	2	25.40		100		0										
								65.0	2	31.02		100		0										
								116.0	2	38.02		100		0										
																							Undate	Refresh
																							.,	
Messages																								Â

#### Figure 4 – Schedule Offers Default Display of a multi-fuel unit

The fields on this display are:

- Hot Startup Cost the startup cost of the unit from a hot temperature (state).
- Intermediate Startup Cost the startup cost of the unit from an intermediate temperature (state).
- **Cold Startup Cost** the startup cost of the unit from a cold temperature (state).
- **No Load Cost** the inherent cost of running the unit.
- Use Offer Slope this check box indicates whether to use the offer slope for the incremental energy offers within the market clearing and dispatch software as illustrated in Figure 2.
- **MW** the net MW unit output associated with this segment. The last MW point should be greater than or equal to the Economic Maximum Limit.
- **Price** the \$/MWH price offered for this segment.

#### **Data Validation Rules**

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

• A non-blank value is entered for each Startup and No Load cost and associated fuel blend percentage if applicable.

- At least one non-blank Price/MW pair value is entered along with fuel blend percentage if applicable.
- Cold Startup Cost  $\geq$  Inter Startup Cost  $\geq$  Hot Startup Cost  $\geq$  0
- No Load Cost ≥ 0
- An error message will be returned if any of the following offer parameter values exceed their threshold value established by the ISO-NE Market Monitor<sup>7</sup>: Cold/Intermediate/Hot Startup Cost, No Load Cost;

for multi-fuel units, the thresholds are dynamically calculated using the unit's reference levels for each fuel and the fuel blend information submitted with the cost offers.

- Fuel blend percentages for a financial offer must add up to 100; only whole numbers between 0 and 100 are allowed for a fuel blend percentage value.
- MW quantity must be strictly positive or zero; i.e.  $MW \ge 0$
- Price of Incremental Energy Offers must be less than or equal to the Energy Offer Cap price and greater than or equal to the Energy Offer Floor price; i.e. Energy Offer Floor price ≤ Price ≤ Energy Offer Cap price<sup>8</sup>.

Energy Offer Floor price  $\leq$  Price  $\leq$  Energy Offer Cap price<sup>o</sup>.

• Offers must be monotonically increasing. The price value for each segment must be greater than the one of the previous segment after the segments are ordered in increasing MW value<sup>9</sup>.

#### **Modify Schedule Offers**

- 1. In the Generation Navigation sub tabs, click the **Schedule Offers Default** tab.
  - The Schedule Offers Daily Default display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired unit from the **Unit** filter.
  - d. Select the desired schedule from the **Schedule** filter.
    - The display reflects the selected schedule's offer data for the selected date.

<sup>&</sup>lt;sup>7</sup> Refer to Market Rule 1, Appendix A, Section III.A.5.5.

<sup>&</sup>lt;sup>8</sup> Energy Offer Floor price and Energy Offer Cap price are both defined in Market Rule 1, section I.2.2.

<sup>&</sup>lt;sup>9</sup> The same price for successive segments is allowed; however it doesn't really make sense when considering Participant offers because the two segments are equivalent to a single segment with a MW value equal to that of the second segment. It is allowed only to permit mitigation reference price values for successive offer segments to be equal.

- 3. Enter or modify the values on the display. To delete an incremental energy offer segment, simply blank each value on the row where the segment is shown, including the fuel blend percentages.
- 4. Click the **Update** button to save the data.

# Schedule Offers Hourly Updates Display

This display provides for viewing, entering and modifying hourly updates to a unit schedule's default offers for Startup and No Load cost, incremental energy price/MW pairs, and Use Bid Slope parameters for a given market day, including the fuel blend associated with each financial offer parameter for multi-fuel units. Refer to §0 Schedule Offers Daily Default Display for a description of these schedule offer parameters and how incremental energy offers must be structured. *This is the only Generation display enabled for submittal of hourly updates during the RT Intraday Re-Offer period*.

The format of the display for a single-fuel unit is shown below. For a multi-fuel unit, the columns showing the *fuel index* of the fuels that the unit is configured to use with data entry cells to enter the fuel blend percentages are shown just like with the Schedule Offers Daily Default display. As you can see, there are multiple display tabs on this display:

- The "DEF" tab shows the default offers for the selected market day. These were entered and are shown on the Schedule Offers Default display. They cannot be changed using this display.
- There is one tab for each hour of the market day. Each tab is labeled with the hour-ending value of the market hour. There is an extra tab labeled "02\*" for the extra hour on the Fall Daylight Saving Time transition day. On the Spring Daylight Saving Time transition day, the tab labeled "03" will not be shown. When the selected market day date is today, the tab labels for the hours that have passed are de-emphasized to indicate that the values for those hours cannot be changed.



As illustrated below, whenever there are values entered for an hour that are not yet saved, the display tab label is highlighted in red. Selecting the hour's display tab will show the modified data entry fields highlighted in pink. Furthermore, if there are updates for an hour (whether saved in the database or entered on the screen) that can be changed for the selected market day, a "**Delete**" button is provided on the display. Selecting the button sets all the data entry fields to blank and the checkboxes to "No Override" state without saving the entered data. You must select the "**Update**" button to actually delete the hourly updates. That way, you can delete the updates to multiple hours with one "Update" selection.



### Data Validation Rules

When you click the **Update** button, eMarket makes the following checks for each market hour where data has been entered to ensure that the entered data is valid:

- A non-blank value is entered for each Startup and No Load cost and associated fuel blend percentage if applicable except when you are deleting all overrides for the selected market hour.
- At least one non-blank Price/MW pair value is entered along with fuel blend percentage if applicable except when you are deleting all overrides for the selected market hour.
- A selection has been entered for the Use Offer Slope checkbox; it cannot be left in the "No Override" state except when you are deleting all overrides for the selected market hour.
- Cold Startup Cost ≥ Intermediate Startup Cost ≥ Hot Startup Cost ≥ 0
- No Load Cost ≥ 0
- An error message will be returned if any of the following offer parameter values exceed their threshold value established by the ISO-NE Market Monitor<sup>10</sup>: Cold/Intermediate/Hot Startup Cost, No

<sup>&</sup>lt;sup>10</sup> Refer to Market Rule 1, Appendix A, Section III.A.5.5. Threshold values are different for supply offer values submitted while the DA market and the Re-Offer periods are open versus those in effect during the RT Intraday Re-Offer period. As outlined in the Market Rule, you cannot increase your offer of Startup and No Load costs during the RT Intraday Re-Offer period without either a corresponding

Load Cost;

for multi-fuel units, the thresholds are dynamically calculated using the unit's reference levels and the fuel blend information submitted with the cost offers.

- Fuel blend percentages for a financial offer must add up to 100; only whole numbers between 0 and 100 are allowed for a fuel blend percentage value.
- MW quantity must be strictly positive or zero; i.e.  $MW \ge 0$
- Price of Incremental Energy Offers must be greater than or equal to the Energy Offer Floor price; i.e. Price ≥ Energy Offer Floor price<sup>11</sup>.
- Price of Incremental Energy Offers may exceed \$1000. A warning message will be displayed if the offered price is "soft-capped" to \$1000. The soft-capped price is then displayed in the Price column, while the offered price is shown in the Uncapped Price column. The soft-capped price may be raised later by the verification process. For rules about soft-capping, refer to chapter 12 Energy Offer Caps.
- Incremental Energy Offers must be monotonically increasing. The price value for each segment must be greater than or equal to the one of the previous segment after the segments are ordered in increasing MW value<sup>12</sup>.
- The market hour for which updates are being submitted must be a future hour. In other words, the selected market day date must be tomorrow or a later date. During the RT Intraday Re-Offer period when the selected market day date is today, if the market hour is the next hour from now, the request must be made 30 minutes before the start of the hour.

### **Override Schedule Offers for One or More Hours of a Market Day**

- 1. In the Generation Navigation sub tabs, click the **Schedule Offers Hourly Updates** tab.
  - The "DEF" Schedule Offers Hourly Updates display is shown in the display pane.
- 2. In the **Filters pane**:

change to your fuel blend or submitting a Fuel Price Adjustment request. The allowable change in the Startup and No Load supply offers during the RT Intraday Re-Offer period is referenced in Market Rule 1, Appendix A, Section III.A.6.2.

<sup>&</sup>lt;sup>11</sup> Energy Offer Floor price is defined in Market Rule 1, section I.2.2.

<sup>&</sup>lt;sup>12</sup> The same price for successive segments is allowed; however, it doesn't really make sense when considering Participant offers because the two segments are equivalent to a single segment with a MW value equal to that of the second segment. It is allowed only to permit mitigation reference price values for successive offer segments to be equal.

- a. Select the desired date from the **Date** filter.
- b. Select the desired portfolio from the **Portfolio** filter.
- c. Select the desired unit from the **Unit** filter.
- d. Select the desired schedule from the **Schedule** filter.
  - The "DEF" display tab reflects the selected schedule's default offer data for the selected date.
- 3. To update the overrides of individual hours:
  - a. Select the display tab of the hour for which you want to enter new hourly overrides of the schedule offers or modify any existing hourly overrides.
  - b. Enter the override value for each of the schedule offers or modify the existing values.
  - c. Repeat steps a and b for each hour that you want to enter new overrides or modify the existing ones.
  - d. Click the **Update** button to save the data.
- 4. To update the overrides for a range of hours; this involves using the "Copy From:" tool in the tooltray. It is designed to minimize the amount of data entry that you are required to perform, especially when there are blocks of hours where the override values are to be the same.
  - a. First, create a template of the data that you want to enter for multiple hours. When entering new overrides, you can minimize your data entry by first copying the schedule's default values to the first hour of the range that you want to override and then editing the values for that hour. When modifying hourly updates that are already in place, you pick an hour in the range of hours that you want change and modify the values for this hour.
  - b. Then copy this hour's values to the various range (one or more) of hours where you want this set of overrides to apply.
  - c. You can repeat this process (steps a and b) for other ranges of hours where you want to enter different sets of overrides.
  - d. When you are done entering/modifying the hourly overrides to the schedule's offer, click the **Update** button to save the data.

### **Remove/Delete Hourly Updates to Schedule Offers**

- 1. In the Generation Navigation sub tabs, click the **Schedule Offers Hourly Updates** tab.
  - The "DEF" Schedule Offers Hourly Updates display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired unit from the **Unit** filter.
  - d. Select the desired schedule from the **Schedule** filter.

- The "DEF" display tab reflects the selected schedule's default offer data for the selected date.
- A horizontal bar appears above the hour-ending value of the display tabs where there are overrides/updates in place.

To remove/delete the overrides of individual hours:

- e. Select the display tab of the hour for which you want to remove the hourly overrides. If you are allowed to remove the overrides for the selected hour, a "Delete" button will be shown in the lower display toolbar.
- f. Click on the "Delete" button. All of the data entry fields on the display are set to blank and the two checkboxes are set to "No Override" state.
- g. Repeat steps a and b for each hour that you want to remove the overrides.
- h. Click the **Update** button to permanently delete the override data in the database.
- 3. To remove/delete the overrides for a range of hours; this involves using the "Copy From:" tool in the tooltray.
  - a. Pick the display tab of the first hour in a range of hours where you want to delete the overrides; click the "Delete" button to set all data entry fields to blank and the checkboxes to "No Override" state. You don't need to save ("Update") this data entry.
  - b. Copy the selected hour's values to the various range (one or more) of hours where you want to remove the overrides. *Note*: if there is an hour with no overrides in the selected market day, you can skip step a and copy this hour to the various range (one or more) of hours where you want to remove the overrides.
  - c. Repeat this process (steps a and b) for other ranges of hours where you want to also remove the overrides.
  - d. When you are done, click the **Update** button to permanently delete the override data in the database.

# **Schedule Times Hourly Updates Display**

This display provides for viewing, entering and modifying hourly updates to a unit schedule's default Notification and Startup times. Refer to §0 Schedule Detail Defaults Display for a description of these schedule offer parameters. To show the impact of these parameters on the unit's eligibility for off-line reserve designations, it also shows

- The unit's default Minimum Run Time and Minimum Down Time that were entered on the Schedule Detail Defaults display (§0).
- The unit's eligibility to be treated as a 10-minute and 30-minute Fast Start resource; i.e. its eligibility to receive 10-minute and 30minute off-line (Non-Spin) reserve designations.

To be treated as a 10-minute resource, the unit must be designated as Claim10 capable. Similarly, to be treated as a 30-minute resource, the unit must be designated as Claim 30 capable. These two capability flags are asset registration parameters and they are shown on the Unit Default Parameters display (§0). In addition, each eligibility is a function of the unit's Cold Notification Time + Cold Startup Time along with its Minimum Run Time and Minimum Down Time. That is why the information is shown both at the schedule default level and for each hour of the operating day where the hourly time values override the default values and can be different for each hour of the operating day. Thus a unit can be eligible based on the schedule's default offer parameters but not eligible for a particular hour of the operating day because of the hourly overrides of either Cold Notification or Startup offer parameters.

															eMark	et User	Interface
IS	new england											Market Stati	UK: OPEN(01)		ertificate User: Supr	01407221119) miser	23-Aug-2014 10:07:2
													Participant: 19	New England Inc		V User: S	Deruser
Public G	Demand APD	Regulation															
Point di	Line Defends Development	negation		Constant)	esta da la	Contractor.	Contraction office	Calculate The	a l caud	a. Caracto	Could be	1					
Messages	Parameters Manager Del	afault Hou	urly Updates	Manager	Detail Defaults	Offers Defaul	t Hourly Update	Hourly Updat	es Selectio	on Updates	Adjustments	By Portfolio	Download				
Sched	ule Startup and No	otification	Time H	ourly U	odates												
Select Date,	Unit and Schedule		~														
			Defa	ult Values for	UNIT NAME - DE	LPRICE (Pric	e-based) on 24-A	a-2014									
Date	24-Aug-2014					Notifica	tion Times		St	artup Times				Other			
Portfolio	All_Units		*			Hot	Inter	Cold	Hot	Inter	Cold	Min Run Time	Min Down Time	Fast Start (10 min)	Fast Start (30 min)		
Unit	UNIT NAME		~			0.08	0.08	0.1	0.08	0.08	0.08		1	1 N	Yes		
Schedule	DELERICE		<b>~</b>														
	Di Di Mide		Over	ride Hourly V	alues for UNIT N	AME - DFLPR	ICE (Price-based)	on 24-Aug-2014									
				Hour		Notificat	ion Times		Star	tup Times		0	Dther				
					F	lot	Inter	Cold	Hot	Inter	Cold	Fast Start (10 min)	Fast Start (30 min)				
				• • c	opy												
				01		0.08	0.08	0.08	0.08	0.08	0.08	Ye	s )	'es			
				02		0.08	0.08	0.08	0.08	0.08	0.08	Yer	s )	'es			
				03		0.08	0.08	0.08	0.08	0.08	0.08	Ye	s )	es			
				04		0.08	0.08	0.08	0.08	0.08	0.08	Yes	s 1	'es			
				05		0.06	0.08	0.5	0.06	0.06	0.06	N	B	Ne			
				07		0.08	0.08	0.6	0.08	0.08	0.08	N	•	No			
				08		0.08	0.08	0.6	0.08	0.08	0.08	N	0	No			
				09		0.08	0.08	0.5	0.08	0.08	0.08	N	•	No			
				10		0.08	0.08	0.5	0.08	0.08	0.08	N	0	No			
				11		0.08	0.08	0.6	0.08	0.08	0.08	N	0	No			
				12		0.08	0.08	0.5	0.08	0.08	0.08	N	0	No			
				13		0.08	0.08	0.5	0.08	0.08	0.08	N	0	No			
				14		80.0	0.08	0.5	0.08	0.08	0.08	N		ND			
				10		0.0	0.0	0.1	0.0	0.0	0.08	N		(es.			
				17		0.0	0.0	0.1	0.0	0.0	0.08	N	- - 1	es			
				18		0.0	0.0	0.1	0.0	0.0	0.08	N	0	es			
				19		0.0	0.0	0.1	0.0	0.0	0.08	N	• 1	'es			
				20		0.0	0.0	0.1	0.0	0.0	0.08	N	ہ ہ	es			
				21		0.0	0.0	0.1	0.0	0.0	0.08	N	• 1	'es			
				22		0.0	0.0	0.1	0.0	0.0	0.08	N	0 1	es			
																U	pdate Refresh
Messages																	

The format of the display is shown below.

The Default Values section is provided as a reference to show what are the default schedule offers for the chosen day that are being overridden by the hourly update values entered in the section below. Only the Notification Times and Startup Times in the Hourly Values section are enterable. The other information shown in this section is derived from the entered values as explained above and is for reference only.

### Data Validation Rules

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

- Data is entered for each of the parameter values for an hour, i.e. non-blank values appear in all the data entry cells, if any one of the cells contains a non-blank value. In other words, when you want to override one time value of an hour, you must enter values for all the other time parameters even if they are the same as the default values. When all data entry cells for an hour are set to blank, it means that the override for the hour is to be removed/deleted.
- Cold Startup Time  $\geq$  Inter Startup Time  $\geq$  Hot Startup Time  $\geq$  0
- Cold Notification Time ≥ Inter Notification Time ≥ Hot Notification Time ≥ 0
- An error message will be returned if any of the following offer parameter values for an hour exceed their threshold value established by the ISO-NE Market Monitor<sup>13</sup>:
  - Cold Notification Time, Cold Startup Time
  - Inter Notification Time, Inter Startup Time
  - Hot Notification Time, Hot Startup Time
- An error message will be returned if the sum of each of the following offer parameter values is greater than the sum of their respective reference values by more than a threshold value established by the ISO-NE Market Monitor <sup>14</sup>. The reference values used for this validation are those found in the unit's cost-based Reference schedule 98. The daily default offer values of Min Downtime and Min Runtime as defined in the schedule's Detail defaults and the corresponding reference values are used in the calculations.
  - Hot Notification Time, Hot Startup Time, Min Downtime, Min Runtime

<sup>&</sup>lt;sup>13</sup> Refer to Market Rule 1, Appendix A, Section III.A.6.3. The reference level values from which the threshold values are derived are found in the unit's Reference schedule 98 (the one with the name xxxx\_R1 where xxxx is the unit's short name).

<sup>&</sup>lt;sup>14</sup> Refer to Market Rule 1, Appendix A, Section III.A.6.3. Currently defined as 6 hours (August 2014)

- Inter Notification Time, Inter Startup Time, Min Downtime, Min Runtime
- Cold Notification Time, Cold Startup Time, Min Downtime, Min Runtime

## **Override Startup and Notification Times for a Day and Hour**

As discussed in §0 Schedule Detail Defaults Display, you define on this display a unit's daily default Startup and Notification time values under the selected schedule. These values are shown in the Defaults section of the display; they are the values used for those hours where an override is not defined. If you want to profile the unit's times on an hourly basis (to reflect the unit's actual manned hours of the day for example), you override the daily default schedule values using this display as follows:

- 1. In the Generation Navigation sub tabs, click the **Schedule Times Hourly Updates** tab.
  - The Schedule Startup and Notification Time Hourly Updates display is shown in the display pane.

#### In the Filters pane:

- a. Select the desired date from the **Date** filter.
- b. Select the desired portfolio from the **Portfolio** filter.
- c. Select the desired unit from the **Unit** filter.
- d. Select the desired schedule from the **Schedule** filter.
  - The display reflects the hourly overrides for the selected unit schedule.

To update the overrides for individual hours:

- e. Enter override values for each time parameter in the hours that you wish. Enter blanks if you want to remove an override. Remember that you must enter values for all time parameters.
- f. Click the **Update** button to save the data.
- 2. To update the overrides for a range of hours using the first row in the grid:
  - a. Enter override values for each time parameter in the top row. Enter blanks if you want to remove overrides.
  - b. Specify the range of hours to override by selecting the "From" (left dropdown selector) and "To" (right drop-down selector) hours in the top row

		Ηo	ur	
nal	~	12	~	Copy
0.01			1	
01			1	
02				
03			E	
04			Ŀ	
05			E	
06		-	1	
07			г	
08				
09				
10				
11				
12				
10		_		

- c. Click the **Copy** button; this will copy the data that you entered in the top row to each row for the hours in the range that you selected.
- d. Repeat steps a through c for other range of hours as desired.
- e. Click the **Update** button to save the data for the selected hours.

# Schedule DA A/S Offers Display

Participants use this hourly interface to submit Ancillary Service "A/S" offers for the Day-Ahead market. Note: The DA A/S Offers are only given on an hourly basis. The hourly granularity requires that the user engage a conscious effort to submit A/S offers for the hours they wish to participate. Since there no daily corollary, the user **cannot** rely on an automatic carry forward such as is common with other energy offers.

IS	new engl	and												Mari	ket Status: OPE	EN(01)	Certificate	eM Vi User: emktsuperu	larket	t <b>Use</b> i 2024091222	r Inter 44) 12-Sep-:	rface
															Partici	ipant: ISO	New England Inc		Y User:	emktsuper	ruser512	*
Public G	eneration Demar	nd ARD Regulati	ion [	DRR ESF																		
Private Messages	Unit Default Por Parameters Man	tfolio Ramp Rate nager Default	Ramp Hourt	Rate y Updates	Schedule Manager	Schedule Detail Defaults	Schedule Offers Default	Schedule Of Hourly Upda	fers Schedi tes Hourly	ule Times Sc Updates A/	hedule DA 5 Offers	Schedule Selection	Hourly H Updates	Fuel Price Adjustments	Generation By Portfolio	A/S By Portfolio	A/S Benchmark Data	A/S Benchmark Data Overrides	XML Download			
Scheo	lule Day-Ah	ead Ancillar	y Se	ervice	Offers																	
Select Date	, Unit and Schedule		~																			
Date	04 Nov 2024					Max Daily Award	Limit:		Day Ahe	ad Schedule:	res											
Date	. 04-INOV-2024																					
Portiolid	rest		÷		Ho	unlu Offer Valuer	for			- And the December	in on 04-M	ow-2024										
Unit		and the second s	Ľ.		Ho	any oner values:		ww	TMSR \$	TMNSR \$	01104-10	TMOR S	EIR S	Avail								
Schedule	*     *     Copy     Copy <thcopy< th="">     Copy     Copy<!--</td--><td></td><td></td><td></td><td></td><td></td></thcopy<>																					
	1     2     10     10     14     0     0.40     7.40     V       00     2050     10.50     14.40     9.45     7.40     V																					
	-     2000     1000     4000     4000     7400     W       00     2250     1938     14.53     943     7400     W       00     2255     1938     14.53     944     7440     W																					
					03			255.0	19.58	14	53	9.45	7.4	• •								
					04			255.0	19.58	14	53	9.45	7.4	9								
					05			255.0	19.58	14	53	9.45	7.4									
					08			255.0	19.58	14	53	9.45	7.4									
					07			255.0	19.58	14	53	9.45	7.4									
					00			255.0	10.50	14	53	0.45	7.4									
					10			255.0	19.58	14	53	9.45	7.4									
					11			255.0	19.58	14	53	9.45	7.4									
					12			255.0	19.58	14	53	9.45	7.4									
					13			255.0	19.58	14	53	9.45	7.4									
					14			255.0	19.58	14	53	9.45	7.4									
					15			255.0	19.58	14	53	9.45	7.4									
					10			255.0	19.58	14	53	9.45	7.4	• V								
					17			255.0	19.58	14	53	9.45	7.4									
					18			255.0	19.58	14	53	9.45	7.4									
					19			255.0	19.58	14	53	9.45	7.4									
					20			200.0	10.50	14	53	0.45	7.4									
					22			255.0	19.55	14	53	0.45	7.4									
					23			255.0	19.58	14	53	9.45	7.4									
					24			255.0	19.58	14	53	9.45	7.4									
																					Update	Refresh
Messages																						*

There are two read-only information fields:

- Max Daily Award Limit: A read only daily reference value entered via the Generation => Schedule Offers Default display. This is the limit on the total energy, Operating Reserves and EIR for the day in the Day-Ahead market. Please see related data validation rules.
- **Day Ahead Schedule**: A read only daily reference value. Value is "Yes" for an available schedule that is enabled for use in clearing the Day-Ahead market.

**Data Entry Pane**: Similar to the Unit Hourly Updates Display, the A/S Offers input section shows each hour of the day and fields to enter the user's A/S offers.

- **Hour** Hour ending values are shown in the first column for each hour in the day. The row for hour ending 03 is not shown for the Spring Daylight Saving Time transition day. Similarly, the value on the row of the repeating hour ending 02 of the Fall Daylight Saving Time transition day is marked with an asterisk (\*).
- **MW** maximum total for TMSR, TMSR, TMOR, and EIR awards
- **TMSR \$** DA Ancillary Service Offer for TMSR (\$)
- TMNSR \$ DA Ancillary Service Offer for TMNSR (\$)
- **TMOR \$** DA Ancillary Service Offer for TMOR (\$)
- **EIR \$** DA Ancillary Service Offer for EIR (\$)
- **Aval** Informational read-only check box indicating the asset's effective availability is ither Economic or Must run for the hour.

## Data Validation Rules

If a value is entered for an hour in any of these columns, values must also be entered in every other column even if they are copies from a prior hour. Setting all of the values to blank (NULL) acts to remove the offer in that market hour. The top row of the grid provides a means to enter or clear inputs for a range of hours. For example, to remove all the A/S offers for every hour of the day, select 01 for the "From" hour (left drop-down selector) and 24 for the "To" hour (right drop-down selector) in the Hour drop-down selection lists, select the "Copy" button and then select "Update". Note: you cannot use the top row to selectively update the inputs in one column for a range of hours while retaining the input values in other columns.

- The asset must belong to the user's selected portfolio and the asset must have a price schedule. Note that there no restriction to keep the user from entering A/S offers on a Real-Time Market only schedule. These inputs do not apply in the Real-Time market and thus ignored in market clearing.
- The eMarket user cannot modify Cost schedules.

- An hourly input requires values for all fields: MW, TMSR, TMNSR, TMOR and EIR.
- The MW input field must be numeric and have size and precision: 5,1.
- The "Price" input fields (TMSR, TMNSR, TMOR and EIR) must be numeric and have size and precision: 4,2.
- DA A/S Hourly Offer Prices >= 0. The system rejects values less than zero for any/all of the price inputs for: TMSR, TMNSR, TMOR and EIR.
- DA A/S Max MW >= DA A/S Hourly MW > 0. The system rejects MW submittals if either of the following are true for the input hour: MW is less than or equal to zero or MW is greater than the Maximum DA A/S Offer MW (2000).
- The DA A/S Hourly Offer Prices <= DA A/S Max Offer. eMarket rejects submittal if any of the A/S price values (TMSR, TMNSR, TMOR and EIR) are greater than "Maximum DA A/S Offer Price" (2600).

# **Schedule Selection Display**

This display is used to make schedules available for a given day and market. The format of the display is shown below:

ISO new england					Market	Status: OF	PEN(01)		Ve Certifica	eMar rsion: 2.0.7(2 ate User: Sup	<b>ket Use</b> 201412111610 eruser	er Inte	rface
						Partic	ipant: I	SO New England	Inc		Y User:	Superuser	*
Public Generation Demand ARD Regulation													
Private Unit Default Portfolio Ramp Rate Ramp Rat Messages Parameters Manager Default Hourly U	e Schedule odates Manager	Schedule Sc Detail Defaults Of	ichedule Xffers Default	Schedule Offers Hourly Updates	Schedule Times Hourly Updates	Schedule Selection	Hourly Updates	Fuel Price Adjustments	Generation By Portfolio	XML Download			
Schedule Selection													
Select Date and Portfolio	Schedules for Portf	olio AAA on 21-Dec	c-2014										
	Unit		Schedule ID	Type	Schedul	•		Day Ahead	Real Time	Available			
Date: 21-Dec-2014	UNIT NAME		36598	Cost	UNIT_R1			х	x				
Portfolio: AAA	UNIT NAME		36597	Cost	UNIT_R2			х	x				
	UNIT NAME		36599	Cost	UNIT_M			x	x	<b>V</b>			
	UNIT NAME		36501	Price	DFLPRIC	E		×	x	$\checkmark$			
												Update	Refresh

The fields on this display are:

• **Unit** – the name of the unit. All units listed in the selected portfolio along with each of their schedules are shown on this display.

- Schedule ID the unique identifier of the schedule; it is the concatenation of the unique unit identifier and of the schedule type number.
- **Type** the type of schedule: Price or Cost
- Schedule the name of the schedule as it was entered on Schedule Manager display
- **Day Ahead** an X-mark indicates that the schedule is enabled to be used in the clearing of the Day-Ahead market if the schedule is flagged as available.
- **Real Time** an X-mark indicates that the schedule is enabled to be used in the clearing of the Real-Time market if the schedule is flagged as available.
- **Available** a checkmark indicates that the schedule is to be use in the clearing of the selected markets on the selected operating day.

### Select Schedule for an Operating Day and Market

The Unit Schedule Selection operation is for modifying the availability of a schedule for a specific day.

**Note**: One and only one price-based schedule can be available for a market on any given day. Therefore, to make a schedule that is enabled for both Day-Ahead and Real-Time markets unavailable, you must at the same time make another schedule that is enabled for both markets available or two other schedules, one enabled for the Day-Ahead market and another enabled for the Real-Time market, available.

When a schedule for a unit that is a regulating resource is made available, irrespective of whether it is a schedule designated for use in the DA market or the RT market or both, the regulation limit nesting rule is checked; i.e. Economic Min ≤ Regulation Low < Regulation High ≤ Economic Max where the economic and regulation limits are the more constraining of the limits among the daily default (those entered on the Schedule Detail Defaults display and on the Regulation Offers Daily Default display) and the hourly updates (those entered on the Unit Hourly Updates and on the Regulation Hourly Updates display) for the selected market day. A warning message is returned when this rule is violated.

eMarket requires Participants to submit an available schedule for DA market for dispatchable resources with capacity supply obligation. An error message will appear if the Participant attempts to make the DA price schedule unavailable for a resource with capacity supply obligation. For those resources, the Schedule Selection display should always contain one available DA schedule for a given market day during the capacity supply obligation. Intermittent, non-dispatchable resources are exempt from this requirement.

To change the availability of schedules:

- 1. In the Generation Navigation sub tabs, click the **Schedule Selection** tab.
  - The Schedule Selection display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
    - The schedules for all units in the chosen portfolio are displayed.
- 3. Toggle the **Available** checkboxes as desired.
- 4. Click the **Update** button to save your modifications.

**Note**: To change the market to which a schedule applies you must use the Schedule Detail Defaults display.

**Note**: You cannot change the availability of the cost-based schedules. The availability of these is managed by ISO New England.

# **Unit Hourly Updates Display**

This display is used to view and modify the hourly overrides of a unit's MW limits, default dispatch availability status and when it is applicable, its off-line reserve capabilities for a specified market day. Changes made to the unit data using the Unit Hourly Updates display supersede all schedule limits (Schedule Detail Defaults display) and default unit parameters (Unit Default Parameters Display).

													eMari	ket Use	er Inte	rface
									Marke	et Status: C Parl	PEN(01)	New England	Certificate User: Su Incl	peruser	23-Aug-2 Superviser	014 10:30:31
Richic Generation Demand ARD Regulation												nich England.			Superuser	_
Delate Link Default Destfole Rome Rate Rome Rate	a Schadula	Schodula S	chadula )	Schodula Officer	Schodula Time	r Schadula	Housin	and Drive	Generali	on VM						
Messages Parameters Manager Default Hourly U	pdates Manager	Detail Defaults C	offers Default	Hourly Updates	Hourly Update	s Selection	Updates A	djustments	By Porth	olio Dowr	beok					
Unit Hourly Updates																
Select Date and Unit 《														<u> </u>		_
Date: 24 Aug 2014	Default Values for	UNIT NAME on 24-	Aug-2014													× ×
0 46 J	Schedule	Emerg Min	Econ Min E	ioon Max	RTHOL Type	Day Ahead	Real Time	Available			Claim 10	Claim30	Defect Stature C 11	a second a bella		
Portrollo: All_Units	DFLPRICE	45.0	55.0	120.0	125.0 Price	x	х	<b>v</b>	-	Capable	Yes	Yes	Derauk Skatus, (* U	Idvalidule		
Unit: UNIT NAME	UNIT_M	56.U	55.U	97.0	97.0 Cost	x 	x ×	V		Cap	18.5	61.1		onomic		
	1			01.00	0110 0014	~			- <b>-</b> -				См	ust Run		
	Override Hourly V	alues for UNIT NAM	1F on 24-Aug-2	014					-							
	Hour	Emera Min	Econ Min	Econ Max	RTHOL	Claim10	Claim30	Unavailable	E	onomio	Must Run					
	<b>~ ~</b> c	opy						0		0	0					
	01	50.0	55.0	117.5	117.5	16.5	59.5			۲	0					
	02	49.0	54.0	118.5	118.5	17.5	60.5	ŏ		ě	ŏ					
	03	48.0	63.0	119.5	119.5	18.5	61.5	0		۲	Ó					
	04	49.0	54.0	118.5	118.5	19.5	62.5	0		۲	0					
	05	49.0	0 55.0	117.5	117.5	20.5	63.5	0		۲	0					
	06	61.0	68.0	116.6	116.5	19.5	62.5			۲	0					
	08	50.0	1 50.0	110.5	116.5	10.5	61.5			ě	ő					
	09	62.0	67.0	117.5	117.5	16.5	59.5	ŏ		۲	ŏ					
	10	53.0	57.8	118.5	118.5	17.5	60.5	Î Ő		۲	Õ					
	11	52.0	57.8	119.5	119.5	18.5	61.5			۲	0					
	12	61.0	67.8	120.5	120.5	19.5	62.5	0		۲	0					
	13	50.0	57.8	119.5	119.5	20.5	63.5			۲	0					
	14	49.0	57.8	119.5	119.5	19.5	62.5			۲	0					
	16	49.0	58.0	118.5	118.5	17.5	80.5			۲	é					
	17	50.0	55.0	117.5	117.5	10.5	59.5	ĭŏ		۲	ŏ					
	18	49.0	54.0	117.5	117.5	17.5	60.5	ÍÓ		۲	ŏ					
	19	48.0	53.0	116.5	116.5	18.5	61.5	0		۲	0					
	20	47.0	52.0	116.5	116.5	19.5	62.5	0		۲	0					
	21	46.0	0 64.0	117.5	117.6	20.6	63.5			۲	0					
	23	46.0	0.86	118.5	118.5	19.5	62.5			۲	0					
	24	51.0	) 54.0	118.5	118.5	17.5	60.5			۲	õ					
										~						
															Update	Refresh
Messages																۲

The format of this display is shown below:

The Default Values section is provided as a reference to show what are the limit values in the various schedules and the default dispatch availability status and off-line reserve claim capability for the chosen day that are being overridden by the hourly update values entered in the section below.

- Schedule The name of the schedule
- Emerg Min The emergency minimum limit specified in the schedule detail
- Econ Min The economic minimum limit specified in the schedule detail
- Econ Max The economic maximum limit specified in the schedule detail
- **RTHOL** The RT high operating limit specified in the schedule detail

- Claim 10 and Claim 30 Capable Indicate whether the unit is registered as capable (Yes/No) of providing 10 and 30 minute non-spinning reserves from an offline state.
- **Claim 10 and Claim 30 Default** The daily default off-line 10 and 30 minute off-line reserve capability for the market day as submitted using the Unit Default Parameters display.
- Claim 10 and Claim 30 Cap The demonstrated claim capabilities that were established during the last audit conducted by ISO New England. If the demonstrated capability value is undefined, it will be shown as "UD".
- **Default Status (Economic/Unavailable/Must Run)** The dispatch availability status (Default Status) specified on the Unit Default Parameters display.

The Default Values section can be collapsed using the double up-arrow icon at the extreme right of the section title bar to show more rows in the hourly section as shown below. The collapsed section can be expanded again to see the default values using the double down-arrow icon at the extreme right of the collapsed section title bar.

IS	new england										Market Statu	us: OPEN(01) Participant:	SO New England Inc	<b>eMark</b> Version: 2.0.1( Certificate User: Su;	<b>xet Üser</b> 201407221119) peruser <b>Y</b> User: <b>S</b> u	Interi 23-Aug-201 peruser	face 4 10:32:24 ¥
Public 0	Seneration Demand ARD	Regulation															
Private Messages	Unit Default Portfolio Rat Parameters Manager Del	mp Rate Ramp Ra fault Hourly U	ke Schedule Ipdates Manager	Schedule S Detail Defaults C	Schedule Offers Default	Schedule Offers Hourly Updates	Schedule Timer Hourly Update	s Schedule Selection	Hourly Updates	Fuel Price Adjustments	Generation By Portfolio	XML Download					
Unit H	ourly Updates																
Select Date	and Unit	«															
Dat	e: 24-Aug-2014		Default Values for I	JNIT NAME on 24-	Aug-2014												*
Portfoli	0: All Linits	~	Override Hourly Va	lues for UNIT NAM	1E on 24-Aug-2	014											
Un		~	Hour	Emerg Min	Econ Min	Econ Max	RTHOL	Claim 10	Claim30	Unavailable	Economic	Must Run					
0.1	UNIT NAME		* * Co	ру						0	0	0	>				
	▲		01	60.0	0.66.0	117.5	117.5	16.5	50		۲	0					
			02	491	3 540	110.5	110.5	17.5	00				<i>,</i>				
	01		04	49.0	54.0	118.5	118.5	19.5	62	s 0	۱	Č					
	02		05	49.0	0 65.0	117.5	117.5	20.5	63	5 0	۲	Č	)				
	02		06	51.0	50.0	116.5	116.5	19.5	62	5 (	۲	0	)				
	03		07	50.0	0.88	117.5	117.5	18.6	61	5	۲	0	)				
			08	61.0	0 58.0	116.5	116.5	17.5	60	5 0	۲	9	>				
	04		09	52.0	57.0	117.5	117.5	16.5	59	5 0		0					
	05		10	631	57.8	118.5	118.5	17.5	60				)				
	00		12	510	1 47.8	120.5	120.5	19.5	63			2					
	06		13	50.0	57.8	119.5	119.5	20.5	63	* O	۲	Ċ	>				
	07		14	49.0	57.8	119.5	119.5	19.5	62	5 Ŏ	ě	Č	<u> </u>				
	0/		16	48.0	57.0	118.5	118.5	18.5	61	5 🔿	۲	0	)				
	08		16	49.0	50.0	118.5	118.5	17.5	60	5 (	۲	(	)				
	00		17	50.0	0.88	117.5	117.5	16.6	59	5 🔿	۲	0	)				
	09		18	49.0	54.0	117.5	117.5	17.5	60	5 0	۲	9	)				
	10		19	48.0	53.0	110.5	116.5	18.5	61	5 0		0	>				
	10		20	471	0 62.0	116.5	116.5	19.5	62				)				
	11		21	461	3 56.0	117.5	117.5	20.0	63			0					
			23	50.0	55.0	119.5	119.5	18.5	61	a 0		0					
	12		24	61.0	64.0	118.5	118.5	17.6	60	s 0	۲	2					
	12 💌																
	L														U	pdate	Refresh
Messages																	۲

The Override Hourly Values section shows each hour of the day and fields to enter overrides. When the fields are blank and the radio buttons unchecked, it means that there is no override of the schedule or default values for that hour.

• **Hour** – Hour ending values are shown in the first column for each hour in the day. The row for hour ending 03 is not shown for the Spring Daylight Saving Time transition day. Similarly, the value on

the row of the repeating hour ending 02 of the Fall Daylight Saving Time transition day is marked with an asterisk (\*).

- **Emerg Min** Column to enter overrides of the Emergency Minimum limit for any hour of the day.
- Econ Min Column to enter overrides of the Economic Minimum limit for any hour of the day.
- Econ Max Column to enter overrides of the Economic Maximum limit for any hour of the day.
- **RTHOL** Column to enter overrides of the RT High Operating limit for any hour of the day.
- **Claim 10** Column to enter overrides of the Claim 10 capability for any hour of the day if the unit is Claim 10 capable. If the unit is not Claim 10 capable, there will be no data entry cells in this column.
- **Claim 30** Column to enter overrides of the Claim 30 capability for any hour of the day if the unit is Claim 30 capable. If the unit is not Claim 30 capable, there will be no data entry cells in this column.

The following override the Default Status specified on the Unit Default Parameters display:

- **Unavailable** When checked, it indicates that the unit is unavailable for commitment and dispatch for that hour of the operating day.
- **Economic** When checked, it indicates that the unit is available for economic commitment and dispatch for that hour of the operating day.
- **Must Run** When checked, it indicates that the unit is self-scheduling for that hour of the operating day; that is, the unit must be committed at its Economic Minimum limit and can be dispatched up to Economic Maximum limit based on economics.

If a value is entered for an hour in any of these columns, values must also be entered in every other column even if they are copies of the default values. Setting these limit values to blank (NULL) means that the corresponding values defined in the Schedule Detail data of the schedules that are flagged as available for the market day are to be used for that market hour; i.e. it is equivalent to removing the override of the values for that market hour. Setting the off-line reserve claim values to blank (NULL) means that the corresponding values defined in the Unit Default Parameters data for the market day are to be used for that market hour. Similarly clearing all of the Unavailable/Economic/Must Run flags means that the unit's default status defined in the Unit Default Parameters data for the market day is to be used for that market hour.

The top row of the grid provides you with the means to enter or clear overrides for a range of hours. If you do use the top row, you need to *remember that* 

*leaving all data entry fields on this row blank means that you want to remove the overrides for all hours in the range selected*. For example, if you want to remove all overrides for every hour of the day, select 01 for the "From" hour (left drop-down selector) and 24 for the "To" hour (right drop-down selector) in the Hour drop-down selection lists, select the "Copy" button and then select "Update". Since you did not enter anything in the limit fields or select any of the dispatch availability override flags, all overrides are removed. You cannot use the top row to selectively update the overrides in one column for a range of hours while retaining the override values in the other columns.

#### Validation rules

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

- If an Econ Max override value is entered, then Econ Max ≥ CSO<sup>15</sup> if CSO >0 – Warning if not i.e. for a resource with a Capacity Supply Obligation, its Econ Max Limit should be at least as high as its Capacity Supply Obligation. A warning will be returned if the rule is violated; it is only a warning because the resource may not be fully available.
- Emerg Min ≤ Econ Min ≤ Econ Max ≤ RTHOL (RT High Operating Limit). This is the **limit nesting rule**. The data submitted is rejected if this rule is violated.
- For units capable of providing regulation, the limit nesting rule is extended to include the regulation limits, i.e.
  Emerg Min ≤ Econ Min ≤ Reg Low < Reg High ≤ Econ Max ≤ RTHOL

where Reg Low and Reg High are the regulation low limit and the regulation high limit for the corresponding hour as defined on the Regulation Offers Default display and overridden on the Regulation Hourly Updates display for the selected market day. A warning message is returned when this limit nesting rule is violated.

- When a unit is self-scheduled for a total number of hours (not necessarily consecutive) greater than its Min Runtime, the Max Daily Energy (if defined in the DA and RT Schedule Detail Defaults of the schedules that are flagged as available) *should* be greater than or equal to Economic Min x the total number of hours that the unit is self-scheduled. A warning will be returned if the rule is violated.
- When a unit is self-scheduled for an hour (through the combination of the unit's default status for the day and the hourly overrides of the status), it should not be declared unavailable until its Min

<sup>&</sup>lt;sup>15</sup> CSO = unit's Capacity Supply Obligation from the Forward Capacity Market.

Runtime is elapsed. Therefore, if the unit is set to Must Run for any hour, it **should** be set for a consecutive number of hours sufficient to cover its Min Runtime. A warning will be returned if the rule is violated.

- When a unit is declared unavailable for an hour (through the combination of the unit's default status for the day and the hourly overrides of the status), it should not be declared available (Economic or Must Run) until its Min Downtime is elapsed. Therefore, if the unit is set to Unavailable for any hour, it *should* be set for a consecutive number of hours sufficient to cover its Min Downtime. A warning will be returned if the rule is violated.
- A warning message will be returned if any of the following hourly override values exceed their associated threshold value established by the ISO-NE Market Monitor<sup>16</sup>: Economic Max, Economic Min, Emergency Min
- A warning will be returned if the unit is Claim 10 capable, a Claim 10 override is entered and any of the following conditions exist
  - Claim 10 = 0
  - Claim 10 > Claim 10 Cap meaning that the Claim 10 Cap value will be used instead of the offered value
- A warning will be returned if the unit is Claim 30 capable, a Claim 30 override is entered and any of the following conditions exist
  - Claim 30 = 0
  - Claim 30 > Claim 30 Cap meaning that the Claim 30 Cap value will be used instead of the offered value
  - Claim 30 < Claim 10 meaning that the Claim 10 value will be used instead of the offered Claim 30 value.

# **Override MW Operating Limits for a Day and Hour**

As discussed in §0 Schedule Detail Defaults Display, you define on this display a unit's MW operating limits under the selected schedule. These limit values are shown in the Defaults section for each schedule that you've created for the unit. If you want to profile the unit's MW operating limits on an hourly basis, irrespective of which schedule is designated as available for a given market, you override the schedule values using the Unit Hourly Updates display as follows:

- 1. In the Generation Navigation sub tabs, click the **Hourly Updates** tab.
  - The Unit Hourly Updates display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.

<sup>&</sup>lt;sup>16</sup> Refer to Market Rule 1, Appendix A, Section III.A.6.3.

- b. Select the desired portfolio from the **Portfolio** filter.
- c. Select the desired unit from the **Unit** filter.
  - The display reflects the hourly overrides for the selected unit.
- 3. To update the overrides for individual hours:
  - a. Enter override values for all of the limits in the hours that you wish. You must also enter unit dispatch availability status overrides. If the unit is Claim 10 or Claim 30 capable, you must also enter Claim 10 and Claim 30 override values. If you want to remove an override, you must enter blanks in every data entry cells and deselect all status overrides.
  - b. Click the **Update** button to save the data.
- 4. To update the overrides for a range of hours
  - a. Enter override values for all of the limits in the top row. You must also enter unit dispatch availability status overrides. If the unit is Claim 10 or Claim 30 capable, you must also enter Claim 10 and Claim 30 override values. If you want to remove overrides, leave all the data entry cells on the first row blank and the status overrides deselected.
  - b. In the Hour column, select a "From" hour (left drop-down selector) and a "To" hour (right drop-down selector) and then select the **Copy** button. This will copy the data entered in the top row to every row for the range of hours selected.
  - c. Repeat steps a and b if you want to enter/remove overrides for other ranges of hours.
  - d. Click the **Update** button to save the data for the selected hours.

### Override the Status of a Generating Unit for a Day and Hour

As discussed in §0 Unit Default Parameters Display you define on this display a unit's default dispatch availability status (Default Status) for an entire market day. This status is shown in the Defaults section. If you want to profile the unit's dispatch availability status on an hourly basis, you override this default status using the Unit Hourly Updates display.

- 1. In the Generation Navigation sub tabs, click the **Hourly Updates** tab.
  - The Unit Hourly Updates display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired unit from the **Unit** filter.
    - The display reflects the hourly overrides for the selected unit.
- 3. To update the overrides for individual hours:
  - a. Select the Unavailable/Economic/Must Run status for the hours that you want to override the default status. You must also enter override values for all the limits even if they are copies of the default values. If the unit is

Claim 10 or Claim 30 capable, you must also enter Claim 10 and Claim 30 override values. If you want to remove an override, deselect all the status overrides and enter blanks in all other data entry cells.

b. Click the **Update** button to save the data.

To update the overrides for a range of hours

- c. Select the status override value in the first row. You must also enter override values for all the limits even if they are copies of the default values. If the unit is Claim 10 or Claim 30 capable, you must also enter Claim 10 and Claim 30 override values. If you want to remove overrides, leave all the data entry cells on the first row blank and the status overrides deselected.
- d. In the Hour column, select a "From" hour (left drop-down selector) and a "To" hour (right drop-down selector) and then select the **Copy** button. This will copy the data entered in the top row to every row for the range of hours selected.
- e. Repeat steps a and b if you want to enter/remove overrides for other ranges of hours.
- f. Click the **Update** button to save the data for the selected hours.

### Self-Schedule a Generating Unit

If you want to self-schedule (must run) a generating unit, you must submit a **Must Run** status and indicate whether the unit is block loaded or if it can follow ISO dispatch instructions. To self-commit a unit and allow the ISO to issue dispatch instructions, submit a must run status for the unit, with an Economic Min limit less than the Economic Max limit.

**Note**: For Non-dispatchable units the Economic Min and Economic Max values *should* be equal.

# **Fuel Price Adjustments Display**

The purpose of this display is to submit Fuel Price Adjustment (FPA) requests for a fuel that a specific unit is configured to use and for a range of hours of a specific market day. Such requests are submitted when the Participant determines that their cost for the fuel on which their offers are based is higher than the market index price of the fuel and their financial offers are at risk of mitigation if the unit's financial reference levels are not updated to reflect their actual fuel purchase price.

The requested price in an FPA must be greater than the market index price of the fuel<sup>17</sup>. FPA requests are automatically either approved at the price requested or capped at the Fuel Price Adjustment Limit (FPAL). The FPAL for each fossil fuel is a value that the ISO-NE Market Monitor determines for each fuel's flow day. When an FPA request is processed, it is *approved* as submitted if the requested price is equal to or below the FPAL. Otherwise the request is approved but the approved price is *capped* at the FPAL. The ISO-NE Market Monitor has the ability to accept a request price submitted greater than the FPAL, in essence overriding the FPAL, but will do so only at the request of the Participant and on an FPA basis. It is important to keep in mind that natural gas FPA requests for a given market day span two fuel flow days where the FPAL can be different for each fuel flow day. Therefore, the FPA requested price can be approved for one fuel flow day and capped in the other.

During the RT Intraday Re-Offer period of a market day, the ISO-NE Market Monitor can override the default FPAL of a fuel on an hourly basis. When that action is taken, all of the FPAs for the fuel will be re-processed to account for the new hourly FPAL. When an FPAL is raised, an FPA price may transition from a capped price to an approved price equal to the requested price, or from a capped price to a higher capped price. If on the other hand the FPAL is lowered, all previously approved/capped hourly FPA prices remain unchanged; in other words, once an FPA price for an hour is set when the FPA is first processed or raised when it is re-processed, it is never lowered by the system.

FPA requests can be submitted only for future hours of today and all hours of any of the next seven days. FPA requests can be submitted at any time. The FPA price of requests for today and tomorrow will be calculated as the FPAs are received and as FPA Limits are updated, meaning that the effective hourly prices of the FPA requests will be calculated immediately as these events occur. The FPA price of requests submitted for days beyond tomorrow will be calculated shortly after the start of day before the requested market day, i.e. when the requested market day becomes tomorrow. The state of the FPAs submitted for days beyond tomorrow will be shown as Pending on the FPA display until the FPA price is calculated.

<sup>&</sup>lt;sup>17</sup> The FPA requested price must be greater than the Fuel Index Price of the fuel by an amount greater than or equal to a threshold established by the ISO-NE Market Monitor as specified in Market Rule 1, Appendix A; III.A.3.4 for specific rules on Fuel Price Adjustments.

FPA prices are used to update the financial reference values in the Reference schedule affected by the FPA request. This updating is normally performed at the same time as the effective hourly prices of an FPA are updated. The immediate updating of the financial reference values in the Reference schedules affected by FPAs for tomorrow is however suspended during the following two time windows:

- During the period of time allocated to the clearing of the DA market, i.e. from the closing of the DA market for energy offers (10:30) to the opening of the Re-Offer Period for tomorrow (time when the DAM case is approved but no later than 13:30). The effective hourly price of FPA requests for tomorrow received in this time period are calculated immediately but the Reference schedules are updated when the Re-Offer Period opens.
- During the period of time allocated to the preparation of tomorrow's unit operating plan, i.e. from the closing of the Re-Offer Period (14:00) and the opening of the RT Intraday Re-Offer Period (18:30). The effective hourly price of FPA requests for tomorrow received in this time period are calculated immediately but the Reference schedules are updated when the RT intraday Re-Offer period opens.

The state of the FPAs submitted during these periods will be shown as Pending on the FPA display because the reference levels in the affected Reference schedules are not updated. When the Reference schedules have been updated, the state of the FPAs will be updated to Approved or Capped. Figure 5 below illustrates these processing time windows for one operating day. Note that reference levels for days beyond tomorrow are not calculated. Hence FPA requests for market days beyond tomorrow remain shown as Pending on the FPA display until the requested market day becomes tomorrow and reference values are calculated.



#### Figure 5 – Fuel Price Adjustment Submittal and Processing for Operating Day

The basic components of an FPA request are by unit, a fossil fuel that the unit is configured to use, a market day, a range of hours in that market day and a requested price. Any number of FPA requests can be submitted for a given market day. If the range of hours specified in one FPA request overlaps the range of hours of a previous FPA request, the last one received supersedes all previous requests, meaning that it is the requested price of the last one received that constitutes the FPA request for the unit's fuel where the FPA requests overlap. In the absence of an FPA request for a market hour, it is the Fuel Index Price that is used to calculate the reference levels in the Reference schedule associated with the unit's fuel. This is illustrated in Figure 6.

The concept of the last FPA request superseding all FPA requests that it overlaps is important when considering the withdrawal of an FPA requests. A Participant can withdraw an FPA request at any time provided that it is not fully passed, i.e. where the end hour of the request is still in the future. Withdrawing an FPA means that for the hours remaining in the range spanned by the request, the Fuel Index Price becomes the fuel price of those hours, even if there are underlying FPA requests that the withdrawn FPA request superseded. This is illustrated in Figure 7.



Figure 6 – Illustration of Overlapping FPA Requests



Figure 7 – Illustration of Withdrawing an Overlapping FPA Request

The eMarket display that is used to view and submit Fuel Price Adjustment requests is shown below. You must select a market day date and one of your generation portfolios. You must then select

- A generating unit listed in your selected portfolio; note that only units configured to use a fossil fuel (coal, oil or gas) will be listed in the drop-down list of units;
- A fuel; note that only the *fuel index* names of each fuel that the unit is registered with IMM to use are listed in the drop-down list.

Once your selection is made, the display will refresh and show information on all FPA requests in place for the selected date, unit and fuel, if there are any.

There are three sections to the display:

- Fuel Price Adjustment Submittal section used to submit an FPA request;
- Submitted Fuel Price Adjustments section that lists all the FPA requests that have been submitted for the selected market day;
- Effective Hourly Fuel Price Adjustments section that shows which FPA overrides the Fuel Index Price for each hour of the selected market day.

ISO new england														Participant	150 New England Inc	eMarket User Interfa Verion: 2.0.1(20147221119) Cardificate User: Superuser Veri	1Ce 11:34:47
Public Generation Demand ARD Regulation																	
Private Unit Default Portfolio Ramp Rate Ramp R Managem Dafault House	Rote	Schedule	Schedule Datal Defaults	Schedule Offers Defecti	Schedule Offers	Schedule Times	Schedule	Hourly	Fuel Price	Generation By Double	n 201	Index					
Fuel Price Adjustments						ricely spond											
Select Date, Unit and Fuel	Fuel Pr	rice Adjustm	oent Submittal	for MA_nalgas2 -	UNIT NAME on 2	4-Aug-2014											
Date: 24-Aug-2014	Fro	m HE:	▼ To	HE: 💙	Price:	Subm	sit.										
Portfolio: Al_Units Y	Submit	Had Enal Daie	ice Adjustment	r fan Mêl antaur?	UNIT NAME on	24-4-0-2014											
UNIT NAME Y	TPA	H	HI F	Requested Sub-	nitted	Submitted By		# of	Status		ective	Withdrawn	Withdrawn By	With drawn			
Fuel: MA_natgas2		Start	End	Price		continued by		Attch			Price	HE	(internet by				
		1 13	21	5.00 23-A	ug-2014 10:57	Superuser		2	Capped		4.12						
		2 04	11	3.10 23-A	ug-2014 10:59	Superuser		1	Approved		3.10						
		3 11	14	4.50 23-A	ug-2014 11:00	Superuser		0	With drawn		4.40	1	11 Superuser	23-Aug-2014 11:04			
		4 19	22	4.10 23-4	up-2014 11:00	Superuser		1	Approved		4.10						
		0 22	23	7.55 23.4	up.2014 11:14	ISO-NE IMM		0	Approved		7.65						
												hmank	18500-draw				
	Effective State	and the sector for	and Design & disc	denoral for MA and	Laure - HALTY MAL	HE 04-4 0014											
	How	EPA	Effective	Statur	09852 - 0111 144	10 00 24 May 2014											
			Price														
	0	08 2	3.5	10 Approved													-
		07 2	3.	10 Approved													
	0	09 2	3.	10 Approved													
	0	09 2	3.1	10 Approved													
	1	10 2	0.	10 Approved													
		11 3	ind ind	ex Withdrawn													
		14 J 13 3	ind ind	ex withdrawn													
		14 3	Ind	ex Withdrawn													
		15 1	4.5	12 Capped													
		10 1	4.	12 Capped													
		17 1	4.	12 Capped													
	1	18 1	4.	12 Capped													
	1	19 4	4.	10 Approved													
	2	20 4	4.1	10 Approved													
	2	21 6	6.	12 Capped													
	2	22 6	7.5	55 Approved													
	1	23 6	7.5	55 Approved													_
	-	24															-
																	Refresh

The Fuel Price Adjustment Submittal section is used to submit an FPA request. If the selected market day date is in the past, this section is not shown at all because FPA requests cannot be submitted for days in the past. The data entry fields in this section are:

- From HE An hour-ending drop-down selector that is used to specify the hour-ending value of the first hour of the market day for the period spanned by the request;
- **To HE** An hour-ending drop-down selector that is used to specify the hour-ending value of the last hour of the market day for the period spanned by the request;
- **Price** The FPA requested price in \$/MMbtu.

A **Submit** button is provided to send the FPA request to the system of validation and processing.

The ISO-NE Market Monitor can lockout<sup>18</sup> a Participant's generation unit from submitting FPA requests for a unit. When a lockout condition exists for the selected unit and market day, a message to that effect is shown in the FPA Submittal section of the display as shown below; the data entry fields and the **Submit** button are disabled. While a Participant is locked out, the Participant must contact the ISO-NE Market Monitor to have the FPA requests entered on their behalf. Note that while a Participant is locked out, the Participant can still withdraw an FPA request and must still administer the FPA document

<sup>&</sup>lt;sup>18</sup> Refer to Market Rule 1, Appendix A; III.A.3.4 for specific rules on Fuel Price Adjustments and Lockout provisions.

attachments for the FPAs previously submitted or submitted on their behalf by the ISO-NE Market Monitor.

IS	O new england	ation														Participan	ti ISO New England Inc	eMa Versioni 2. Certificate Useri	<b>rket Us</b> 0.1(201407221 Superuser VUse	til <sup>9)</sup> 23-Aug 11 Superuser	-2014 11:35:52
Private	Unit Default Portfolio Ramp Rate	Ramp Rate	s	ichedule	Schedule	s	chedule S	Schedule Offer	s Schedule Times S	chedule Ho	rly Fuel Pric		Seneration 3ML								
Messages	Parameters Manager Default	Hourly Up	dates N	Aanager	Detail Defe	sults Of	ffers Default	Hourly Update	s Hourly Updates S	election Up	istes Adjustm	ents (	ly Portfolio Dow	beokm							
Fuel P	rice Adjustments																				
Select Date	, Unit and Fuel		Fuel Pric	e Adjustm	ent Submil	ttal for M/	A_natgas2 - UNI	IT NAME on 1	24-Aug-2014				-								
			Europ	ue:		TO HE:	N De			Unitista	cked out from Fue	I Price									
Dao	e: 24-Aug-2014		r run		*	TO HE.	•			Adjustm	nts submittels										
Portfoli	o: Al_UNIts	*	Submitte	ed Fuel Pric	e Adjusta	ents for N	MA_natgas2 - Ul	NIT NAME or	24-Aug-2014												8
Un	LINET NAME	*	FPA	HE	HE	Requer	ted Submitte	ed	Submitted By		of Status		Effective	Withdrawn	Withdrawn By	With draven					
Fue	H: MA_natgas2	*		5141	End	PI	6.00 22.4vm	2014 10 47	P	~11	a Canad		Price	HE							
			2	13	21		0.00 20-Aug-	2014 10:57	Superuser		2 Capped		9.12								
			-		1.4		4.60 22.844	2014 10.08	Superviser		0. Wilhdrawn		0.10		Conserves.	23.Aug/2014.11.04					
			4	40			4.00 20 Aug	2014 11:00	S-sperioses		d Assessed		4.40		. sayenser	20100/2014 11:04					
			-	24	22		0.50 23-Aug/	2014 11:00	Superiorer		0 Canned		6.12								
				22	23		7.55 23.400.0	2014 11-17	ISO, NE IMM		0 Annunad		7.65								
														hmaste ] [	MARK-drawn						
			Effective	Filearly Fo	el Price A	ajustment	IS FOR MIN_BACGA	BZ-UNIT N	ME on 24-Mag-2014												
			Hour	#	Pr	tice bc	4000														
			01																		-
			02																		
			03																		
			04	2		3.10 Ap	proved														
			05	2		3.10 Ap	proved														
			05	2		3.10 Ap	proved														
			07	2		3.10 Ap	proved														
			08	2		3.10 Ap	proved														
			09	2		3.10 Ap	proved														
			10	2		3.10 Ap	proved														
			11	3		Index 107	ith drawn														
			12	3		Index Wi	ith drawn														
			13	3		Index Wi	ith drawn														
			14	3		Index Wi	ith drawn														
			15	1		4.12 Ca	apped														
			10	1		4.12 Ca	apped														
			17	1		4.12 Ca	spped														
			18	1		4.12 Ca	apped														
			19	4		4.10 Ap	proved														-
																					Refresh

The Submitted Fuel Price Adjustments section lists all the FPA requests that have been submitted for the selected unit, fuel and market day. They are listed in the chronological order that they were submitted. The display frame of this section can be collapsed/expanded using the double vertical arrows at the extreme right of the section title bar. The display fields in this section are:

- **FPA #** The ordinal number of the FPA request. This number is used in the section below to uniquely identify the FPA request that affects each hour of the market day.
- **HE Start** The hour ending first hour of the market day spanned by the FPA request;
- HE End The hour ending last hour of the market day spanned by the FPA request;
- Requested Price The FPA request price in \$/MMbtu;
- **Submitted** The date and time that the FPA request was submitted.
- **Submitted By** The name of the Participant user who submitted the FPA request. If the FPA request was submitted by the ISO-NE Market Monitor, the name will be "ISO-NE IMM".
- **# of Attch** The number of documents that have been uploaded and attached to the FPA request.

- **Status** The status of the FPA request. There are four possibilities:
  - Pending This status indicates that the request has been received and accepted but the reference prices in the associated unit Reference schedule have not yet been updated to account for the approved FPA requested fuel price. This state will persist longer than a minute only during those periods of time where the processing of the Reference schedules stemming from FPA requests is suspended.
  - Approved The FPA requested price has been approved as submitted and is the effective fuel index price used to calculate the reference levels in the unit's associated Reference schedule. The effective price shown will be the requested price unless the published Fuel Index Price (FIP) is greater than the FPA requested price, a condition that can arise as explained below. In this latter case, "Index" will be shown as the effective price.

Note that the requested price for an FPA submitted on behalf and at the request of a Participant by the ISO-NE Market Monitor is always approved, even if the requested price is greater than the Fuel Price Adjustment Limit for any hour in the range spanned by the FPA request.

- **Capped** The FPA requested price is greater than the FPA Limit for at least one of the hours spanned by the FPA request. The effective price shown will be equal to the lowest FPA Limit for the hours spanned by the request.
- **Withdrawn** The FPA request was withdrawn. Further information on the withdrawal is shown to the right.
- WithdrawnPending A user has submitted a request to withdraw the FPA. This status indicates that the request has been received and accepted but the reference prices in the associated unit Reference schedule have not yet been updated to account for the withdrawn FPA. This state will persist longer than a minute only during those periods of time where the processing of the Reference schedules stemming from FPA requests is suspended.
- Effective Price This is the approved/capped price for the FPA. This price is
  - **Blank** as long as the FPA request is in *Pending* state.
  - **The requested price** if the FPA is *Approved*; note that the FPA will be set to Approved if the requested price is less than or equal to the Fuel Price Adjustment Limit for each hour spanned by the FPA (since the Fuel Price Adjustment Limit can be different for each hour spanned by the FPA), or if the FPA requested price was accepted as submitted by the

ISO-NE Market Monitor thereby overriding the Fuel Price Adjustment Limits, of if the FPA was submitted by the ISO-NE Market Monitor on behalf and at the request of the Participant.

- **The lowest Fuel Price Adjustment Limit** at which the FPA was *Capped* when it was last processed; note that the FPA will be set to Capped if the requested price is greater than the Fuel Price Adjustment Limit for any hour spanned by the FPA (since the Fuel Price Adjustment Limit can be different for each hour spanned by the FPA). This price value can change (increase) when the Fuel Price Adjustment Limit is raised. If the Fuel Price Adjustment Limit is raised above the FPA requested price for all hours spanned by the FPA, the FPA status will change to Approved and the effective price will be set equal to the requested price. The effective price will never be reduced by the system as a result of a decrease in the Fuel Price Adjustment Limit.
- The approved/capped price of the FPA at the time it was *withdrawn*. The effective price of an FPA will never change after the FPA is withdrawn.
- "Index" if the FPA requested price is less than the Fuel Index Price for some hours spanned by the FPA since the Fuel Index Price can be different for each hour spanned by the FPA. This can only happen when the Fuel Index Prices are updated after the FPA was submitted. For example, just before the Re-Offer Period closes, the Fuel Index Prices of gas are updated with the published market index prices. These values can be higher than those used to clear the DA market and for which a Participant may have submitted an FPA request with a price above the FIP at the close of the DAM but which is now less than the updated FIP for the next gas day at the close of the Re-Offer Period.
- Withdrawn HE The hour-ending value of the effective end hour of a withdrawn FPA; blank otherwise. All hours of the original FPA request between Withdrawn HE and HE End are effectively cancelled, as well as all hours in the same range of all previously submitted FPA requests. The withdrawn HE value is equal to the HE value of the FPA start hour or of the withdrawal date/time (shown on the right) + 60 minutes (i.e. the HE of the hour following the HE time that the FPA was withdrawn), whichever is the later hour.
- Withdrawn by The name of the Participant user who withdrew the FPA request; blank otherwise.
- Withdrawn The date and time that the FPA request was withdrawn; blank otherwise.
Two <u>normally disabled</u> buttons appear at the bottom of this section. They are <u>enabled when one of the rows in the grid is selected</u>. They provide the following functionality:

- Withdraw This button brings up a popup requesting the user to confirm that the selected FPA request is to be withdrawn. When the user confirms the action, a request is sent to the database to withdraw the FPA. When the request is acknowledged, the FPA status is changed to WithdrawnPending. When the affected Reference schedule has been updated, the FPA status changes to Withdrawn and the Withdrawn HE, Withdrawn by, and Withdrawn date/time fields on the selected FPA are filled in. If the selected FPA is already Withdrawn or if the FPA HE End is equal to the HE value of the current hour (i.e. there are no hours spanned by the FPA beyond the current hour), the button will be disabled.
- View Attachments This button brings up a pop-up (shown below) on which all of the electronic document files attached to the FPA are listed as shown below.



The displays fields on the pop-up display are:

- **#** The ordinal number of the document. Documents are numbered in the order that they are uploaded.
- **Document File Name** The filename of the document that was uploaded.
- **Submitted** The date and time that the document was uploaded.
- **Submitted By** The name of the Participant user who uploaded the document.

The buttons at the bottom of the pop-up display allow the user to:

- **Add** – Upload documents and attach them to the FPA request. This button brings up a file selection popup that the user must use to select the document file to upload. *If the selected market day is more than 5 business days in the past, a warning message stating that the attachment is late appears in the popup.* 

Only "safe" files can be uploaded. The following types of files are considered "safe":

- Microsoft Word documents (.doc, .docx) but not macro-enabled documents (.docm)
- Microsoft Excel documents (.xls, .xlsx) but not macro-enabled documents (.xlsm)
- Microsoft Power Point documents (.ppt, .pptx) but not macro-enabled documents (.pptm)
- Adobe Acrobat document files (.pdf)
- JPEG and JPG images, GIF images
- Rich-Text-Format documents (.rtf) ex: copies of email messages
- Simple text documents (.txt)
  - Remove Select a previously uploaded document and remove it from the list of documents attached to the FPA request
  - Open Select a previously uploaded document, download it and either save it on the user's computer or open it in the application associated with the document type.
  - **Close** Close the pop-up window.

The Effective Hourly Fuel Price Adjustments section shows which FPA request price overrides the Fuel Index Price for each hour of the selected market day and is used to calculate the reference levels for that hour in the associated Reference schedule. The display frame of this section is vertically adjustable (by selecting the upper border and dragging it up or down). The row for a given market hour will be empty if there are no FPA requests that span the hour. Otherwise the following information is shown in each column of the grid:

- Hour The hour-ending value of market hour. The extra hour of the Fall Daylight Saving Time transition day will be shown as "02\*". On the transition day of the Spring Daylight Saving Time, hourending 03 will not be shown.
- **FPA #** The ordinal number of the FPA request listed in the section above that establishes the effective fuel price for the hour. If the FPA is actually withdrawn for the hour and there is no FPA subsequently submitted to cover the hour, the FPA ordinal is shown, the FPA status is shown as withdrawn and the effective fuel price is shown as "Index", meaning the published Fuel Index Price.
- Effective Price The effective price of the FPA request for the hour. This price may be different than the effective price for the FPA shown above, in particular if the FPA is capped or withdrawn. Since the Fuel Price Adjustment Limit can be different for each hour spanned by the FPA, the FPA price can be different from one hour to the next. It can be "Index" even though the FPA is not withdrawn as explained above.

• **Status** (of the referenced FPA request) – This is the FPA status for the hour: Approved / Capped / Withdrawn. Since the Fuel Price Adjustment Limit can be different for each hour spanned by the FPA, the FPA status can be different from one hour to the next.

#### Validation rules

When you select the Submit button, eMarket makes the following checks to ensure that the entered FPA request is valid:

- The selected market day date must be today or a date up to seven days in the future.
- The start hour of the FPA request, "From HE", must be greater than or equal to the hour-ending value of the current hour plus 30 minutes when the selected market day is today. In other words, an FPA request with an hour-ending value of the next hour of the current day as the start must be submitted at least 30 minutes before the start of that hour.
- The end hour of the FPA request, "To HE", must be greater than or equal to the hour-ending value of the start hour.
- The FPA requested price must be less than \$1000.
- The FPA requested price must be greater than the most recent published Fuel Index Price of the fuel plus a threshold established by the ISO-NE Market Monitor<sup>19</sup> for all hours spanned by the FPA request.

#### View Specific Fuel Price Adjustment Information

- 1. In the Generation Navigation sub tabs, click the **Fuel Price Adjustments** tab.
  - The Fuel Price Adjustments display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired unit from the **Unit** filter; note that only units configured to use a fossil fuel (coal, oil or gas) will be listed in the drop-down list of units.
  - d. Select the desired fuel from the **Fuel** filter; note that only the <u>fuel index</u> names of each fuel that the unit is registered with IMM to use are listed in the drop-down list.
    - The display is refreshed and shows information on all FPA requests that have been submitted for the selected date, unit and fuel, if there are any

<sup>&</sup>lt;sup>19</sup> Refer to Market Rule 1, Appendix A, Section III.A.3.4

## Submit a Fuel Price Adjustment Request

- 1. View the desired unit's FPA information as described in §0
- 2. Enter all of the following information in the FPA Submittal section:
  - a. From HE Select a value between 01 and 24; on the Fall Daylight Saving Time transition day, the extra hour will be listed as 02\*; on the Spring Daylight Saving Time transition day, hour-ending 03 will not be listed.
  - b. To HE Select a value between 01 and 24; on the Fall Daylight Saving Time transition day, the extra hour will be listed as 02\*; on the Spring Daylight Saving Time transition day, hour-ending 03 will not be listed.
  - c. Price Enter a value for the requested price
- 3. Click the **Submit** button to save the data.

Your FPA request will be listed in the section below.

#### Withdraw a Fuel Price Adjustment Request

- 1. View the desired unit's FPA information as described in §0
- 2. In the Submitted FPA section of the display, select the FPA request that you want to withdraw.
- 3. Click the **Withdraw** button to withdraw the FPA; the button will be enabled only if the FPA can still be withdrawn.

The FPA status changes to WithdrawnPending and some time later, it changes again to Withdrawn.

## Submit Document Attachments to a Fuel Price Adjustment Request

- 1. View the desired unit's FPA information as described in §0
- 2. In the Submitted FPA section of the display, select the FPA request to which you want to attach documents.
- Click the View Attachments button. A pop-up display will be presented. Select the Add button and then browse to find the file that you want to upload and attach to the FPA. Select the OK button to upload the file.

The selected file is listed on the pop-up display. You can repeat this operation to upload additional documents. Simply click the *Close* button when you are done because the eMarket user interface cannot otherwise be used while the popup is open.

## **Remove Document Attachments of a Fuel Price Adjustment Request**

- 1. View the desired unit's FPA information as described in §0
- 2. In the Submitted FPA section of the display, select the FPA request from which you want to remove document attachments.

3. Click the **View Attachments** button. A pop-up display will be presented listing the documents currently attached to the FPA request. Select the document that you want to remove and then select the **Remove** button.

The selected document is no longer listed on the pop-up display. You can repeat this operation to remove additional documents. Simply click the *Close* button when you are done because the eMarket user interface cannot otherwise be used while the popup is open.

# **Generation by Portfolio Display**

You can view the cleared results of the Day-Ahead market for each generating unit listed in a selected portfolio using the Generation by Portfolio display that is accessible on one of the Generation sub tabs. The Day-Ahead generation information includes the name of the schedule used when committing the unit. That will be the schedule that was designated to be available for the DA market on the selected day. If the unit was mitigated, this will be the cost-based mitigation schedule 99. The other information is the MW amount that the unit is committed to provide along with the Locational Marginal Price (LMP) at the generator node for each hour of the market day. If the unit was not committed, "(No Schedule Committed)" will be shown instead of the schedule name. Information for a 24-hour period is shown on two lines: the top line details the hours ending 01 through 12; the second line details hours ending 13 through 24. The last row of the display is labeled **Total Portfolio MW** and shows the total MW amount for each hour committed in the Day-Ahead market by all the units in your portfolio. Information on the display is shown only after the Day-Ahead market has been cleared.

IS	new	venglan	d										Marke				Ve Certifica	e <b>Mar</b> sion: 2.0. te User: S	<b>'ket</b> 1(20140 Superuse	<b>Use</b> 07221119	<b>r Interface</b> ) 23-Aug-2014 14:47:59
													Read	Only Partic	ipant: IS	O New England	Inc		~	User:	Superuser 👻
Public	Generation	Demand	ARD R	tegulation																	
Private Messages	Unit Default Parameters	Portfolio Manager	Ramp R Default	ate Ran Ho	mp Rate urly Upd	ates Ma	:hedule anager	Schedule Detail Defaults	Sche	edule rs Default	Schedule Off Hourly Upda	ers So tes H	thedule Times ourly Updates	Schedule Selection	Hourly Updates	Fuel Price Adjustments	Generation By Portfolio	XML Downl	oad		
Generation By Portfolio																					
Select Date	and Portfolio				~	Unit By Po	ortfolio fo	r 222 on 24-A	ug-201	4											
Dat	e: 04 Aug 001					Name															
Destiful	<ol> <li>24-Aug-201</li> <li>24-Aug-201</li> </ol>	14				UNIT1 NA	ME	0	1 / 13	02 / 14	03 / 15	04/1	3 05/17	06 / 18	07 / 19	08 / 20	09/21 1	)/22	11/23	12 / 24	
Portio	0: 222					(Unit 1 Sc	hedule 88	) 1 •	155@	155@	155@	155@	2 155@	155@	155@	226@	225@ 2	24@	223@	221@	
								2	21@	221@	220@	220.6	220@	221@	222.00	\$22.40 224@	228@ 2	26@	227 @	155@	
								\$	31.68	\$36.24	\$38.62	\$40.9	5 \$41.00	\$39.94	\$35.43	\$33.47	\$31.44 \$	23.74	\$22.48	\$21.33	
						UNIT2 NA	ME	0	1 / 13	02 / 14	03 / 15	04/1	3 05/17	06 / 18	07 / 19	08 / 20	09/21 1	0/22	11/23	12/24	
						(Unit 2 Sc	hedule 88:	) 1	155@	155@	155@	155@	2 155@	155@	155@	226@	225@ 2	24@	223@	221@	
								\$	19.91	\$18.07	\$18.06	\$16.9	\$18.86	\$19.72	\$22.35	\$22.48	\$22.46 \$	25.32	\$28.10	\$31.06	
								2	221@	221@	220@	220@	220@	221@	222@	224@	226@ 2	26@	227@	155@	
								\$	31.68	\$36.24	\$38.62	\$40.9	5 \$41.00	\$39.94	\$35.43	\$33.47	\$31.44 \$	23.74 :	\$22.48	\$21.33	
						UNITS NA	AME	0	1/13	02 / 14	03 / 15	04/1	3 05 / 17	06 / 18	07 / 19	08/20	09/21 1	0/22	11/23	12/24	
						(Unit 3 50	nedule od	, i s	10.08	\$10.12	\$19.10	1500	2 10002	\$10.77	422.42	100 @	100/02 1	90@2	2201@ \$29.27	230 gg	
								2	37 @	237@	236@	235/6	236@	237@	238@	240@	240@ 1	i4.2@	150@	150@	
								\$	31.89	\$36.47	\$38.88	\$41.5	5 \$41.25	\$40.18	\$35.65	\$33.68	\$31.63 \$	23.87 :	\$22.56	\$21.39	
						UNIT4 NA	ME	0	1 / 13	02/14	03 / 15	04/1	3 05 / 17	06 / 18	07 / 19	08/20	09/21 1	)/22	11/23	12/24	
						(Unit 4 So	hedule 88	) 1	150@	150@	150@	150@	2 150@	150@	150@	238@	236@ 2	35@	233@	232@	
								\$	19.96	\$18.12	\$18.10	\$16.9	3 \$18.90	\$19.77	\$22.42	\$22.53	\$22.55 \$	25.46	\$28.27	\$31.27	
To	tals sho	wn oi	n 📐					2	231@	231@	230@	229@	230@	231@	232@	235@	237@ 2	37@	238@	150@	
lac	+	of the			<b>•</b> 1			5	31.89	\$36.47	\$38.88	\$41.5	\$41.25	\$40.18	\$35.65	\$33.68	\$31.63 \$	23.87	\$22.56	\$21.39	
Ids	liows	or the				Total Port	ttolio MW	U	1713	02714	03 / 15	04/1	5 05/17	06718	07 / 19	08720	09721 1	J / 22	11723	12724	
dis	play								910	910	906	904	906	910	914	923	929 8	43.2	842	610	
					Ļ					0.0				0.0	•	010		10.10	• 14	0.0	
																					Refresh
Messages																					

The format of this display is shown below:

The following generation information is displayed for each generating unit included in the selected generation portfolio:

- **Unit/Schedule** the name of the generating unit and of the schedule on which it was committed. If the unit was not committed, "No Schedule Committed" is shown instead of a schedule name.
- **MW @ Price** the MW amount that unit is committed to provide and the \$/MWH DA LMP at the generator Pnode for each hour of the day.

#### View DA Commitment for each Unit in Portfolio

To view the commitment in the Day-Ahead market of the units listed in your portfolios and the Day-Ahead LMPs at their generator Phodes:

- 1. In the Generation Navigation sub tabs, click the **Generation by Portfolio** tab
  - The Generation by Portfolio display is shown in the display pane.
- 2. In the Filters pane:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
    - The display reflects the selected market day's Day-Ahead commitment and LMPs for each of the units listed in the selected portfolio. If the Day-Ahead market has not yet been cleared for the selected day, the following text is shown in the display title bar: "The day ahead market results are not available ..."

# **Generation A/S By Portfolio Display**

This this an informational read-only display providing the Generation Ancillary Service Results cleared in the Day-Ahead market.

Using this display, you may view the cleared Ancillary Service (A/S) MW results in the Day-Ahead market for each Generating unit in the selected portfolio. If the unit does not clear any Ancillary Services for the day, then "(No Cleared A/S MW)" appears below the Unit's name. MWs for a 24-hour period is shown on two lines: the top line details the hours ending 01 through 12; the second line details hours ending 13 through 24. The last section of the display is labeled Total Portfolio MW and shows the total MW amount for each hour committed in the Day-Ahead market by all the units in your portfolio. Information on the display is shown only after the Day-Ahead market has been cleared.

	۵												and sets.								eMarket User Interface			
ISC	new eng	land											Market :	Status: CLO	ISED Ven	sion: 6.1.0	SNAPSHOT	202409302112), cate User: emitts:	iperuser51			14-0:1-2024 17:47:32		
	19 C												ReadOr	ly Participi	ant: 15/	O New Engl	and Inc		~	User	emktsuperuser512	¥		
Public Ge	neration Den	and ARD Reg	pulation	DRR ESP																				
Private Messages	Unit Default Pr Parameters M	ortfolio Ramp Ra anager Default	ite Ram Hour	y Updates Sched	ule Schedule Per Detail Defaults	Schedule Offers Defa	uit Ho	edule Offers any Updates	Scheduli Hourly L	e Times Ipdates	Schedule DA A/S Offers	Schedule Selection	Hourly Opdiates	Fuel Pric Adjustm	or c ents f	Seneration By Portfalio	A/S By Portfolio	A/S Benchmark Data	A/S Ben Data Ov	ichmark remides	XHL Download			
Ancilla	ry Service	s By Portfo	olio																					
Select Date a	and Portfolio		-	Ancillary Service	s By Portfolio for Ter	it on 14-Oct-7	1024																	
Date:	14-Oct-2024		в	Name			_																	
Portfolio:	Test		*	(No Cleared J/S M	W) TMSR	01/13	027.14	03/15	04 / 16	05717	06755	07/19	05/20	09/21	10/22	11/23	12/24							
					TMNSR																			
					TMOR																			
					EIR																			
						01/13	02/14	03/15	04/16	05/17	06/15	07/19	08/20	69/21	10/22	11/23	12/24							
					TMSR							and the state												
					TMNSR		13.2	12.3	12.6	14.7	13.2	14.7	14.7	14.7	14.7	5.7	12							
					TMOR	23			3		5.8		0.5	8.3	3.4									
												2.8	8.3	8.3										
					EIR																			
				Total Portfolio MW		01/13	02/14	03/15	04/16	05/17	06/18	07/19	08/20	09/21	10/22	11/23	12/24							
					TMSR	٥	0	٥	0	0	0	0	0	0	0	0	0							
					the second		0	0	0	0	0	0	0	0	0	0	0							
					TMNSR	0	0	0	0	0.1	13.2	14.7	14.7	14.7	14.7	0.7	12							
					TMOR	23	¢	0	з	0	5.0	0	0.0	8.3	3.4	0	0							
							0	0	0	0	0	2.8	8.3	8.3	0	0	0							
					EIR		0	0	0	0	0	0	0	0	0	0	0							

Subsequent to selecting a day cleared in the Day-Ahead market and a user defined Portfolio, the following Generation information displays for each asset included as part of the Unit portfolio:

- **Name** the name of the Unit clearing one or more Ancillary Services in any hour of the selected market day. Units that do not clear Ancillary Services for the day indicate "(No Cleared A/S MW)".
- **TMSR** The Ten-Minute Spinning Reserve provided by the asset for the case interval.
- **TMNSR** The Ten-Minute Non-Spinning Reserve provided by the asset for the case interval.
- **TMOR** The Thirty Minute Operating Reserve provided by the asset for the case interval.
- **EIR** The Energy Imbalance Reserve awarded to the asset for the case interval.

#### **Display Notes**:

- Non-zero MW values show as blanks for clarity.
- The results include each Unit in the selected portfolio regardless of the asset having Ancillary Service values for the selected cleared market day.
- The user must have a read-write or read-only role for Units to view the display's data content.
- If the Day-Ahead market is not yet for the selected day, the following text appears in the display title bar:

"The day ahead market results are not available ...".

• Press the refresh button at the display's bottom right corner to acquire the most recent data.

# **Generation - A/S Benchmark Results Display**

This is an informational read-only display providing the Ancillary Service Benchmark Calculation Results for the selected unit schedule of a Portfolio.

					Market Status: OPE	N(01)	eMarket User Interface Version: 6.0.0(202409122244)			
						Certificate U	ser: emktsuperuser512	12-Sep-2024 19:10:2		
					ReadOnly Partici	pant: ISO New England Inc	✓ User:	emktsuperuser512 V		
Public Generation Demand ARD Regulation DRR ESF										
Private Unit Default Portfolio Ramp Rate Ramp Rate Schedule Messages Parameters Manager Default Hourly Updates Manager	Schedule Schedule Sche Detail Defaults Offers Default Hour	dule Offers Schedule Time ly Updates Hourly Update	s Schedule DA S A/S Offers S	chedule Hourly election Updates	Fuel Price Generation Adjustments By Portfolio	A/S By A/S Benchmark Portfolio Data	A/S Benchmark XML Data Overrides Download			
Unit Ancillary Service Benchmark Calculation	Results									
Select Date, Unit and Schedule (VIIT Ancillary Servi	e Benchmark Calculation Results for	on 09-M	ar-2025							
Hour				Values from last calculat	tion: 12-Sep-2024 11:13					
Date: 09-Mar-2025	Asset Local Gas Price	For C	onduct Test			For Benchma	rk Level			
Portfolio: Test	Expected	RT Hub LMP Exp	ected Closeout	Avoidable Input Cost	Expected RT Hub LMP	Expected Closeout	Avoidable Input Cost	Benchmark Level		
Unit: Annual Contact Deckor 1 V 01		14.07	3.52	0.0	14.07	3.52	0.0	3.52		
Schedule: R1 02		13.48	3.37	0.0	13.48	3.37	0.0	3.37		
04		13.27	3.32	0.0	13.27	3.32	0.0	3.32		
05		13.4	3.35	0.0	13.4	3.35	0.0	3.35		
00		14.09	3.52	0.0	14.09	3.52	0.0	3.52		
07		10.5	4.00	0.0	10.5	4.06	0.0	4.06		
09		20.38	4.5	0.0	20.38	4.0	0.0	51		
10		19.34	4.84	0.0	19.34	4.84	0.0	4.84		
11		17.74	4 44	0.0	17.74	4.44	0.0	4 44		
12		16.51	4.13	0.0	16.51	4.13	0.0	4.13		
13		15.72	3.93	0.0	15.72	3.93	0.0	3.93		
14		15.33	3.83	0.0	15.33	3.83	0.0	3.83		
15		15.37	3.84	0.0	15.37	3.84	0.0	3.84		
16		15.78	3.95	0.0	15.78	3.95	0.0	3.95		
17		17.1	4.28	0.0	17.1	4.28	0.0	4.28		
18		19.12	4.78	0.0	19.12	4.78	0.0	4.78		
19		21.35	5.34	0.0	21.35	5.34	0.0	5.34		
20		23.28	5.82	0.0	23.28	5.82	0.0	5.82		
21		22.95	5.74	0.0	22.95	5.74	0.0	5.74		
22		21.87	5.47	0.0	21.87	5.47	0.0	5.47		
23		20.3	5.08	0.0	20.3	5.08	0.0	5.08		
24		17.97	4.49	0.0	17.97	4.49	0.0	4.49		
								Refresh		
Messages										

The format of the display is shown below:

The date time of last calculation is shown on the top of the data grid. The Benchmark Calculation Results show up when user select a Date, Portfolio, Unit and Schedule as data filter. The fields on this display are:

- **Hour** Hour ending values.
- Asset Local Gas Price.
- Expected RT Hub LMP for Conduct Test.
- Expected Closeout for Conduct Test.
- Avoidable Input Cost for Conduct Test.
- Expected RT Hub LMP for Benchmark Level.
- Expected Closeout for Benchmark Level.
- Avoidable Input Cost for Benchmark Level.
- Benchmark Level.

# **Generation - A/S Benchmark Data Overrides Display**

This display is used to view and modify the participant A/S Benchmark hourly input overrides for a unit.

The format of the display is shown below:

ISO new england									ħ	1arket Status: 1	CLOSED		eM ve	eMarket User Interface Version: 6.0.0(202409122244)			
in the state of th											Parti	icipant: 19	Certificate O New England Ir	: User: emktsuperu: C	ser512 Y User:	emktsuperuser512	Sep-2024 19:32:15
Public Generation Demand ARD Regulation	DRR ESF																
Private Unit Default Portfolio Ramp Rate Rar Messages Parameters Manager Default Hou	mp Rate urly Updates	Schedule Manager	Schedule Detail Defaults	Schedule Offers Default	Schedule Offers Hourly Updates	Schedule Times Hourly Updates	Schedule DA A/S Offers	Schedule Selection	Hourly Updates	Fuel Price Adjustments	Generation By Portfolio	A/S By Portfolio	A/S Benchmark Data	A/S Benchmark Data Overrides	XML Download		
Ancillary Service Benchmark Da	ta Overi	rides															
Select Date and Unit	Ancillary S	Service Bend	chmark Data Over	rides for	on 2	1-Jun-2024											
	Hour		IMM Overric	les	Partici	pant Overrides											
Date: 21-Jun-2024			Expected C	loseout	Expected Closeou	I ISO-N	E Approved										
Portfolio: Test	01				15	.00	Pending										
Unit: V	02				16	00	Pending										
	03				17	00	Pending										
	04				18	.00	Pending										
	05				19	.00	Pending										
	06				20	.00	Pending										
	07				21	.00	Pending										
	08																
	09																
	10																
	11																
	12																
	13																
	14																
	10																
	17																
	18				22	00	Pending										
	19				22	00	Pending										
	20				24	00	Pending										
	21				25	00	Pending										
	22				26	00	Pending										
	23				27	00	Pending										
	24				28	00	Pending										
																	Refresh
Messages																	

The Benchmark Overrides show up when user select a Date, Portfolio and Unit as data filter. The fields on this display are:

- Hour Hour ending values. This is a read-only field.
- **Expected RT Hub LMP** from IMM Overrides. This is a read-only field and is only available for GAS units.
- **Expected Closeout** from IMM Overrides. This is a read-only field.
- **Expected Closeout** for Participant Overrides.
- **ISO-NE Approval** for Participant Overrides. This is a read-only field.
- **Avoidable Input Cost** for Participant Overrides. This is only available for Storage Facility units.
- **Expected RT Hub LMP** for Participant Overrides. This is only available for GAS units.
- **ISO-NE Approval** for Participant Overrides. This is a read-only field, and only available for Storage Facility or GAS units.

#### Data Validation Rules

When the **Update** button is clicked, eMarket makes the following checks to ensure that entered data is valid:

- Market is open
- DA market has not been approved
- The input Expected Closeout value must be positive or zero; i.e. Expected Closeout ≥ 0, and Expected Closeout <= LPCloseoutLimit.
- The input Expected RT Hub LMP must be positive or zero; i.e. Expected RT Hub LMP ≥ 0, and Expected RT Hub LMP <= LPRTHubLMPLimit.
- The input Avoidable Input Cost must be positive or zero; i.e. Avoidable Input Cost ≥ 0, and Avoidable Input Cost <= LPAvoidableInputCostLimit.

The ISO-NE Approved column shows "Pending" on successful update.

#### Modify A/S Benchmark Overrides

1. Using the Generation Navigation tab, click the **A/S Benchmark Overrides** sub-tab.

#### 2. In the Filters pane:

- c. Select the desired date from the **Date** filter.
- d. Select the desired portfolio from the **Portfolio** filter.
- e. Select the desired unit from the **Unit** filter.

The display reflects the hourly participant overrides for the selected unit.

- 3. Enter override values.
- 4. Click the Update button to save the data.

Delete an hour's input by setting all the user editable input values to NULL.

# XML Download for Generation Display

The XML Download display is accessible through the Generation Navigation sub tab. This display enables you to download pre-defined Generation specific XML report files of data that you maintain in the ISO-NE Market System, including results from the cleared Day-Ahead market. It also provides you the means to upload data in XML formatted data files into the ISO-NE Market System to be used to clear the Day-Ahead and Real-Time markets. The format of the XML files can be found in the **eMarket Data Exchange Specification**, which is found on the <u>ISO New England website</u> among the documents listed on the Participate > Support > Upload and Download File Format Protocols page.

ISO new england				Marl	ket Status: OPE	EN(01)	<b>eMarket User Int</b> 1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1)				
r						Partici	pant: ISC	) New England In	c	Y User:	emktsuperuser512 ¥
Public Generation Demand ARD Regulation Private Unit Default Portfolio Ramo Rate Ran	DRR ESF	Schedule Offers Schedule Times	Schedule DA Scher	lule Hourly	Fuel Price	Generation	A/S By	A/S Benchmark	A/S Benchmark	XML	
Messages Parameters Manager Default Hou	rly Updates Manager Detail Defaults Offers Defa	It Hourly Updates Hourly Updates	A/S Offers Selec	tion Update	s Adjustments	By Portfolio	Portfolio	Data	Data Overrides	Download	
XML Download											
Select Date «	XML Download on 19-Sep-2024										
Date: 19-Sep-2024	Units				Upload XML SC	AP Request					
	Unit Ramp Rate				File:		Brow	W96			
	Schedule Details										
	Schedule Offers					Submit					
	Unit Hourly Updates										
	Unit Hourly Ramp Rate Updates										
	Schedule Times Hourly Updates										
	Fuel Price Adjustments										
	Effective Hourly Fuel Prices of Units	with FPAs									
	Schedule Day-Ahead Ancillary Service	e Offers									
	Unit Day-Ahead Ancillary Service Re	ult In Portfolio									
	Day-Ahead Ancillary Service Benchn	ark Calculation Results ark Data Overrides									
	<u>Day Anoda Anonary Corrice Denom</u>										
Messages											

The following XML reports of generation data are available for downloading:

- Units
- Unit Ramp Rates
- Unit Schedules
- Unit Schedule Details
- Unit Schedule Offers
- Unit Schedule Selection
- Unit Hourly Updates
- Unit Hourly Ramp Rate Updates
- Schedule Offers Hourly Updates

- Schedule Times Hourly Updates
- Fuel Price Adjustments
- Effective Hourly Fuel Prices of Units with FPAs
- Generation by Unit
- Schedule Day-Ahead Ancillary Service Offers
- Unit Day-Ahead Ancillary Service Result In Portfolio
- Day-Ahead Ancillary Service Benchmark Calculation Results
- Day-Ahead Ancillary Service Benchmark Data Overrides

All but the Generation by Unit returns an XML formatted report for the selected date and for every unit that belongs to you as Lead Participant. The Generation by Unit report returns information for all the unique units listed in all of the user's portfolios.

See §0 for details on uploading and downloading files. The following sections provide samples of the downloaded reports.

#### **Units XML Report**

This report contains the information that is shown on the Unit Default Parameters display for every unit that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetUnitResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <Unit day="2014-08-24" ID="888">
    <CapacityResource>true</CapacityResource>
    <Claim10Settings claim10Capable="true">
      <Claim10 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
      <Claim10Cap>0</Claim10Cap>
    </Claim10Settings>
    <Claim30Settings claim30Capable="true">
      <Claim30>0</Claim30>
      <Claim30Cap>0</Claim30Cap>
    </Claim30Settings>
    <DefaultStatus>Economic</DefaultStatus>
    <LeadParticipantID>88888</LeadParticipantID>
    <LeadParticipantName>Participant R Us</LeadParticipantName>
    <NodeID>888</NodeID>
    <NodeName>UN.NODE 13.8NODE</NodeName>
    <RampRateCap>2</RampRateCap>
    <RampRateDefault>0.5</RampRateDefault>
    <RegResource>false</RegResource>
    <FuelIndexList>
      <FuelIndex>No2</FuelIndex>
      <FuelIndex>MA_natgas2</FuelIndex>
    </FuelIndexList>
    <TypeOfUnit>CC</TypeOfUnit>
    <TypeOfUnitLongName>CT Combined Cycle</TypeOfUnitLongName>
```

```
<UnitLongName>IAMUNIT</UnitLongName>
   <UnitNumber>88</UnitNumber>
   <UnitShortName>UNIT</UnitShortName>
  </Unit>
  <Unit day="2014-08-24" ID="999">
   <CapacityResource>true</CapacityResource>
   <Claim10Settings claim10Capable="true">
     <Claim10>11.3</Claim10>
     <Claim10Cap>8.6</Claim10Cap>
   </Claim10Settings>
   <Claim30Settings claim30Capable="true">
     <Claim30>11.8</Claim30>
     <Claim30Cap>8.6</Claim30Cap>
   </Claim30Settings>
   <DefaultStatus>Economic</DefaultStatus>
   <LeadParticipantID>99999</LeadParticipantID>
   <LeadParticipantName>Participant R Us 2</LeadParticipantName>
   <NodeID>999</NodeID>
   <NodeName>UN.NODENODE99 NODE</NodeName>
   <RampRateCap>1.5</RampRateCap>
   <RampRateDefault>1.5</RampRateDefault>
   <RegResource>false</RegResource>
   <FuelIndexList>
     <FuelIndex>No2</FuelIndex>
   </FuelIndexList>
   <TypeOfUnit>CT</TypeOfUnit>
   <TypeOfUnitLongName>Single Engine Jet</TypeOfUnitLongName>
   <UnitLongName>IAMUNIT2</UnitLongName>
   <UnitNumber>99</UnitNumber>
   <UnitShortName>UNIX</UnitShortName>
 </Unit>
</GetUnitResponse>
```

## Unit Ramp Rates XML Report

This report contains the information that is shown on the Unit Ramp Rates display for every unit that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetUnitRampRateResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
 <UnitRampRate day="2014-08-24" ID="888">
   <RampRateCap>5</RampRateCap>
   <RampRateCurve>
     <RampRatePoint rate="5" MW="170"/>
   </RampRateCurve>
   <ShortName>UNIT</ShortName>
 </UnitRampRate>
  <UnitRampRate day="2014-08-24" ID="999">
   <RampRateCap>2.5</RampRateCap>
   <RampRateCurve>
     <RampRatePoint rate="1.5" MW="150"/>
     <RampRatePoint rate="2.5" MW="216"/>
     <RampRatePoint rate="1" MW="226"/>
   </RampRateCurve>
   <ShortName>UNIX</ShortName>
 </UnitRampRate>
</GetUnitRampRateResponse>
```

#### **Unit Schedules XML Report**

This report contains the information that is shown on the Unit Schedule Manager display for all schedules of every unit that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetScheduleResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <Schedule schedID="88805">
   <SchedLongName>UNIT Price</SchedLongName>
   <SchedShortName>UNITPric</SchedShortName>
   <SchedType>Price</SchedType>
   <SchedTypeID>5</SchedTypeID>
   <UnitID>888</UnitID>
   <UnitShortName>UNIT</UnitShortName>
  </Schedule>
 <Schedule schedID="88896">
   <SchedLongName>UNIT_Fuel 3 Ref. Schedule</SchedLongName>
   <SchedShortName>UNIT_R3</SchedShortName>
   <SchedType>Cost</SchedType>
   <SchedTypeID>96</SchedTypeID>
   <UnitID>888</UnitID>
   <UnitShortName>UNIT</UnitShortName>
  </Schedule>
 <Schedule schedID="88897">
   <SchedLongName>UNIT Fuel 2 Ref. Schedule</SchedLongName>
   <SchedShortName>UNIT R2</SchedShortName>
   <SchedType>Cost</SchedType>
   <SchedTypeID>97</SchedTypeID>
   <UnitID>888</UnitID>
   <UnitShortName>UNIT</UnitShortName>
  </Schedule>
  <Schedule schedID="88898">
   <SchedLongName>UNIT Fuel 1 Ref. Schedule</SchedLongName>
   <SchedShortName>UNIT R1</SchedShortName>
   <SchedType>Cost</SchedType>
   <SchedTypeID>98</SchedTypeID>
   <UnitID>888</UnitID>
   <UnitShortName>UNIT</UnitShortName>
  </Schedule>
  <Schedule schedID="88899">
   <SchedLongName>UNIT_Mitigation Schedule</SchedLongName>
   <SchedShortName>UNIT_M</SchedShortName>
   <SchedType>Cost</SchedType>
   <SchedTypeID>99</SchedTypeID>
   <UnitID>888</UnitID>
   <UnitShortName>UNIT</UnitShortName>
 </Schedule>
</GetScheduleResponse>
```

## Unit Schedule Details XML Report

This report contains the information that is shown on the Unit Schedule Detail display for all schedules of every unit that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetScheduleDetailResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
```

<ScheduleDetail day="2014-08-24" ID="88805"> <ColdNotifyTime>3.5</ColdNotifyTime> <ColdStartupTime>4</ColdStartupTime> <EcoMax>153</EcoMax> <EcoMin>110</EcoMin> <EmerMin>110</EmerMin> <HotNotifyTime>3</HotNotifyTime> <HotStartupTime>1.5</HotStartupTime> <HotToColdTime>48</HotToColdTime> <HotToInterTime>24</HotToInterTime> <InterNotifyTime>3</InterNotifyTime> <InterStartupTime>2.5</InterStartupTime> <MarketType>Both</MarketType> <MaxDailyEnergy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MaxDailyStarts>1</MaxDailyStarts> <MinDownTime>5.5</MinDownTime> <MinRunTime>4</MinRunTime> <RTHighOperLimit>153</RTHighOperLimit> <ScheduleAvailable>true</ScheduleAvailable> <ShortName>UNITPric</ShortName> </scheduleDetail> <ScheduleDetail day="2014-08-24" ID="88896"> <ColdNotifyTime>1.5</ColdNotifyTime> <ColdStartupTime>4</ColdStartupTime> <EcoMax>153</EcoMax> <EcoMin>110</EcoMin> <EmerMin>110</EmerMin> <HotNotifyTime>1</HotNotifyTime> <HotStartupTime>1.5</HotStartupTime> <HotToColdTime>48</HotToColdTime> <HotToInterTime>24</HotToInterTime> <InterNotifyTime>1</InterNotifyTime> <InterStartupTime>2.5</InterStartupTime> <MarketType>Both</MarketType> <MaxDailyEnergy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MaxDailyAwardLimit xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MaxDailyStarts xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MinDownTime>5.5</MinDownTime> <MinRunTime>4</MinRunTime> <RTHighOperLimit>153</RTHighOperLimit> <ScheduleAvailable>false</ScheduleAvailable> <ShortName>UNIT R3</ShortName> </scheduleDetail> <ScheduleDetail day="2014-08-24" ID="88897"> <ColdNotifyTime>1.5</ColdNotifyTime> <ColdStartupTime>4</ColdStartupTime> <EcoMax>153</EcoMax> <EcoMin>110</EcoMin> <EmerMin>110</EmerMin> <HotNotifyTime>1</HotNotifyTime> <HotStartupTime>1.5</HotStartupTime> <HotToColdTime>48</HotToColdTime> <HotToInterTime>24</HotToInterTime> <InterNotifyTime>1</InterNotifyTime> <InterStartupTime>2.5</InterStartupTime> <MarketType>Both</MarketType> <MaxDailyEnergy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MaxDailyAwardLimit xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>

<MaxDailyStarts xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MinDownTime>5.5</MinDownTime> <MinRunTime>4</MinRunTime> <RTHighOperLimit>153</RTHighOperLimit> <ScheduleAvailable>false</ScheduleAvailable> <ShortName>UNIT\_R2</ShortName> </scheduleDetail> <ScheduleDetail day="2014-08-24" ID="88898"> <ColdNotifyTime>1.5</ColdNotifyTime> <ColdStartupTime>4</ColdStartupTime> <EcoMax>153</EcoMax> <EcoMin>110</EcoMin> <EmerMin>110</EmerMin> <HotNotifyTime>1</HotNotifyTime> <HotStartupTime>1.5</HotStartupTime> <HotToColdTime>48</HotToColdTime> <HotToInterTime>24</HotToInterTime> <InterNotifyTime>1</InterNotifyTime> <InterStartupTime>2.5</InterStartupTime> <MarketType>Both</MarketType> <MaxDailyEnergy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MaxDailyAwardLimit xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MaxDailyStarts xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MinDownTime>5.5</MinDownTime> <MinRunTime>4</MinRunTime> <RTHighOperLimit>153</RTHighOperLimit> <ScheduleAvailable>false</ScheduleAvailable> <ShortName>UNIT\_R1</ShortName> </scheduleDetail> <ScheduleDetail day="2014-08-24" ID="88899"> <ColdNotifyTime>1.5</ColdNotifyTime> <ColdStartupTime>4</ColdStartupTime> <EcoMax>153</EcoMax> <EcoMin>110</EcoMin> <EmerMin>110</EmerMin> <HotNotifyTime>1</HotNotifyTime> <HotStartupTime>1.5</HotStartupTime> <HotToColdTime>48</HotToColdTime> <HotToInterTime>24</HotToInterTime> <InterNotifyTime>1</InterNotifyTime> <InterStartupTime>2.5</InterStartupTime> <MarketType>Both</MarketType> <MaxDailyEnergy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MaxDailyAwardLimit xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MaxDailyStarts>1</MaxDailyStarts> <MinDownTime>5.5</MinDownTime> <MinRunTime>4</MinRunTime> <RTHighOperLimit>153</RTHighOperLimit> <ScheduleAvailable>true</ScheduleAvailable> <ShortName>UNIT\_M</ShortName> </ScheduleDetail>

</GetScheduleDetailResponse>

#### **Unit Schedule Offers XML Report**

This report contains the information that is shown on the Unit Schedule Offers display for all schedules of every unit that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetScheduleBidResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <ScheduleBid day="2014-08-24" ID="88801">
    <PriceCurve>
      <PricePoint price="888.99" MW="8.5">
        <FuelIndex>
         <Name>Hydro_Run_of_River</Name>
         <Percentage>100</Percentage>
        </FuelIndex>
      </PricePoint>
    </PriceCurve>
    <UseOfferSlope>false</UseOfferSlope>
    <HotStartupCostAndFuel>
      <Cost>0</Cost>
      <FuelIndex>
        <Name>Hydro_Run_of_River</Name>
       <Percentage>100</Percentage>
      </FuelIndex>
    </HotStartupCostAndFuel>
    <InterStartupCostAndFuel>
      <Cost>0</Cost>
      <FuelIndex>
        <Name>Hydro Run of River</Name>
       <Percentage>100</Percentage>
      </FuelIndex>
    </InterStartupCostAndFuel>
    <ColdStartupCostAndFuel>
      <Cost>0</Cost>
      <FuelIndex>
       <Name>Hydro_Run_of_River</Name>
       <Percentage>100</Percentage>
      </FuelIndex>
    </ColdStartupCostAndFuel>
    <NoLoadCostAndFuel>
      <Cost>0</Cost>
      <FuelIndex>
        <Name>Hydro_Run_of_River</Name>
        <Percentage>100</Percentage>
      </FuelIndex>
    </NoLoadCostAndFuel>
    <ShortName>DFLPRICE</ShortName>
  </ScheduleBid>
<ScheduleBid day="2014-08-24" ID="99905">
    <PriceCurve>
      <PricePoint price="99.69" MW="35">
        <FuelIndex>
         <Name>Coal HS</Name>
         <Percentage>100</Percentage>
        </FuelIndex>
        <FuelIndex>
         <Name>MA_natgas1</Name>
         <Percentage>0</Percentage>
```

</FuelIndex> </PricePoint> <PricePoint price="99.78" MW="57"> <FuelIndex> <Name>Coal\_HS</Name> <Percentage>100</Percentage> </FuelIndex> <FuelIndex> <Name>MA\_natgas1</Name> <Percentage>0</Percentage> </FuelIndex> </PricePoint> </PriceCurve> <UseOfferSlope>false</UseOfferSlope> <HotStartupCostAndFuel> <Cost>12345.16</Cost> <FuelIndex> <Name>Coal HS</Name> <Percentage>100</Percentage> </FuelIndex> <FuelIndex> <Name>MA\_natgas1</Name> <Percentage>0</Percentage> </FuelIndex> </HotStartupCostAndFuel> <InterStartupCostAndFuel> <Cost>12345.67</Cost> <FuelIndex> <Name>Coal HS</Name> <Percentage>100</Percentage> </FuelIndex> <FuelIndex> <Name>MA\_natgas1</Name> <Percentage>0</Percentage> </FuelIndex> </InterStartupCostAndFuel> <ColdStartupCostAndFuel> <Cost>11111.11</Cost> <FuelIndex> <Name>Coal\_HS</Name> <Percentage>100</Percentage> </FuelIndex> <FuelIndex> <Name>MA\_natgas1</Name> <Percentage>0</Percentage> </FuelIndex> </ColdStartupCostAndFuel> <NoLoadCostAndFuel> <Cost>1234.56</Cost> <FuelIndex> <Name>Coal\_HS</Name> <Percentage>100</Percentage> </FuelIndex> <FuelIndex> <Name>MA\_natgas1</Name> <Percentage>0</Percentage> </FuelIndex> </NoLoadCostAndFuel>

```
<ShortName>UNXPric</ShortName>
</ScheduleBid
</GetScheduleBidResponse>
```

#### **Unit Schedule Selection XML Report**

This report contains the information that is shown on the Unit Schedule Selection display for all schedules of every unit that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetScheduleSelectionResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <ScheduleSelection day="2014-08-24">
    <Schedule ID="88805">
      <Available>true</Available>
      <ShortName>UNITPric</ShortName>
    </Schedule>
    <Schedule ID="88896">
      <Available>false</Available>
      <ShortName>UNIT R3</ShortName>
    </Schedule>
    <Schedule ID="88897">
      <Available>false</Available>
      <ShortName>UNIT R2</ShortName>
    </Schedule>
    <Schedule ID="88898">
      <Available>false</Available>
      <ShortName>UNIT_R1</ShortName>
    </Schedule>
    <Schedule ID="88899">
      <Available>true</Available>
      <ShortName>UNIT M</ShortName>
    </Schedule>
    <Schedule ID="99905">
      <Available>true</Available>
      <ShortName>UNIXPric</ShortName>
    </Schedule>
    <Schedule ID="99996">
      <Available>false</Available>
      <ShortName>UNIX R3</ShortName>
    </Schedule>
    <Schedule ID="99997">
      <Available>false</Available>
      <ShortName>UNIX R2</ShortName>
    </Schedule>
    <Schedule ID="99998">
      <Available>false</Available>
      <ShortName>UNIX R1</ShortName>
    </Schedule>
    <Schedule ID="99999">
      <Available>true</Available>
      <ShortName>UNIX M</ShortName>
    </Schedule>
  </ScheduleSelection>
</GetScheduleSelectionResponse>
```

#### **Unit Hourly Updates XML Report**

This report contains the information that is shown on the Unit Hourly Updates display for every unit that belongs to you as Lead Participant, and for which hourly updates exist. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetUnitHourlyResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <UnitHourly day="2014-08-24" ID="666">
    <HourlyProfile>
      <HourlyValues time="2014-08-24T00:00:00-04:00">
       <EmerMin>9</EmerMin>
        <EcoMax>9</EcoMax>
        <EcoMin>9</EcoMin>
        <RTHighOperLimit>9</RTHighOperLimit>
        <ResourceStatus>MustRun</ResourceStatus>
       <Claim10 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <Claim30 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
      </HourlyValues>
      <HourlyValues time="2014-08-24T01:00:00-04:00">
       <EmerMin>9</EmerMin>
       <EcoMax>9</EcoMax>
       <EcoMin>9</EcoMin>
       <RTHighOperLimit>9</RTHighOperLimit>
        <ResourceStatus>MustRun</ResourceStatus>
        <Claim10 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <Claim30 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
      </HourlyValues>
      <HourlyValues time="2014-08-24T02:00:00-04:00">
        <EmerMin>9</EmerMin>
        <EcoMax>9</EcoMax>
        <EcoMin>9</EcoMin>
        <RTHighOperLimit>9</RTHighOperLimit>
       <ResourceStatus>MustRun</ResourceStatus>
        <Claim10 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
       <Claim30 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
      </HourlyValues>
      <HourlyValues time="2014-08-24T22:00:00-04:00">
        <EmerMin>9</EmerMin>
        <EcoMax>9</EcoMax>
       <EcoMin>9</EcoMin>
        <RTHighOperLimit>9</RTHighOperLimit>
        <ResourceStatus>MustRun</ResourceStatus>
        <Claim10 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <Claim30 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
      </HourlyValues>
      <HourlyValues time="2014-08-24T23:00:00-04:00">
       <EmerMin>9</EmerMin>
        <EcoMax>9</EcoMax>
       <EcoMin>9</EcoMin>
        <RTHighOperLimit>9</RTHighOperLimit>
        <ResourceStatus>MustRun</ResourceStatus>
        <Claim10 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
       <Claim30 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
      </HourlyValues>
    </HourlyProfile>
```

```
<ShortName>UNIT</ShortName>
  </UnitHourly>
  <UnitHourly day="2014-08-24" ID="777">
    <HourlyProfile>
      <HourlyValues time="2014-08-24T00:00:00-04:00">
        <EmerMin xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
       <EcoMax xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
       <EcoMin xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
       <RTHighOperLimit xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <ResourceStatus xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <Claim10 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <Claim30 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
      </HourlyValues>
      <HourlyValues time="2014-08-24T01:00:00-04:00">
        <EmerMin>11</EmerMin>
       <EcoMax>32</EcoMax>
        <EcoMin>22.6</EcoMin>
        <RTHighOperLimit>34</RTHighOperLimit>
        <ResourceStatus>Economic</ResourceStatus>
        <Claim10>15.2</Claim10>
        <Claim30>25</Claim30>
      </HourlyValues>
      <HourlyValues time="2014-08-24T02:00:00-04:00">
       <EmerMin>11</EmerMin>
        <EcoMax>32</EcoMax>
        <EcoMin>22.6</EcoMin>
        <RTHighOperLimit>34</RTHighOperLimit>
        <ResourceStatus>Economic</ResourceStatus>
        <Claim10>15.2</Claim10>
        <Claim30>25</Claim30>
      </HourlyValues>
      <HourlyValues time="2014-08-24T22:00:00-04:00">
        <EmerMin>11</EmerMin>
        <EcoMax>32</EcoMax>
       <EcoMin>22.6</EcoMin>
        <RTHighOperLimit>34</RTHighOperLimit>
        <ResourceStatus>Economic</ResourceStatus>
        <Claim10>15.2</Claim10>
        <Claim30>25</Claim30>
      </HourlyValues>
      <HourlyValues time="2014-08-24T23:00:00-04:00">
        <EmerMin xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
       <EcoMax xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
       <EcoMin xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <RTHighOperLimit xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <ResourceStatus xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
       <Claim10 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <Claim30 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
      </HourlyValues>
    </HourlyProfile>
    <ShortName>UNIX</ShortName>
  </UnitHourly>
</GetUnitHourlyResponse>
```

#### Unit Hourly Ramp Rate Updates XML Report

This report contains the information that is shown on the Unit Ramp Rate Hourly Updates display for every unit that belongs to you as Lead Participant, and for which hourly updates exist. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetUnitRampRateHourlyResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <UnitRampRateHourly day="2014-08-24" ID="666">
    <HourlyProfile>
      <HourlyValues time="2014-08-24T00:00:00-04:00">
       <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
      <HourlyValues time="2014-08-24T01:00:00-04:00">
        <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
      <HourlyValues time="2014-08-24T02:00:00-04:00">
        <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
      <HourlyValues time="2014-08-24T03:00:00-04:00">
        <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
      <HourlyValues time="2014-08-24T04:00:00-04:00">
        <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
      <HourlyValues time="2014-08-24T05:00:00-04:00">
        <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
      <HourlyValues time="2014-08-24T06:00:00-04:00">
        <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
      <HourlyValues time="2014-08-24T07:00:00-04:00">
        <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
      <HourlyValues time="2014-08-24T08:00:00-04:00">
        <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
      <HourlyValues time="2014-08-24T09:00:00-04:00">
        <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
      <HourlyValues time="2014-08-24T10:00:00-04:00">
        <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
      <HourlyValues time="2014-08-24T11:00:00-04:00">
        <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
      <HourlyValues time="2014-08-24T12:00:00-04:00">
       <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
      <HourlyValues time="2014-08-24T13:00:00-04:00">
        <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
      <HourlyValues time="2014-08-24T14:00:00-04:00">
        <RampRateCurve>
         <RampRatePoint rate="1.6" MW="50.1"/>
         <RampRatePoint rate="2.6" MW="90.1"/>
         <RampRatePoint rate="3.6" MW="120.1"/>
        </RampRateCurve>
```

```
</HourlyValues>
      <HourlyValues time="2014-08-24T15:00:00-04:00">
        <RampRateCurve>
         <RampRatePoint rate="1.6" MW="50.1"/>
         <RampRatePoint rate="2.6" MW="90.1"/>
         <RampRatePoint rate="3.6" MW="120.1"/>
        </RampRateCurve>
      </HourlyValues>
      <HourlyValues time="2014-08-24T16:00:00-04:00">
       <RampRateCurve>
         <RampRatePoint rate="1.6" MW="50.1"/>
         <RampRatePoint rate="2.6" MW="90.1"/>
         <RampRatePoint rate="3.6" MW="120.1"/>
        </RampRateCurve>
      </HourlyValues>
      <HourlyValues time="2014-08-24T17:00:00-04:00">
       <RampRateCurve>
         <RampRatePoint rate="1.6" MW="50.1"/>
         <RampRatePoint rate="2.6" MW="90.1"/>
         <RampRatePoint rate="3.6" MW="120.1"/>
       </RampRateCurve>
      </HourlyValues>
      <HourlyValues time="2014-08-24T18:00:00-04:00">
        <RampRateCurve>
         <RampRatePoint rate="4.1" MW="118.1"/>
       </RampRateCurve>
      </HourlyValues>
      <HourlyValues time="2014-08-24T19:00:00-04:00">
        <RampRateCurve>
         <RampRatePoint rate="1.6" MW="50.1"/>
         <RampRatePoint rate="2.6" MW="90.1"/>
         <RampRatePoint rate="3.6" MW="120.1"/>
       </RampRateCurve>
      </HourlyValues>
      <HourlyValues time="2014-08-24T20:00:00-04:00">
        <RampRateCurve>
         <RampRatePoint rate="1.6" MW="50.1"/>
         <RampRatePoint rate="2.6" MW="90.1"/>
         <RampRatePoint rate="3.6" MW="120.1"/>
       </RampRateCurve>
      </HourlyValues>
      <HourlyValues time="2014-08-24T21:00:00-04:00">
       <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
      <HourlyValues time="2014-08-24T22:00:00-04:00">
        <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
      <HourlyValues time="2014-08-24T23:00:00-04:00">
        <FixedRampRate>4.9</FixedRampRate>
      </HourlyValues>
    </HourlyProfile>
    <ShortName>UNIT</ShortName>
  </UnitRampRateHourly>
</GetUnitRampRateHourlyResponse>
```

#### Schedule Offers Hourly Updates XML Report

This report contains the information that is shown on the Unit Schedule Offers Hourly Updates display for every unit that belongs to you as Lead Participant, and for which hourly updates exist. Uncapped price is included in the report for price points with submitted offer price exceeding \$1000. The following is a sample of the report.

<?xml version="1.0" encoding="UTF-8" standalone="yes"?> <GetScheduleBidHourlyResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages"> <ScheduleBidHourly day="2014-08-24" ID="66697"> <HourlyProfile> <HourlyValues time="2014-08-24T00:00:00-04:00"> <PriceCurve> <PricePoint price="183.71" MW="55"> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>0</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>100</Percentage> </FuelIndex> </PricePoint> <PricePoint price="210.18" MW="60"> <FuelIndex> <Name>MA natgas2</Name> <Percentage>0</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>100</Percentage> </FuelIndex> </PricePoint> </PriceCurve> <UseOfferSlope>true</UseOfferSlope> <HotStartupCostAndFuel> <Cost> 9999.12 </Cost> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>0</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>100</Percentage> </FuelIndex> </HotStartupCostAndFuel> <InterStartupCostAndFuel> <Cost>14999.12</Cost> <FuelIndex> <Name>MA natgas2</Name> <Percentage>0</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>100</Percentage> </FuelIndex> </InterStartupCostAndFuel>

<ColdStartupCostAndFuel> <Cost>99999.12</Cost> <FuelIndex> <Name>MA natgas2</Name> <Percentage>0</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>100</Percentage> </FuelIndex> </ColdStartupCostAndFuel> <NoLoadCostAndFuel> <Cost>5047.0</Cost> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>0</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>100</Percentage> </FuelIndex> </NoLoadCostAndFuel> </HourlyValues>

#### .

<HourlyValues time="2014-08-24T23:00:00-04:00"> <PriceCurve> <PricePoint price="183.71" MW="55"> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>0</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>100</Percentage> </FuelIndex> </PricePoint> <PricePoint price="210.18" MW="60"> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>0</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>100</Percentage> </FuelIndex> </PricePoint> </PriceCurve> <UseOfferSlope>true</UseOfferSlope> <HotStartupCostAndFuel> <Cost>9999.12 </Cost> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>0</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>100</Percentage>

</FuelIndex> </HotStartupCostAndFuel> <InterStartupCostAndFuel> <Cost>14999.12</Cost> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>0</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>100</Percentage> </FuelIndex> </InterStartupCostAndFuel> <ColdStartupCostAndFuel> <Cost>99999.12</Cost> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>0</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>100</Percentage> </FuelIndex> </ColdStartupCostAndFuel> <NoLoadCostAndFuel> <Cost>5047.0</Cost> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>0</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>100</Percentage> </FuelIndex> </NoLoadCostAndFuel> </HourlyValues> </HourlyProfile> <ShortName>UNIT\_R2</ShortName> </ScheduleBidHourly> <ScheduleBidHourly day="2014-08-24" ID="66698"> <HourlyProfile> <HourlyValues time="2014-08-24T00:00:00-04:00"> <PriceCurve> <PricePoint price="83.71" MW="55"> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>100</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>0</Percentage> </FuelIndex> </PricePoint> <PricePoint price="110.18" MW="60"> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>100</Percentage> </FuelIndex>

<FuelIndex> <Name>No2</Name> <Percentage>0</Percentage> </FuelIndex> </PricePoint> </PriceCurve> <UseOfferSlope>true</UseOfferSlope> <HotStartupCostAndFuel> <Cost>6666.12 </Cost> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>100</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>0</Percentage> </FuelIndex> </HotStartupCostAndFuel> <InterStartupCostAndFuel> <Cost>11666.12</Cost> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>100</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>0</Percentage> </FuelIndex> </InterStartupCostAndFuel> <ColdStartupCostAndFuel> <Cost>166666.12</Cost> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>100</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>0</Percentage> </FuelIndex> </ColdStartupCostAndFuel> <NoLoadCostAndFuel> <Cost>2547.0</Cost> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>100</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>0</Percentage> </FuelIndex> </NoLoadCostAndFuel> </HourlyValues> <HourlyValues time="2014-08-24T23:00:00-04:00"> <PriceCurve> <PricePointCapped price="1000.00" MW="55" uncappedPrice="1083.71"> <FuelIndex>

<Name>MA\_natgas2</Name> <Percentage>100</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>0</Percentage> </FuelIndex> </PricePointCapped> <PricePointCapped price="1000.00" MW="60" uncappedPrice="1110.18"> <FuelIndex> <Name>MA natgas2</Name> <Percentage>100</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>0</Percentage> </FuelIndex> </PricePointCapped> </PriceCurve> <UseOfferSlope>true</UseOfferSlope> <HotStartupCostAndFuel> <Cost>6666.12 </Cost> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>100</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>0</Percentage> </FuelIndex> </HotStartupCostAndFuel> <InterStartupCostAndFuel> <Cost>11666.12</Cost> <FuelIndex> <Name>MA natgas2</Name> <Percentage>100</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>0</Percentage> </FuelIndex> </InterStartupCostAndFuel> <ColdStartupCostAndFuel> <Cost>166666.12</Cost> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>100</Percentage> </FuelIndex> <FuelIndex> <Name>No2</Name> <Percentage>0</Percentage> </FuelIndex> </ColdStartupCostAndFuel> <NoLoadCostAndFuel> <Cost>2547.0</Cost> <FuelIndex> <Name>MA\_natgas2</Name> <Percentage>100</Percentage>

```
</FuelIndex>
<FuelIndex>
<Name>No2</Name>
<Percentage>0</Percentage>
</FuelIndex>
</NoLoadCostAndFuel>
</HourlyValues>
</HourlyValues>
</HourlyProfile>
<ShortName>UNIT_R1</ShortName>
</ScheduleBidHourly>
```

#### Schedule Times Hourly Updates XML Report

```
This report contains the information that is shown on the Unit Schedule Times
Hourly Updates display for every unit that belongs to you as Lead Participant.
and for which hourly updates exist. The following is a sample of the report.
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetScheduleTimesHourlyResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <ScheduleTimesHourly day="2014-08-24" ID="77797">
    <HourlyProfile>
      <HourlyValues time="2014-08-24T00:00:00-04:00">
       <HotStartupTime>1.5</HotStartupTime>
        <InterStartupTime>2.5</InterStartupTime>
        <ColdStartupTime>4</ColdStartupTime>
       <HotNotifvTime>1</HotNotifvTime>
       <InterNotifyTime>1</InterNotifyTime>
       <ColdNotifyTime>1.5</ColdNotifyTime>
      </HourlyValues>
      <HourlvValues time="2014-08-24T23:00:00-04:00">
        <HotStartupTime>1.5</HotStartupTime>
       <InterStartupTime>2.5</InterStartupTime>
        <ColdStartupTime>4</ColdStartupTime>
        <HotNotifyTime>1</HotNotifyTime>
        <InterNotifyTime>1</InterNotifyTime>
        <ColdNotifyTime>1.5</ColdNotifyTime>
      </HourlyValues>
    </HourlyProfile>
    <ShortName>UNIX R2</ShortName>
  </ScheduleTimesHourly>
  <ScheduleTimesHourly day="2014-08-24" ID="77798">
    <HourlyProfile>
      <HourlyValues time="2014-08-24T00:00:00-04:00">
        <HotStartupTime>1.5</HotStartupTime>
        <InterStartupTime>2.5</InterStartupTime>
        <ColdStartupTime>4</ColdStartupTime>
        <HotNotifyTime>1</HotNotifyTime>
        <InterNotifyTime>1</InterNotifyTime>
       <ColdNotifyTime>1.5</ColdNotifyTime>
      </HourlyValues>
      <HourlyValues time="2014-08-24T23:00:00-04:00">
       <HotStartupTime>1.5</HotStartupTime>
        <InterStartupTime>2.5</InterStartupTime>
```

<ColdStartupTime>4</ColdStartupTime>

```
<HotNotifyTime>1</HotNotifyTime>
<InterNotifyTime>1</InterNotifyTime>
<ColdNotifyTime>1.5</ColdNotifyTime>
</HourlyValues>
</HourlyProfile>
<ShortName>UNIX_R1</ShortName>
</ScheduleTimesHourly>
</GetScheduleTimesHourlyResponse>
```

#### **Fuel Price Adjustments XML Report**

This report contains the information that is shown in the Submitted FPA section of the Fuel Price Adjustments display for every unit that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetFuelPriceAdjustmentUnitResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <FuelPriceAdjustmentUnit day="2014-08-24" ID="666">
    <UnitLongName>UNITLongName</UnitLongName>
    <FuelPriceAdiustmentFuel>
      <FuelIndex>MA natgas2</FuelIndex>
      <FuelPriceAdjustment FPAID="466188495">
       <StartHour>2014-08-24T08:00:00-04:00</StartHour>
        <EndHour>2014-08-24T10:00:00-04:00</EndHour>
        <RequestedPrice>4.5</RequestedPrice>
        <EffectivePrice>4.05</EffectivePrice>
        <EffectivePriceIsIndex>false</EffectivePriceIsIndex>
        <SubmittedBy>GenUser</SubmittedBy>
        <SubmitAcceptedTime>2014-08-23T08:32:13-04:00</SubmitAcceptedTime>
        <WithdrawnBy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
       <WithdrawnHour xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <WithdrawnAcceptedTime xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <Status>Capped</Status>
        <Attachments>
          <Attachment>
            <AttachmentID>466188624</AttachmentID>
            <FileName>error message.docx</FileName>
            <UploadedBy>GenUser</UploadedBy>
            <UploadedTime>2014-08-23T08:34:37-04:00</UploadedTime>
          </Attachment>
        </Attachments>
      </FuelPriceAdjustment>
      <FuelPriceAdjustment FPAID="466188795">
        <StartHour>2014-08-24T14:00:00-04:00</StartHour>
        <EndHour>2014-08-24T19:00:00-04:00</EndHour>
        <RequestedPrice>4.11</RequestedPrice>
        <EffectivePrice>4.11</EffectivePrice>
        <EffectivePriceIsIndex>false</EffectivePriceIsIndex>
        <SubmittedBy>GenUser</SubmittedBy>
       <SubmitAcceptedTime>2014-08-23T08:35:35-04:00</SubmitAcceptedTime>
        <WithdrawnBy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
       <WithdrawnHour xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <WithdrawnAcceptedTime xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <Status>Approved</Status>
      </FuelPriceAdjustment>
      <FuelPriceAdjustment FPAID="466203107">
        <StartHour>2014-08-24T20:00:00-04:00</StartHour>
        <EndHour>2014-08-24T22:00:00-04:00</EndHour>
```

```
<RequestedPrice>4.75</RequestedPrice>
        <EffectivePrice>4.75</EffectivePrice>
        <EffectivePriceIsIndex>false</EffectivePriceIsIndex>
        <SubmittedBy>ISO-NE IMM</SubmittedBy>
        <SubmitAcceptedTime>2014-08-23T13:33:47-04:00</SubmitAcceptedTime>
        <WithdrawnBy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <WithdrawnHour xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <WithdrawnAcceptedTime xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <Status>Approved</Status>
      </FuelPriceAdjustment>
    </FuelPriceAdjustmentFuel>
  </FuelPriceAdjustmentUnit>
  <FuelPriceAdjustmentUnit day="2014-08-24" ID="999">
    <UnitLongName>UNIT X</UnitLongName>
    <FuelPriceAdjustmentFuel>
      <FuelIndex>No6_070</FuelIndex>
      <FuelPriceAdjustment FPAID="466207278">
        <StartHour>2014-08-24T03:00:00-04:00</StartHour>
        <EndHour>2014-08-24T07:00:00-04:00</EndHour>
        <RequestedPrice>30</RequestedPrice>
        <EffectivePrice>16.64</EffectivePrice>
        <EffectivePriceIsIndex>false</EffectivePriceIsIndex>
        <SubmittedBy>GenUser</SubmittedBy>
        <SubmitAcceptedTime>2014-08-23T14:56:32-04:00</SubmitAcceptedTime>
        <WithdrawnBy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <WithdrawnHour xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <WithdrawnAcceptedTime xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <Status>Capped</Status>
      </FuelPriceAdjustment>
    </FuelPriceAdjustmentFuel>
  </FuelPriceAdjustmentUnit>
</GetFuelPriceAdjustmentUnitResponse>
```

#### Effective Hourly Fuel Prices of Units with FPAs XML Report

This report contains the information that is shown in the Effective Fuel Price Adjustments section of the Fuel Price Adjustments display for every unit that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetFuelPriceAdjustmentUnitHourlyResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <FuelPriceAdjustmentUnitHourly day="2014-08-24" ID="999">
    <UnitLongName>UNITXLongName</UnitLongName>
    <FuelPriceAdjustmentFuelHourly>
      <FuelIndex>MA natgas2</FuelIndex>
      <HourlyProfile>
        <HourlyValues time="2014-08-24T08:00:00-04:00">
          <FPAID>466188495</FPAID>
          <EffectivePrice>41.5</EffectivePrice>
          <EffectivePriceIsIndex>false</EffectivePriceIsIndex>
          <Status>Approved</Status>
        </HourlyValues>
        <HourlyValues time="2014-08-24T09:00:00-04:00">
          <FPAID>466188495</FPAID>
          <EffectivePrice>41.5</EffectivePrice>
          <EffectivePriceIsIndex>false</EffectivePriceIsIndex>
          <Status>Approved</Status>
        </HourlyValues>
```

<HourlyValues time="2014-08-24T10:00:00-04:00"> <FPAID>466188495</FPAID> <EffectivePrice>41.5</EffectivePrice> <EffectivePriceIsIndex>false</EffectivePriceIsIndex> <Status>Approved</Status> </HourlyValues> <HourlyValues time="2014-08-24T11:00:00-04:00"> <FPAID>466188495</FPAID> <EffectivePrice>40.5</EffectivePrice> <EffectivePriceIsIndex>false</EffectivePriceIsIndex> <Status>Capped</Status> </HourlyValues> <HourlyValues time="2014-08-24T12:00:00-04:00"> <FPAID>466188495</FPAID> <EffectivePrice>40.5</EffectivePrice> <EffectivePriceIsIndex>false</EffectivePriceIsIndex> <Status>Capped</Status> </HourlyValues> <HourlyValues time="2014-08-24T13:00:00-04:00"> <FPAID>466188495</FPAID> <EffectivePrice>40.5</EffectivePrice> <EffectivePriceIsIndex>false</EffectivePriceIsIndex> <Status>Capped</Status> </HourlyValues> <HourlyValues time="2014-08-24T14:00:00-04:00"> <FPAID>466188795</FPAID> <EffectivePrice>40.5</EffectivePrice> <EffectivePriceIsIndex>false</EffectivePriceIsIndex> <Status>Capped</Status> </HourlyValues> <HourlyValues time="2014-08-24T15:00:00-04:00"> <FPAID>466188795</FPAID> <EffectivePrice>40.5</EffectivePrice> <EffectivePriceIsIndex>false</EffectivePriceIsIndex> <Status>Capped</Status> </HourlyValues> <HourlyValues time="2014-08-24T16:00:00-04:00"> <FPAID>466188805</FPAID> <EffectivePrice>39.95</EffectivePrice> <EffectivePriceIsIndex>false</EffectivePriceIsIndex> <Status>Approved</Status> </HourlyValues> <HourlyValues time="2014-08-24T17:00:00-04:00"> <FPAID>466188805</FPAID> <EffectivePrice>39.95</EffectivePrice> <EffectivePriceIsIndex>false</EffectivePriceIsIndex> <Status>Approved</Status> </HourlyValues> <HourlyValues time="2014-08-24T18:00:00-04:00"> <FPAID>466188805</FPAID> <EffectivePrice>39.95</EffectivePrice> <EffectivePriceIsIndex>false</EffectivePriceIsIndex> <Status>Approved</Status> </HourlyValues> <HourlyValues time="2014-08-24T19:00:00-04:00"> <FPAID>466188805</FPAID> <EffectivePrice>39.95</EffectivePrice> <EffectivePriceIsIndex>false</EffectivePriceIsIndex>

```
<Status>Approved</Status>
        </HourlyValues>
        <HourlyValues time="2014-08-24T20:00:00-04:00">
          <FPAID>466188805</FPAID>
          <EffectivePrice>39.95</EffectivePrice>
          <EffectivePriceIsIndex>false</EffectivePriceIsIndex>
          <Status>Approved</Status>
        </HourlyValues>
        <HourlyValues time="2014-08-24T21:00:00-04:00">
          <FPAID>466203107</FPAID>
          <EffectivePrice>41.75</EffectivePrice>
          <EffectivePriceIsIndex>false</EffectivePriceIsIndex>
          <Status>Approved</Status>
        </HourlyValues>
        <HourlyValues time="2014-08-24T22:00:00-04:00">
          <FPAID>466203107</FPAID>
          <EffectivePrice>41.75</EffectivePrice>
          <EffectivePriceIsIndex>false</EffectivePriceIsIndex>
          <Status>Approved</Status>
        </HourlyValues>
      </HourlyProfile>
    </FuelPriceAdjustmentFuelHourly>
  </FuelPriceAdjustmentUnitHourly>
</GetFuelPriceAdjustmentUnitHourlyResponse>
```

#### **Generation by Unit XML Report**

This report contains the same information that is shown on the Generation by Portfolio display. The report contains information only after the Day-Ahead market has been cleared and the time for the opening of the Re-Offer Period of the selected day has passed. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="ves"?>
<GetGenByParticipantResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <GenByParticipant day="2014-08-24" ID="666">
    <UnitShortName>UNIT</UnitShortName>
    <UnitScheduleID>66699</UnitScheduleID>
    <UnitScheduleShortName>UNIT M</UnitScheduleShortName>
    <HourlvProfile>
      <HourlyValues priceCapped="false" time="2014-08-24T00:00:00-04:00" MW="23" price="29.62"/>
      <HourlyValues priceCapped="false" time="2014-08-24T01:00:00-04:00" MW="23" price="29.53"/>
      <HourlyValues priceCapped="false" time="2014-08-24T02:00:00-04:00" MW="23" price="30.78"/>
      <HourlyValues priceCapped="false" time="2014-08-24T03:00:00-04:00" MW="23" price="35.55"/>
      <HourlyValues priceCapped="false" time="2014-08-24T04:00:00-04:00" MW="23" price="38.69"/>
      <HourlyValues priceCapped="false" time="2014-08-24T05:00:00-04:00" MW="23" price="41.67"/>
      <HourlyValues priceCapped="false" time="2014-08-24T06:00:00-04:00" MW="23" price="42.09"/>
      <HourlyValues priceCapped="false" time="2014-08-24T07:00:00-04:00" MW="23" price="40.75"/>
      <HourlyValues priceCapped="false" time="2014-08-24T08:00:00-04:00" MW="23" price="38.95"/>
      <HourlyValues priceCapped="false" time="2014-08-24T22:00:00-04:00" MW="23" price="36.45"/>
      <HourlyValues priceCapped="false" time="2014-08-24T23:00:00-04:00" MW="23" price="34.44"/>
    </HourlyProfile>
  </GenByParticipant>
  <GenByParticipant day="2014-08-24" ID="666">
    <UnitShortName>UNIT</UnitShortName>
    <UnitScheduleID>66605</UnitScheduleID>
    <UnitScheduleShortName>UNITPric</UnitScheduleShortName>
    <HourlvProfile>
      <HourlyValues priceCapped="false" time="2014-08-24T09:00:00-04:00" MW="13" price="129.62"/>
```

```
<HourlyValues priceCapped="false" time="2014-08-24T11:00:00-04:00" MW="13" price="130.78"/>
      <HourlyValues priceCapped="false" time="2014-08-24T12:00:00-04:00" MW="13" price="135.55"/>
      <HourlyValues priceCapped="false" time="2014-08-24T13:00:00-04:00" MW="13" price="138.69"/>
      <HourlyValues priceCapped="false" time="2014-08-24T14:00:00-04:00" MW="13" price="141.67"/>
      <HourlyValues priceCapped="false" time="2014-08-24T15:00:00-04:00" MW="13" price="142.09"/>
      <HourlyValues priceCapped="false" time="2014-08-24T16:00:00-04:00" MW="13" price="140.75"/>
      <HourlyValues priceCapped="false" time="2014-08-24T17:00:00-04:00" MW="13" price="138.95"/>
      <HourlyValues priceCapped="false" time="2014-08-24T18:00:00-04:00" MW="13" price="136.45"/>
      <HourlyValues priceCapped="false" time="2014-08-24T19:00:00-04:00" MW="13" price="134.44"/>
      <HourlyValues priceCapped="false" time="2014-08-24T20:00:00-04:00" MW="13" price="136.54"/>
      <HourlyValues priceCapped="false" time="2014-08-24T21:00:00-04:00" MW="13" price="129.33"/>
    </HourlyProfile>
  </GenByParticipant>
  <GenByParticipant day="2014-08-24" ID="77776">
    <UnitShortName>UNIX</UnitShortName>
    <UnitScheduleID>7777601</UnitScheduleID>
    <UnitScheduleShortName>DFLPRICE</UnitScheduleShortName>
    <HourlyProfile>
      <HourlyValues priceCapped="false" time="2014-08-24T00:00:00-04:00" MW="11" price="225.96"/>
      <HourlyValues priceCapped="false" time="2014-08-24T01:00:00-04:00" MW="11" price="223.91"/>
      <HourlyValues priceCapped="false" time="2014-08-24T02:00:00-04:00" MW="11" price="222.45"/>
      <HourlyValues priceCapped="false" time="2014-08-24T03:00:00-04:00" MW="11" price="221.42"/>
      <HourlyValues priceCapped="false" time="2014-08-24T04:00:00-04:00" MW="11" price="222.47"/>
      <HourlyValues priceCapped="false" time="2014-08-24T05:00:00-04:00" MW="11" price="223.82"/>
      <HourlyValues priceCapped="false" time="2014-08-24T06:00:00-04:00" MW="11" price="228.04"/>
      <HourlyValues priceCapped="false" time="2014-08-24T07:00:00-04:00" MW="11" price="231.35"/>
      <HourlyValues priceCapped="false" time="2014-08-24T08:00:00-04:00" MW="11" price="231.44"/>
      <HourlyValues priceCapped="false" time="2014-08-24T09:00:00-04:00" MW="11" price="232.27"/>
      <HourlyValues priceCapped="false" time="2014-08-24T10:00:00-04:00" MW="11" price="233.56"/>
      <HourlyValues priceCapped="false" time="2014-08-24T11:00:00-04:00" MW="11" price="235.06"/>
      <HourlyValues priceCapped="false" time="2014-08-24T12:00:00-04:00" MW="12" price="239.89"/>
      <HourlyValues priceCapped="false" time="2014-08-24T13:00:00-04:00" MW="12" price="243.62"/>
      <HourlyValues priceCapped="false" time="2014-08-24T14:00:00-04:00" MW="17" price="246.19"/>
      <HourlyValues priceCapped="false" time="2014-08-24T15:00:00-04:00" MW="17" price="246.79"/>
      <HourlyValues priceCapped="false" time="2014-08-24T16:00:00-04:00" MW="17" price="246.33"/>
      <HourlyValues priceCapped="false" time="2014-08-24T17:00:00-04:00" MW="12" price="243.79"/>
      <HourlyValues priceCapped="false" time="2014-08-24T18:00:00-04:00" MW="12" price="240.52"/>
      <HourlyValues priceCapped="false" time="2014-08-24T19:00:00-04:00" MW="12" price="237.71"/>
      <HourlyValues priceCapped="false" time="2014-08-24T20:00:00-04:00" MW="12" price="239.22"/>
      <HourlyValues priceCapped="false" time="2014-08-24T21:00:00-04:00" MW="11" price="232.22"/>
      <HourlyValues priceCapped="false" time="2014-08-24T22:00:00-04:00" MW="11" price="230.35"/>
      <HourlyValues priceCapped="false" time="2014-08-24T23:00:00-04:00" MW="11" price="228.97"/>
    </HourlyProfile>
  </GenByParticipant>
</GetGenByParticipantResponse>
```

<HourlyValues priceCapped="false" time="2014-08-24T10:00:00-04:00" MW="13" price="129.53"/>

#### Schedule Day-Ahead Ancillary Service Offers

This report contains the same information provided by the Generation Schedule DA A/S Offers display. The following is a sample of the GetUnitASScheduleOfferHourlyResponseXML response report.

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>

<GetUnitASScheduleOfferHourlyResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages"> <UnitASScheduleOfferHourly day="2024-02-08" ID="99901">

```
<ShortName>Price01</ShortName>
    <DayAheadSchedule>true</DayAheadSchedule>
    <MaxDailyAwardLimit xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    <HourlyProfile>
      <HourlyValues time="2024-02-08T00:00:00-05:00">
        <MW>170</MW>
        <TmsrPrice>19.45</TmsrPrice>
        <TmnsrPrice>14.57</TmnsrPrice>
        <TmorPrice>9.5</TmorPrice>
        <EirPrice>7.48</EirPrice>
        <Avail>true</Avail>
      </HourlyValues>
      <HourlyValues time="2024-02-08T01:00:00-05:00">
        <MW>170</MW>
        <TmsrPrice>19.45</TmsrPrice>
        <TmnsrPrice>14.57</TmnsrPrice>
        <TmorPrice>9.5</TmorPrice>
        <EirPrice>7.48</EirPrice>
        <Avail>true</Avail>
      </HourlyValues>
      ....
    </HourlyProfile>
  </UnitASScheduleOfferHourly>
</GetUnitASScheduleOfferHourlyResponse>
```

#### **Day-Ahead Ancillary Service by Unit**

This report contains the same information provided by the Generation Ancillary Service (A/S) Portfolio display. The following is a sample of the GetUnitASByParticipantResponse XML response report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetUnitASByParticipantResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <UnitASByParticipant day="2024-10-14" ID="999">
   <UnitShortName>TEST1</UnitShortName>
   <UnitScheduleID>99901</UnitScheduleID>
   <HourlvProfile>
     <HourlyValues time="2024-10-14T00:00:00-04:00">
       <tmsrMW>0</tmsrMW>
       <tmnsrMW>0</tmnsrMW>
       <tmorMW>23</tmorMW>
       <eirMW>0</eirMW>
     </HourlyValues>
     <HourlyValues time="2024-10-14T01:00:00-04:00">
       <tmsrMW>0</tmsrMW>
       <tmnsrMW>13.2</tmnsrMW>
       <tmorMW>0</tmorMW>
       <eirMW>0</eirMW>
     </HourlyValues>
   </HourlyProfile>
  </UnitASByParticipant>
  <UnitASByParticipant day="2024-10-14" ID="99999">
   <UnitShortName>TEST2</UnitShortName>
   <UnitScheduleID>999902</UnitScheduleID>
   <UnitScheduleShortName>No Cleared A/S MW</UnitScheduleShortName>
```
```
<HourlyProfile>
<HourlyValues time="2024-10-14T00:00:00-04:00">
<tmsrMW>0</tmsrMW>
<tmnsrMW>0</tmnsrMW>
<tmorMW>0</tmorMW>
<eirMW>0</eirMW>
</HourlyValues>
....
</HourlyProfile>
</UnitASByParticipant>
</GetUnitASByParticipantResponse>
```

#### **Day-Ahead Ancillary Service Benchmark Calculation Results**

This report contains the same information provided by the Generation A/S Benchmark Results display. The following is a sample of the GetUnitASBenchmarkResponse XML response report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetUnitASBenchmarkResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <UnitASBenchmark day="2024-05-31" ID="99998">
   <HourlyProfile>
     <HourlyValues time="2024-05-31T00:00:00-04:00">
       <BenchmarkLevel>46.35</BenchmarkLevel>
       <BmAvoidableInputCost>42.83</BmAvoidableInputCost>
       <BmCloseout>3.52</BmCloseout>
       <BmRTHubLmp>14.07</BmRTHubLmp>
       <CtAvoidableInputCost>42.83</CtAvoidableInputCost>
       <CtCloseout>3.52</CtCloseout>
       <CtRTHubLmp>14.07</CtRTHubLmp>
     </HourlyValues>
   </HourlyProfile>
   <ShortName>ABC</ShortName>
   <ComputeTime>2024-05-30T01:13:40-04:00</ComputeTime>
  </UnitASBenchmark>
```

#### </GetUnitASBenchmarkResponse>

#### **Day-Ahead Ancillary Service Benchmark Data Overrides**

This report contains the same information provided by the Generation A/S Benchmark Overrides display. The following is a sample of the GetUnitASBenchmarkOverrideResponse XML response report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetUnitASBenchmarkOverrideResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
<UnitASBenchmarkOverride day="2024-05-31" ID="999">
<HourlyProfile>
<HourlyValues time="2024-05-31T00:00:00-04:00">
<ImmCloseout xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
<Closeout>0.11</Closeout>
<CloseoutStatus>Pending</CloseoutStatus>
```

#### <AICStatus>Pending</AICStatus>

```
<lsGasGen>0</lsGasGen>
<lsStorageFacilityGen>1</lsStorageFacilityGen>
</HourlyValues>
```

... </HourlyProfile> <ShortName>ABC</ShortName> </UnitASBenchmarkOverride> </GetUnitASBenchmarkOverrideResponse>

# 5. Regulation Tab

To access the Regulation Tab, you must be a registered user with a Regulation Read/Write or Read-Only role. When you have this access, the Regulation tab will be shown and selecting it will show all of its display sub tabs as shown below.

Public Ger	eration D	emand ARD	Regulation	
Private	Portfolio	Regulation	Regulation	XML
Messages	Manager	Offers Default	Hourly Updates	Download

# **Regulation Offer Concepts**

Regulation resources are specially equipped generating resources that are able to increase or decrease generation output every four seconds in response to signals it receives from ISO New England in order to control changes in the system load and fluctuations on the system tie-lines. There are two types of regulation resources:

- Generating units that are capable of providing regulation. These are flagged as Regulation Resources in the database. This status is shown on the Generation Unit Default Parameters display.
- Alternative Technology Regulation Resources (ATRRs) These are a new type of assets in the Market database that are capable of providing only regulation capability and therefore are limited to participating in only the Regulation Market.

When submitting data, it is important to understand the hierarchy of the Regulation offer data and the implications of data overrides. Figure 8 below shows the hierarchy of the Regulation displays used to submit data and where the same offer data appears in different displays, the data of which display has precedence over (overrides) the others. [Note: only the data elements subject to overrides are shown.]

The Regulation Offer display is at the root of the hierarchy. Participants must submit a complete set of Regulation offer data using this display when the asset is first instantiated in the database. These offers persist for future Market days until they are changed. The Regulation Hourly Updates displays allow the Participant to profile his physical and financial regulation offers on an hourly basis for a given Market day. These hourly updates offer data supersede the corresponding offer data for the Market day only; they don't extend to future market days.



Figure 8 – Regulation Display Hierarchy and Data Precedence

**Note**: For ATRRs that are part of a Continuous Storage Facility (CSF), refer to chapter 11 Continuous Storage Facilities (CSF) for additional considerations.

### **Regulation Portfolio Manager Display**

A regulation portfolio is a collection of regulation resources that are identified by each user. The user assigns a unique name to each portfolio when it is created. There is no limit to the number of regulation portfolios a user can create. Once a portfolio is created the user assigns one or more regulation resource. There is no limit to the number of regulation resources that can be "assigned" to a portfolio. A regulation resource can be assigned to more than one portfolio. It must be noted that only regulation resources can be assigned to regulation portfolios. Therefore, where you are looking at the Portfolio Manager display for regulation portfolios, only generating units capable of providing regulation and ATRRs that belong to the Participant that you represent will be listed as Regulation Assets.

Data is filtered by the regulation portfolio on the following displays:

- Regulation Offers
- Regulation Hourly Updates Display

**Note**: A regulation resource that is not associated with a portfolio cannot be selected in these displays' tooltray filters.

See §0 Manage Portfolios for more information on the purpose of portfolios and details on using this display.

## **Regulation Offers Default Display**

A regulation offer is submitted by a regulation Market Participant to sell regulation services. This display is to view and update the Participant's regulation offers for every regulation resource in the user's selected portfolio.

Regulation offers for a regulation resource consist of regulation high and low limits, a regulation (automatic) ramp rate, offers for regulation capacity (two parts) and service, and the resource's availability to participate in the Regulation market. Regulation offers for a given market day can be updated up to the close of the daily Regulation Market period. See §0 for a complete definition of the eMarket timeline for regulation offers.

ISO new england										Regulat	tion Market	Status: C Par	DPEN(01) ticipant:	ISO New I	Cer England Inc	eMa Version: tificate Us	<b>rket U</b> 3.0.0(201411) er: Superuser ¥	<b>User: Su</b>	<b>nterfa</b> 13-Dec-2014 peruser	19:21:
Public Generation Demand ARD Regulation																				
Private Portfolio Regulation Regulation Messages Manager Offers Default Hourly Updates	XML Download																			
Regulation Offers Daily Default																				
Select Date and Portfolio	Regulation Offe	rs for Portfolio	ALL_ATRRS o	on 15-Dec-20	014															
Date: 15-Dec-2014	Resource Short Name	Reg Capability	Reg Cap ITO Cost	Reg Cap Offer Oth	Reg Serv Price	ARR	ARR Cap	Dispatch Method	Reg High	RHL Ceil	Reg Low	RLL Floor	Unavail	Derate Factor	Derate Comment	Service Factor	Service Comment	Exclude Flag	Exclude Comment	
Portfolio: ALL ATRIC	A123	4	2.00	3.00	4.00	277.0	999.0	ENC	-1.0	10.0	-9.0	-10.0		1.0	Initial defa	10.0	Initial defa			
Portiolo: ALL_ATRKS	APNB	1.6	3.00	3.00	3.00	120.0	999.0	ENC	2.0	10.0	-1.0	-10.0		1.0	Initial defa	10.0	Initial defa			
	BPW1	3.7	3.00	4.00	3.00	999.0	999.0	ENT	4.0	10.0	-3.5	-10.0		1.0	Initial defa	10.0	Initial defa			
	BPW2	5	2.00	1.00	2.00	88.0	999.0	ENT	4.0	10.0	-8.0	-10.0		1.0	Initial defa	10.0	Initial defa			
	CAR2	8.5	2.00	2.00	2.00	300.0	999.0	ENC	9.0	10.0	-8.0	-10.0		1.0	Initial defa	10.0	Initial defa			
	DSYS	2	1.00	2.00	3.00	88.0	999.0	CONT	4.0	10.0	0.0	-14.0		1.0	Initial defa	10.0	Initial defa			
	RLT1	3	1.00	1.00	1.00	240.0	999.0	CONT	8.0	10.0	2.0	-10.0		1.0	Initial defa	10.0	Initial defa			
																			date	Refresh
																		Up		tendSli
Messages																				

The format of this display is shown below:

The fields on this display are:

- **Resource Short Name** The name of the regulation resource.
- Reg Capability The regulation capability: a calculated value equal to the day's derate factor times the minimum of 5 times the regulation ramp rate (ARR) and half the difference between the regulation high and low limits; i.e.,
   Reg Capability = Derate Factor x Min (5 x ARR, [Reg High<sup>20</sup> Reg Low<sup>20</sup>]/2).
- **Reg Cap ITO Cost** The price requested to cover the regulation inter-temporal opportunity capacity cost (\$/MWH) of the resource.
- **Reg Cap Offer Other** The price requested to cover all other regulation capacity cost (\$/MWH) of the resource.
- **Reg Serv Price** The price requested to cover the regulation service cost (\$/MWH) of the resource.

<sup>&</sup>lt;sup>20</sup> Effectively, it is the minimum of the Reg High and Reg Ceil limits and the maximum of the Reg Low and Reg Floor limits.

- ARR (Automatic Response Rate) The MW/Minute rate at which the resource can change its MW output in response to regulation dispatch instructions.
- ARR Cap The resource's demonstrated ARR Capability value that was established during the last audit conducted by ISO New England. The offer value for ARR will be capped (constrained) to this value within the generation dispatch software if it is defined. If the demonstrated capability value is undefined, it will be shown as blank.
- **Dispatch Method** The dispatch methodology of the regulating resource. The possibilities are:
  - CONT for Continuous; not energy neutral (for traditional thermal units, but can apply to ATRRs)
  - ENC for Energy Neutral Continuous (applicable to ATRRs only)
  - ENT for Energy Neutral Trinary (applicable to ATRRs only)
- **Reg High** The highest level of energy, in MW, that the Participant will allow for the operation of the resource while it is providing regulation (on Automatic Generation Control). This is the Regulation High Limit (RHL).
- **RHL Ceil** The highest level of energy, in MW, recognized by ISO New England for the operation of the resource while it is providing regulation (on Automatic Generation Control). For generators, this is the unit's <u>daily</u> Economic Maximum limit shown on the Schedule Detail Defaults display for the schedule designated for the RT Market on the selected market day. For ATRRs, this is a value set for the resource by the ISO New England.
- **Reg Low** The lowest level of energy, in MW, that the Participant will allow for operation of the resource while it is providing regulation (on Automatic Generation Control). This is the Regulation Low Limit (RLL).
- RLL Floor The lowest level of energy, in MW, recognized by ISO New England for the operation of the resource while it is providing regulation (on Automatic Generation Control). For generators, this is unit's <u>daily</u> Economic Minimum limit shown on the Schedule Detail Defaults display for the schedule designated for the RT Market on the selected market day. For ATRRs, this is a value set for the resource by the ISO New England.
- **Unavail** When checked it indicates that the resource is not available for regulation; entered by the Participant.
- **Derate Factor** This is a value between 0 and 1 that is calculated based on historical performance that provides an estimate of the

resource's future capability to respond to an AGC setpoint. It is set by the ISO New England.

- **Derate Comment** A comment entered by the ISO New England the last time the Derate Factor value was changed.
- Service Factor A factor that is calculated based on historical performance that provides an estimate of the resource's regulation service as a multiple of capacity. It is set by the ISO New England.
- Service Comment A comment entered by the ISO New England the last time the Service Factor value was changed.
- **Exclude Flag** When checked it indicates that the resource is excluded from the regulation market by the ISO New England.
- **Exclude Comment** A comment entered by the ISO New England the last time the Exclude Flag value was changed.

### **Data Validation Rules**

When you click the **Update** button, eMarket makes the following checks to ensure that the entered value is valid:

- Automatic Response Rate cannot be less than a minimum allowable response rate that is set by ISO New England.
- A warning will be issued if the Automatic Response rate exceeds the ARR Cap, when one is defined.
- Reg Floor ≤ Reg Low < Reg High ≤ Reg Ceil Note that for ATRRs, the regulation limits can be negative. For generating units, the regulation limits must be strictly positive; the economic limits (Reg Floor = Economic Minimum, Reg Ceil = Economic Maximum) are the more constraining of the limits among the daily default (those entered on the Schedule Detail Defaults display) and the hourly updates (those entered on the Unit Hourly Updates display) for the selected market day; thus the limits used for validation are not necessarily the ones shown on the display in the Reg Floor and Reg Ceil columns. This is the *limit nesting rule*. A warning message is returned when this rule is violated.
- Total regulation capacity offer price (Reg Cap ITO Cost + Reg Cap Offer Other) cannot exceed \$100.00 and must be greater than the Regulation Floor Price determined by the ISO New England.
- Regulation service offer price (Reg Serv Price) cannot exceed \$10.00 and must be greater than the Regulation Floor Price determined by the ISO New England.

### Modify Regulation Offers

- 1. In the Regulation Navigation sub tabs, click the **Regulation Offers Default** tab.
  - The Regulation Offers Daily Default display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
    - The detail of the regulation offers for the resources in the selected portfolio is displayed.
- 3. Enter any or all of the following information for the desired resources:
  - a. Regulation Prices
  - b. Automatic Response Rate
  - c. Available/Unavailable
  - d. Regulation limits
- 4. Click the **Update** button to save the data.

### **Regulation Hourly Updates Display**

This display is used to view and modify the hourly overrides of a resource's daily (default) regulation offer parameters for a specified market day. Refer to section 0 Business Rules and Timelines for the specification of when regulation hourly updates can be submitted into the market and which can be submitted during the Regulation Intraday Re-Offer period.

ISO new engla	land				_	_	Regul	ation Marl	ket Status: Of	PEN(01)		Certific	ersion: 3.0. cate User: :	<b>ket Us</b> .0(20141106 Superuser	ser 1	<b>nterface</b> 13-Dec-2014 19:41:3
# <b>**</b>									Parti	cipant: IS	O New Englan	id Inc		<b>~</b> (	Jser: Su	peruser 👻
Public Generation Demand	ARD	Regulation														
Messages Manager Offers	stion Default	Regulation Hourly Updates	Download													
Regulation Hourly	y Upda	ates														
Select Date and Resource		~	Regulation Daily Def	ault Values for	A123 on 1	5-Dec-2014										1
Dates of Date 2014			Resource	Reg	Reg	Reg	ARR	Unavail	Reg Cap	Reg Cap	Reg Serv	RLL	RHL	Active	Dispatch	
Date: 15-Dec-2014			A123	4	-9.0	-1.0	277.0		2.00	3.00	4.00	-10.0	10.0	999.0	ENC	
Portfolio: ALL_ATRRS		×						Cinc.								
Resource: A123		~	Regulation Hourly U	Reg Canability	Reg	Reg High	ARR	Unavail	Reg Cap	Reg Cap	Reg Serv Price		Legend			
			Y Y Conv	Capacing	2011	. ng n			110 0051	Oner Our			No			
			01	40									No Oven	nue: 🔳		
			02	4.0								-	Available	: 🔳		
			03	4.0									Unavailab	ole: 🔽		
			04	4.0												
			05	4.0												
			08	4.0												
			07	4.0												
			08	4.0												
			09	4.0												
			10	4.0												
			11	4.0												
			12	4.0												
			13	4.0												
			14	4.0												
			18	4.0												
			17	4.0												
			18	4.0												
			19	4.0												
			20	4.0												
			21	4.0												
			22	4.0												
			23	4.0												
			24	4.0								-				
															Up	date Refresh
Messages																

The format of this display is shown below:

During the Regulation Intraday Re-Offer period, the rows for hours where regulation offers cannot be updated will be grayed out. For generating resources, the data entry cells for future hours of regulation financial offers will be the only ones shown (open) on the display, as illustrated below.

IS	new eng	gland						Regula	ation Mar	ket Status: Of	PEN(23)		<b>e</b> V Certifi	ension: 3.0 cate User:	<b>ket U</b> .0(2014110 Superuser	<b>ser 1</b>	<b>nter</b>	face
										Parti	icipant: ISC	) New Englan	d Inc		*	User: Su	peruser	*
Public Ge	eneration Demar	nd ARD	Regulation															
Private Messages	Portfolio Regi Manager Offe	ulation ers Default	Regulation Hourly Updates	XML Download														
Regul	ation Hour	rly Upda	ates															
Select Date	e and Resource		«	Regulation Daily De	fault Values for	ALTRESCO	on 13-Dec-	2014										8
Data				Resource	Reg	Reg	Reg	ARR	Unavail	Reg Cap	Reg Cap	Reg Serv	RLL	RHL	Active	Dispatch		
Date	: 13-Dec-2014			ALTR	4.5	149.0	159.0	3.0		0.00	0.75	0.00	150.0	160.0	ARR Cap	CONT		
Portrollo				Regulation Hourly U	Indates for ALT	RESCO on 1	13-Dec-2014	4										
Resource	ALTRESCO			Hour	Reg Capability	Reg Low	Reg High	ARR	Unavail	Reg Cap ITO Cost	Reg Cap Offer Oth	Reg Serv Price		Legend				
				Y Y Copy										No Over	ride: 🔳			
				01	4.5									Available	: 🗖			
				02	4.5									Unavoibl				
				03	4.5									Ullavalla	. <u>v</u>			
				04	4.5													
				05	4.5													
				07	4.5													
				08	4.5													
				09	4.5													
				10	4.5													
				11	4.5													
				12	4.5													
				13	4.5													
				14	4.5													
				16	4.0													
				17	4.5				-									
				18	4.5													
				19	4.5													
				20	4.5													
				21	4.5													
				22	4.5													
				23	4.5													
				24	4.5													
																Up	date	Refresh
Messages																		*

There are two frames in this display:

- 1. **Regulation Daily Default Values** This frame shows the daily default regulation offer parameters for the selected regulation resource and market day. They are the values shown on the Regulation Offers Default display. You cannot change these values using this display; they are shown for reference only.
- 2. **Regulation Hourly Updates** This frame shows the hourly overrides of the selected resource's regulation parameters for the selected market day. The fields in this frame are:
  - Hour Hour ending values are shown in the first column for each hour in the day. The row for hour ending 03 is not shown for the Spring Daylight Saving Time transition day. Similarly, the value on the row of the repeating hour ending 02 of the Fall Daylight Saving Time transition day is marked with an asterisk (\*).

 Reg Capability – The MW regulation capability for the hour calculated from the ARR for the hour, the regulation limits for the hour and the derate factor for the day. It is equal to the day's derate factor times the minimum of 5 times the regulation ramp rate (ARR) and half the difference between the regulation high and low limits; i.e.,

Reg Capability = Derate Factor x Min (5 x ARR, [Reg High<sup>21</sup> – Reg Low<sup>21</sup>]/2).

In the absence of an ARR and regulation limits for the hour, the daily offer values are used.

- Reg Low The regulation low limit override value if it is not blank.
- Reg High The regulation high limit override value if it is not blank
- **ARR (Automatic Response Rate)** The regulation response rate override value if it is not blank.
- **Unavail** Checkbox that serves to override the default status for the day. Refer to the legend shown of the display for the definition of the each state of the tri-state checkbox.
- Reg Cap ITO Cost The regulation inter-temporal opportunity capacity cost (\$/MWH) override value if it is not blank.
- Reg Cap Offer Oth The other regulation capacity cost (\$/MWH) override value if it is not blank.
- **Reg Serv Price** The regulation service cost (\$/MWH) override value if it is not blank.

The top row of the grid provides you with the means to enter or clear overrides for a selected range of hours. You select the range of hours to override by selecting a "From" hour-ending value (left) and a "To" hour-ending value and then selecting the "Copy" button to copy the values entered in the top row to the hourly rows that you specified for the hourly range before you select the "Update" to save the data that you entered on the screen.

Hourly overrides of the physical parameters (Reg Low, Reg High, ARR and Unavail) and the financial parameters (Reg Cap ITO Cost, Reg Cap Offer Oth and Reg Serv Price) are independent. In other words, you can submit overrides of the physical parameters for some hours without also submitting overrides of the financial parameters for these hours; the financial parameter values for these hours would be the daily default values. Vice versa, you can submit overrides of the financial parameters for some hours without also submitting overrides of the physical parameters for these hours; the physical parameter values for these hours would be the daily default values. In either case, **you must submit a complete set of override values for an hour**. In

<sup>&</sup>lt;sup>21</sup> Effectively, it is the minimum of the Reg High and Reg Ceil limits and the maximum of the Reg Low and Reg Floor limits for the hour.

other words, when you submit an override of the physical parameters for an hour, you must submit override values for all four parameters: Reg Low, Reg High, ARR and Unavail, even if it means entering the daily default value. Similarly, when you submit an override of the financial parameters for an hour, you must submit override values for all three parameters: Reg Cap ITO Cost, Reg Cap Offer Oth and Reg Serv Price, even if it means entering the daily default value. This rule also applies to entries in the top row of the grid that you want to copy to a range of hours. Note however that when entering values in the top row, if you leave either set of values blank, the blank fields will be copied to the range of hours selected, meaning that any previously entered hourly overrides of these values in the range are being deleted and returning the values in these hours to their daily default values. **You cannot use the top row to selectively update the overrides in one column for a range of hours while retaining the override values in the other columns.** 

### Data Validation Rules

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

- The hourly ARR (Automatic Response Rate) cannot be less than a minimum allowable response rate that is set by ISO New England.
- A warning will be issued if the hourly ARR exceeds the Active ARR Cap, when one is defined. The Active ARR Cap is shown in the Daily Default Values frame.
- On an hourly basis, RLL Floor < Reg Low < Reg High < RHL Ceil
- The RLL Floor and the RHL Ceil are shown in the Daily Values frame.

  Note that for ATRDs, the regulation limits can be pegative. For

Note that for ATRRs, the regulation limits can be negative. For generating units, the regulation limits must be strictly positive.

- Total regulation capacity offer price (Reg Cap ITO Cost + Reg Cap Offer Other) for an hour cannot exceed \$100.00 and must be greater than the Regulation Floor Price determined by the ISO New England.
- Regulation service offer price (Reg Serv Price) for an hour cannot exceed \$10.00 and must be greater than the Regulation Floor Price determined by the ISO New England

### **Override Regulation Offer Parameters for Day and Hour**

To override a resource's default daily regulation limits, availability to provide regulation and financial regulation offers:

- 1. In the Regulation Navigation sub tabs, click the **Regulation Hourly Updates** tab.
  - The Regulation Hourly Updates display is shown in the display pane.

- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired unit from the **Resource** filter. Note: only regulation resources listed in the selected portfolio will be listed in the drop-down list.
    - The display reflects the regulation daily default offers and the hourly overrides for the selected unit.
- 3. To update the overrides of physical parameters for individual hours:
  - a. Enter the override value for each of the limits, for the ARR and for the resource availability in the hours that you wish; you must enter a value for each parameter. If you want to remove an override of the physical parameters, you enter a blank for each limit and the ARR and set the Unavail flag to "No Override".
  - b. Click the **Update** button to save the data
- 4. To update the overrides of financial parameters for individual hours:
  - a. Enter the override value for each of financial offers in the hours that you wish; you must enter a value for each of the three parameters. If you want to remove an override, you must enter blanks for each parameter.
  - b. Click the **Update** button to save the data
- 5. To update the overrides for a range of hours:
  - a. Enter the override value for each of the limits, for the ARR and for the resource availability in the top row. Enter the override value for each of the financial regulation offer parameters in the top row. Remember: if you leave blank the fields of either set of parameters, it means that you want to remove the overrides of that set of parameters.
  - b. Select the range of hours to override on the top row. Then select the "Copy" button. This will copy all of the values on the top row (including blanks) to the hourly rows for the range of hours selected.



c. Click the **Update** button to save the data for the selected hours.

### XML Download for Regulation Display

The XML Download display is accessible through the Regulation Navigation sub tab. This display enables you to download pre-defined Regulation specific XML report files of data that you maintain in the ISO-NE Market System. It also provides you the means to upload data in XML formatted data files into the ISO-NE Market System to be used to clear the Day-Ahead and Real-Time markets. The format of the XML files can be found in the *eMarket Data Exchange Specification*, which is found on the *ISO New England website* among the documents listed on the Participate > Support > Upload and Download File Format Protocols page.

ISO new england	Regulation Market Status: OPEN	EMarket User Interface           Version: 2.0.1(201407221119)           SN(01)         Certificate User: Superviser           23-Aug-2014 17:51:08           nant:         ISO New Ended for
Public Generation Demand ARD Regulation Private Portfolio Pagulation Regulation 30 Messages Manager Offers Default Hourly Updates Dr XML Download	All.	Louisen Louisen angenaans. Yn Osaan poperoder
Select Date	XML Download on 25-Aug-2014	
Date: 25-Aug-2014	Regulation Offers Regulation Hourly Updates	File: Browse
Messages		

The following XML reports of generation data are available for downloading:

- Regulation Offers
- Regulation Hourly Updates

Each returns an XML formatted report for the selected date and for every regulating unit or ATRR that belongs to you as Lead Participant.

See §0 for details on uploading and downloading files. The following sections provide samples of the downloaded reports.

#### **Regulation Offers XML Report**

This report contains the information that is shown on the Regulation Offers Default display for every regulating unit or ATRR that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetRegOfferResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
<RegOffer day="2014-12-15" ID="11">
<ARR>4.5</ARR>
<ARRCap>21</ARRCap>
<Available>true</Available>
<Capability>4.2</Capability>
<DerateComment>Reduced Derate factor</DerateComment>
<DerateFactor>1</DerateFactor>
<DispatchMethod>CONT</DispatchMethod>
<ExcludedComment>Exclusion comment</ExcludedComment>
```

```
<Excluded>false</Excluded>
    <RegHighLimit>19.4</RegHighLimit>
    <RegLowLimit>10.4</RegLowLimit>
    <RegCapOther>15.45</RegCapOther>
    <RegITOCap>10.45</RegITOCap>
    <RegServicePrice>9.45</RegServicePrice>
    <RHLCeil>21</RHLCeil>
    <RLLFloor>11</RLLFloor>
    <ServiceComment>Reduced Service factor</ServiceComment>
    <ServiceFactor>10</ServiceFactor>
  </RegOffer>
  <RegOffer day="2014-12-15" ID="5">
    <ARR>45.5</ARR>
    <ARRCap>10</ARRCap>
    <Available>true</Available>
    <Capability>2.2</Capability>
    <DerateComment>Initial default derate factor</DerateComment>
    <DerateFactor>1</DerateFactor>
    <DispatchMethod>ENC</DispatchMethod>
    <ExcludedComment xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true" />
    <Excluded>false</Excluded>
    <RegHighLimit>1.5</RegHighLimit>
    <RegLowLimit>-3</RegLowLimit>
    <RegCapOther>11.15</RegCapOther>
    <RegITOCap>7.15</RegITOCap>
    <RegServicePrice>3.1</RegServicePrice>
    <RHLCeil>15</RHLCeil>
    <RLLFloor>-5</RLLFloor>
    <ServiceComment>Initial default service factor</ServiceComment>
    <ServiceFactor>10</ServiceFactor>
  </RegOffer>
</GetRegOfferResponse>
```

### **Regulation Hourly Updates XML Report**

This report contains the information that is shown on the Regulation Hourly Updates display for every regulating unit or ATRR that belongs to you as Lead Participant, and for which hourly updates exist. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetRegHourlyResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <RegHourly day="2014-12-15" ID="444">
    <HourlyProfile>
      <HourlyValues time="2014-12-15T00:00:00-04:00">
        <ARR>21.5</ARR>
        <Available>true</Available>
        <Capability>37.5</Capability>
        <RegHighLimit>680</RegHighLimit>
        <RegLowLimit>400</RegLowLimit>
        <RegCapOther>70</RegCapOther>
        <RegITOCap>70</RegITOCap>
        <RegServPrice>70</RegServPrice>
      </HourlyValues>
      <HourlyValues time="2014-12-15T01:00:00-04:00">
        <ARR>21.5</ARR>
        <Available>true</Available>
        <Capability>37.5</Capability>
```

<RegHighLimit>680</RegHighLimit> <RegLowLimit>400</RegLowLimit> <RegCapOther>70</RegCapOther> <RegITOCap>70</RegITOCap> <RegServPrice>70</RegServPrice> </HourlyValues> <HourlyValues time="2014-12-15T02:00:00-04:00"> <Available>true</Available> <Capability>37.5</Capability> <RegHighLimit>680</RegHighLimit> <RegLowLimit>400</RegLowLimit> <RegCapOther>70</RegCapOther> <RegITOCap>70</RegITOCap> <RegServPrice>70</RegServPrice> </HourlyValues> . <HourlyValues time="2014-12-15T23:00:00-04:00"> <Available>true</Available>

<Available>true</Available> <Capability>37.5</Capability> <RegHighLimit>680</RegHighLimit> <RegLowLimit>400</RegLowLimit> <RegCapOther>70</RegCapOther> <RegITOCap>70</RegITOCap> <RegServPrice>70</RegServPrice> </HourlyValues> </HourlyVrofile> <ShortName>UNIT</ShortName> </RegHourly> </GetRegHourlyResponse>

# 6. Demand Tab

To access the Demand Tab, you must be a registered user with a Demand Read/Write or Read-Only role. When you have this access, the Demand tab will be shown and selecting it will show all of its display sub tabs as shown below.

Public Ge	neration	Demand	ARD Reg	gulation			
Private	Portfolio	Demand	Inc/Dec	Load Response	Demand By	Load Response	XML
Messages	Manager	Bids	Bids	Offers	Portfolio	Results	Download

## Demand Portfolio Manager Display

A demand portfolio is a collection of price locations (Pnodes) that are identified by each user. The user assigns a unique name to each portfolio when it is created. There is no limit to the number of demand portfolios a user can create. Once a portfolio is created the user assigns one or more price location. There is no limit to the number of price locations that can be "assigned" to a portfolio. A price location can be assigned to more than one portfolio.

Data is filtered by the demand portfolio on the following displays:

- Demand Bids
- Inc/Dec Bids
- Demand by Portfolio

**Note**: A Pnode that is not associated with a portfolio cannot be selected in these displays' tooltray filters.

See §0 Manage Portfolios for more information on the purpose of portfolios and details on using this display.

### **Demand Bids Display**

С

This display is used to view and update fixed and price-sensitive demand bids. Demand bids are daily bids for energy to satisfy demand at Day-Ahead market prices for a given date. They specify a MW amount of energy to buy and the price per MWH the user is offering to pay for the energy. Demand bids can only be submitted at load zones (pricing location). A user can submit fixed demand bids and price-sensitive demand bids:

- A fixed demand bid does not have a price associated with it because the user is offering to unconditionally buy an amount of energy at a specified location irrespective of the Day-Ahead clearing price to satisfy his demand.
- A price-sensitive demand bid as its name implies has a price associated with it. The user is offering to buy an amount of energy at a specified location provided that the Day-Ahead clearing price at that location is below a user specified amount. The user can submit up to ten price-sensitive demand bids per hour for each pricing location.

				21-	лау	,	130		<i>,</i>	301	5111		ue	ma		uu	nue	) I	55		eMai	ket II	ser	Int	erfa
180																					Version: 4	.0.3(2015061	61306)		Ci i la
150	new england												Dema	nd Mark		tatus: Cl Partic	LOSED	150.1	lew End	Ce and Inc	rtificate User	: Superuser	User:	18-Ji Sunerus	un-2015 19 or
ic Genera	ation Demand ARD F	Regulation																1501	ten Eng					Superus	
ate Po	rtfolio Demand Inc/Dec	Load Resp	onse Demand By	Load	Response	,	ML																		
sages Ma	anager Bids Bids	Offers	Portfolio	Resu	its	1	ownload)													_		Hou	r		
emand	Bids																_	_					~	~	Сору
ect Date an	d Node	*	Demand Bids for .Z.	CON	ECTICUT	(40	)4) on 19	-Jun-201	5		_	_	_											-	
Date:	19-Jun-2015	•	Hour	"	MW	*	MW	Price	*	100	Price	*	MW	Price	*	MW	Price	*	MW	Price	Total				
Portfolio:	Mkt_Adm_All_Pnodes	~	Copy	-		1			2			3			4			5				01			
Node:	.Z.CONNECTICUT	~				6			7			8			9			10				02			
			01	F		1	62.8	999.00	2	62.9	999.20	3	62.7	999.30	4	62.6	999.40	5	62.5	999.50	212.5	03			
			02	F		1	62.8	999.00	2	62.9	999.20	3	62.7	999.30	4	62.6	999.40	5	62.5	999.50	515.5				
						6			7			8			9			10			313.5	04			
Copy To:			03	F		1	62.8	999.00	2	62.9	999.20	3	62.7	999.30	4	62.6	999.40	5	62.5	999.50	212.5	05			
			04	F		1	62.8	999.00	2	62.9	999.20	3	62.7	999.30	4	62.6	999.40	5	62.5	999.50	515.0	06			
						6			7			8			9			10			313.5	00	1		
		Сору	05	F		1	62.8	999.00	2	62.9	999.20	3	62.7	999.30	4	62.6	999.40	5	62.5	999.50		07			
			08	F		6	62.8	999.00	7	62.9	999 20	8	82.7	999 30	9	82.6	999.40	10	82.5	999 50	313.5	00			
						8			7			8			9			10			313.5	00			
			07	F		1	62.8	999.00	2	62.9	999.20	3	62.7	999.30	4	62.6	999.40	5	62.5	999.50		09			
			00			6	82.0	000.00	7	82.0	000.00	8	80.7	000.00	9	67.6	000.40	10	e0 5	000 50	313.5	10			
			00			6	02.0	555.00	7	02.5	000.20	8	02.7	000.00	9	02.0	000.40	10	02.5	888.00	313.5	10			
			09	F		1	62.8	999.00	2	62.9	999.20	3	62.7	999.30	4	62.6	999.40	5	62.5	999.50		11			
						8			7			8			9			10			313.5	12			
			10	۴		1	02.8	999.00	2	62.9	999.20	3	02.7	999.30	4	02.0	999.40	5 10	02.5	999.00	313.5	10		<b>-</b>	
			11	F		1	62.8	999.00	2	62.9	999.20	3	62.7	999.30	4	62.6	999.40	5	62.5	999.50	2.5.0	12	_		
						6			7			8			9			10			313.5				
			12	F		1	62.8	999.00	2	62.9	999.20	3	62.7	999.30	4	62.6	999.40	5	62.5	999.50	212.5				
			13	F		1	62.8	999.00	2	62.9	999.20	3	62.7	999.30	4	62.6	999.40	5	62.5	999.50	515.5				
						6			7			8			9			10			313.5				
			14	F		1	62.8	999.00	2	62.9	999.20	3	62.7	999.30	4	62.6	999.40	5	62.5	999.50	212.6				

less se el tel esse est ele regeneral bide in abasso balasso

Refr

313.5 313.5 The fields on this display are:

- **Hour** Hour ending values are shown in the first column for each hour of the day. The row for hour ending 03 is not shown for the Spring Daylight Saving Time transition day. Similarly, the value on the row of the repeating hour ending 02 of the Fall Daylight Saving Time transition day is marked with an asterisk (\*).
- **F** Labels that identify the fields used to enter fixed demand bids.
- **#** This is the number of a price-sensitive demand bid for the hour.
- **MW** The MW amount of a fixed or price-sensitive demand bid.
- **Price** The price offered for a price-sensitive demand bid.
- **Total** The cumulative MW value of all demand bids for the hour.

The format of the display is slightly different for Participants who have registered subaccounts in the ISO-NE Customer and Asset Management System (CAMS). As shown below, there is an additional selection drop-down box labeled "SubAccount" in the **Filters** pane that is blank when the display is first called up. The user must select one of the subaccounts appearing on the drop-down list before the display data entry fields are shown. Only subaccounts active on the selected market day and inactive subaccounts for which there are demand bids on the selected market day will be listed. Inactive subaccounts will appear with an asterisk (\*) appended to their name. See §0 for more information on subaccounts.

			eMarket User Interface
ISO new england		Demand Market Status: CLOSED	Certificate User: Superuser 18-Jun-2015 19:07:21
ha.		Participant: ACME Inc	Vser: Superuser Y
Public Generation Demand ARD Regulation			
Private Portfolio Demand Inc/Dec Load Response De Messages Manager Bids Bids Offers Por	temand By Load Response XML ortfolio Results Download		
Demand Bids			
Select Date and Node 🙁 Demand	d Bids (SubAccount Selection Required)		
Date: 19-Jun-2015	# MW # MW Price # MW Price	# MW Price # MW Price # MW	Price Total Participant
Portfolio: Mkt_Adm_All_Pnodes			
Node: .Z.CONNECTICUT			
SubAccount:			
	SubAccount:   15941 DOMR NRG Test5		
Messages			۸

An additional column of information is shown on the display:

• **Participant Total** – The cumulative MW value of all demand bids submitted by the Participant users across all subaccounts for the hour.

ISO new england									Dema	nd Mark	of Sta	tue: OP	EN(01)			c		<b>rket U</b>	<b>Iser Interface</b> 161306)
									Dema		51 310	Partic	ipant:	ACM	IE Inc		er incate ose	×	User: Superuser
Public Generation Demand ARD Regulation																		0000	
Private Portfolio Demand Inc/Dec Load Res Messages Manager Bids Bids Offers	ponse Demand By Portfolio	Load Response Results	XML	pad															
Demand Bids			1																
Select Date and Node	Demand Bids for .Z	CONNECTICUT	(4004) a	n 19-Jun-2	015														
Date: 19-Jun-2015	Hour	# MW	# M	/ Price	#	MW	Price	#	MW	Price	#	MW	Price	#	MW	Price	Total	Participant	
Portfolio: Mkt. Adm All Pnodes	V V Copy	/	1		2			3			4			5				Total	
Node: .Z.CONNECTICUT			0		7			8			9			10					
SubAccount: Test5	01	F	1	2.0 888.0	0 2	121.0	888.10	3	12.2	888.20	4	12.3	888.30	5	12.4	888.40	]		
	02	F	1	2.0 888.0	0 2	121.0	888.10	3	12.2	888.20	9	12.3	888.30	10 5	12.4	888.40	109.9	109.9	9
			6		7			8			9			10			169.9	169.9	)
	03	F	1	2.0 888.0	0 2	121.0	888.10	3	12.2	888.20	4	12.3	888.30	5	12.4	888.40	169.9	169.9	
Сору То:	04	F	1	2.0 888.0	0 2	121.0	888.10	3	12.2	888.20	4	12.3	888.30	5	12.4	888.40			
Сору			6		7			8			9			10			169.9	198.4	•
	05	F	8	2.0 888.0	0 2	121.0	888.10	3	12.2	888.20	4	12.3	888.30	5	12.4	888.40	169.9	198.4	4
	06	F	1	2.0 888.0	0 2	121.0	888.10	3	12.2	888.20	4	12.3	888.30	5	12.4	888.40			
			8		7			8			9			10			169.9	198.4	•
	07	F	8	2.0 888.0	0 2	121.0	888.10	3	12.2	888.20	9	12.3	888.30	5 10	12.4	888.40	169.9	198.4	4
	08	F	1	2.0 888.0	0 2	121.0	888.10	3	12.2	888.20	4	12.3	888.30	5	12.4	888.40			
			6		7		000.40	8	10.0		9			10		000.00	169.0	198.4	
			6	2.0 000.0	7	121.0	000.10	8	12.2	000.20	9	12.5	000.30	10	12.4	000.40	169.9	169.9	
	10	F	1	2.0 888.0	0 2	121.0	888.10	3	12.2	888.20	4	12.3	888.30	5	12.4	888.40		_	
	11	F	8		7	<b>.</b>										$\neg$	169.9	169.9	9
			6		7	NC	otice	th	hat th	ne to	ota	ls ar	e di	tte	eren	t 🏲			
	12	F	1		2	foi	r son	ne	hou	rs b	eca	ause	the	re	are				
	13	F	1		2	de	man	d	bids	for	the	ose ł	nour	so	on a	_			
			6		7	dit	fore	nt	cub	2000		+		- 1					
	14	F	1		2	ull	iere	iit	SUD	acce	ur	π.							
	15	F	1		2			3			4			5					
			6		7			8			9			10					Update Refresh
Messages																			

#### **Data Validation Rules**

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

- MW values must be greater than zero; i.e. MW > 0.
- The Price of a price-sensitive demand bid must be less than or equal to the Energy Offer Cap price and greater than or equal to the Energy Offer Floor price; i.e. Energy Offer Floor price ≤ Price ≤ Energy Offer Cap price<sup>22</sup>.
- Demand bids can only be submitted at Load Zone pricing nodes (Pnodes whose name begins with ".Z.").

Price-sensitive demand bids for a given hour can be entered in any order; each is treated independently when clearing the Day-Ahead market. Since each is treated independently, entering multiple duplicate bids for a given hour is

<sup>&</sup>lt;sup>22</sup> Energy Offer Floor price and Energy Offer Cap price are both defined in Market Rule 1, section I.2.2.

equivalent to entering a single bid where the MW value is the sum of the MW values of the duplicate bids; for example, three bids for hour-ending 02 of 2 MW @ \$10.00 is equivalent to one bid of 6 MW @ \$10.00.

### View Demand Bids

- 1. In the Demand Navigation sub tabs, click the **Demand Bids** tab.
  - The Demand Bids display is shown in the display pane.
- 2. In the Filters pane:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired load zone price location from the **Nodes** filter.
  - d. Select the desired subaccount from the **SubAccount** filter if it is shown.
    - The data for the selected price location is shown.

## Submit Fixed Demand Bids

- 1. View the demand bids for the location and date of interest (§0)
- 2. To submit various fixed demand bids for individual hours:
  - a. Click in the **MW** cell to the right of an "**F**" in the desired hour.
  - b. Enter the MW amount of the bid.
  - c. Repeat 2a-b for all hours as needed.
  - d. Click the **Update** button to save the data.
    - The totals column of each affected hour is updated to reflect the MW total of the bids; the Participant totals column if it is shown is also updated.
- 3. To submit the same demand bid for a range of hours:
  - a. Enter the **MW** amount of the bid in the first MW column on the first row.
  - b. Select the range of hours in the top row. Then select the "Copy" button. This will copy all of the values on the top row (including blanks) to the hourly rows for the range of hours selected.



- c. Click the **Update** button to save the data for the selected hours.
  - The totals column of each affected hour is updated to reflect the MW total of the bids; the Participant totals column if it is shown is also updated.

**Note**: You cannot submit fixed and price-sensitive demand bids independently using the first row of the grid. That is to say, if you enter only a fixed demand bid leaving the price-

sensitive demand bid cells empty, you are requesting eMarket to delete all the pricesensitive demand bids in the range of hours that you selected.

### Submit Price-Sensitive Demand Bids

- 1. View the demand bids for the location and date of interest (§0)
- 2. To submit various price-sensitive demand bids for individual hours
  - a. Enter the **MW** amount and the **Price** of the bids in the cells provided for the hour of the day desired, up to ten per hour.
  - b. Repeat 2a for all hours as needed.
  - c. Click the **Update** button to save the data.
    - The totals column of each affected hour is updated to reflect the MW total of the bids; the Participant totals column if it is shown is also updated.
- 3. To submit the same demand bids for a range of hours:
  - a. Enter the **MW** amount and the **Price** of the bids in the cells provided on the first row.
  - b. Select the range of hours in the top row. Then select the "Copy" button. This will copy all of the values on the top row (including blanks) to the hourly rows for the range of hours selected.



- c. Click the **Update** button to save the data for the selected hours.
  - The totals column of each affected hour is updated to reflect the MW total of the bids; the Participant totals column if it is shown is also updated.

**Note**: You cannot submit fixed and price-sensitive demand bids independently using the first row of the grid. That is to say, if you enter only price-sensitive demand bids leaving the fixed demand bid cell empty, you are requesting eMarket to delete the fixed demand bids in the range of hours that you selected.

### **Deleting Ranges of Demand Bids**

If you want to delete the fixed and price-sensitive demand bids at a location for a range of hours of a given date, you can use the top row of the grid to do this.

- 1. Leave the fixed and price-sensitive demand bid cells of the first row empty.
- 2. Select the range of hours in the top row. Then select the "Copy" button. This will copy the blanks on the top row to the hourly rows for the range of hours selected.



3. Click the **Update** button. All of the existing bids shown on the display will be deleted.

**Note**: If you select an *inactive* subaccount, you can **ONLY** delete demand bids; you cannot modify the demand bids that exist on the selected day, nor can you submit new demand bids. The inactive subaccount will appear on the drop-down select list **only** if there are demand bids for the subaccount on the selected market day; if there are no demand bids for the subaccount, it won't even be listed and hence not be available for the submission of demand bids.

### **Duplicating one Day's Demand Bids**

If you are interested in initializing your demand bids at a location with the bids that you submitted on another day, you can use the tool provided in the tooltray.

0	Deman	d Bids		
Se	elect Date ar	nd Node	<	<
	Date:	20-Aug-2014		
	Portfolio:	Mkt_Adm_All_Pnodes	~	
	Node:	UN.JAY_T 46 KCW	*	
	Copy To:	21-Aug-2014		
			Сору	

- 1. View the demand bids for the location and date that you want to copy to another date (§0)
- 2. In the "**Copy To**" field select the date on the drop-down calendar to which you want to copy your demand bids.
- 3. Select the **Copy** button in the tooltray to copy all of your demand bids, fixed and price-sensitive, for the selected subaccount when applicable. When the operation completes, you will notice that the "**Date**:" filter field is set to the date that you entered/selected.

**Note**: The request to copy your bid data will be rejected when the selected subaccount is terminated on the selected "**Copy To**" date.

**Note**: You cannot use the **Copy** functionality to duplicate bids from one subaccount to another subaccount; rather, it can only be used to duplicate bids from one market day to another for a selected subaccount.

### Increment Offers and Decrement Bids (Inc/Dec) Display

This display is used to view and enter incremental offers or decrement bids, also known as *virtual bids*, at a pricing location for each hour of a market day, Virtual bids can be made at all price node location (Pnode) for which ISO calculates an LMP. Virtual bids are supported in the Day-Ahead market only. Increment offers and decrement bids are used to indicate the prices at which you are willing to increase an injection (increment offer) or a withdrawal (decrement bids). An increment offer or decrement bid can be used to:

- Cover one side of a bilateral transaction
- Protect a day-ahead generation offer
- Cover congestion

The format of the display used to submit virtual bids is shown below:

ISO new england											ſ	Demand	Market S	tatus: Pa	OPEN((	01) ht: ACME	Inc	eMarket User Interface           Version: 4.0.3(201506161306)           Certificate User: Superuser           19-Jun-2015 10:30:20           Verser:           User:           Superuser
Public Generation Demand ARD Regulation																		
Private Portfolio Demand Inc/Dec Load Res Messages Manager Bids Bids Offers	oonse Demand By L Portfolio F	Load Re Results	esponse	(ML Download														
Inc/Dec Bids																		
Select Date and Node	Decrement Bids for .	.z.con	INECTICUT (	4004) on 2	20-Ju	1-2015												
	Hour	+	# MW	Price		MW	Price		MW	Price	#	MW	Price		MW	Price	Total	<u> </u>
Date: 20-Jun-2015	V V Copy		1		2			3			4			5				
Portrolo: Mkt_Adm_Al_Phodes	01		1 180.	1.15	2	112.0	11.50	3	11.2	110.60	4	5.6	178.96	5			308.8	
NODE: .Z.CONNECTICUT	02	•	1 180.	1.15	2	112.0	11.50	3	11.2	110.60	4	5.6	178.96	5			308.8	
	03		1 180.	) 1.15	2			3			4			5			180.0	
	04		1 180.0	0 1.15	2			3			4			5			180.0	
	05		1 180.0	0 1.15	2	112.0	11.50	3	11.2	110.60	4	5.6	178.96	5			308.8	
Сору То:	06		1 180.0	0 1.15	2	112.0	11.50	3	11.2	110.60	4	5.6	178.96	5			308.8	
Hour	07		1 180.0	1.15	2	112.0	11.50	3	11.2	110.60	4	5.6	178.96	5			308.8	
Copy Copy	00		1 180.0	1.15	2			3			4			5		_	100.0	
	10	<u> </u>	1 100.0	1.15	2	112.0	11.50	3	11.2	110.60	-	5.6	178.06	5			308.8	
01	11	8	1 180.	1.15	2	112.0	11.50	3	11.2	110.60	4	5.6	178.96	5			308.8	
02	$\sim$				-	112.0	11.00	-		110.00		0.0						Undeta Defreek
03		7.00		(4004)	- 20. 1	- 2015												opuate Refresh
04	Here have others for	+	# MW	Price	#	MW	Price		MW	Price		MW	Price		MW	Price	Total	•
05	V V Copy		1	T HOE	2		T TIGE	3		The	4		T HOE	6		T THOSE	Total	_
06	01		1 5.0	5 18.10	2			3			4		1	5			5.6	
07	02		1 5.	8 18.10	2	11.2	36.25	3	112.0	115.00	4	185.0	226.78	5			313.8	
	03	0	1 5.	3 18.10	2	112.0	115.00	3	185.0	226.78	4			5		1	302.6	
09	04		1 5.	8 18.10	2	11.2	36.25	3	112.0	115.00	4	185.0	226.78	5			313.8	
10	05	•	1 5.	5 18.10	2	11.2	36.25	3			4			5			16.8	_
11	06		1 5.	3 18.10	2	11.2	36.25	3	112.0	115.00	4	185.0	226.78	5			313.8	
12	07		1 5.	3 18.10	2	112.0	115.00	3			4			5			117.6	
12 •	08		1 5.	8 18.10	2	11.2	36.25	3	112.0	115.00	4	185.0	226.78	5			313.8	
	09		1 5.	5 18.10	2	11.2	36.25	3	112.0	115.00	- 4	185.0	226.78	5			313.8	
	10		1 5.	5 18.10	2	11.2	36.25	3	112.0	115.00	4	185.0	226.78	5			313.8	
	11		1 5.	8 18.10	2	11.2	36.25	3	112.0	115.00	4	185.0	226.78	5			313.8	<b>•</b>
																		Update Refresh
Messages																		8

This display is divided into two identical sections – the upper is for decrement bids and the lower is for increment offers. Each has the same usage and fields:

- **Hour** Hour ending values are shown in the first column for each hour of the day. The row for hour ending 03 is not shown for the Spring Daylight Saving Time transition day. Similarly, the value on the row of the repeating hour ending 02 of the Fall Daylight Saving Time transition day is marked with an asterisk (\*).
- **#** This is the number of a price-sensitive demand bid for the hour.

- **MW** The MW amount of the virtual bid.
- **Price** The price of the virtual bid. For an incremental offer, this is the price above which you are offering to pick up an obligation to sell energy; i.e. if the price at the Pnode you selected is equal to or greater than this offer price value, you are offering to sell the number of MW specified in your offer. Conversely for a decrement bid, this is the price below which you are willing to buy energy; i.e. if the price value, you selected is less than or equal to this bid price value, you are offering to buy the number of MW specified in your bid.
- **Total** The MW total of the bids for the hour.

Without exploding the rows, up to five virtual bids per hour can be entered on the display. However, each row can be exploded to provide the ability to enter up to fifty virtual bids per hour as shown below. You do this by clicking on the "+" icon at the beginning of the row; to collapse the row again, you click on the "-" icon at the beginning of the row.

**Note**: when the market is CLOSED, you will be **able to explode a row only if there are additional bids for the hour** that are not shown and the row will be exploded only enough to show those additional bids. Hence if you have five or less bids for an hour, you won't be able to explode the row to see more empty cells.

ISC	D new engla	and																Dem	and Ma	rket Statu	s: OPEN(01)	ı	<b>eMari</b> Version: 2.0.1( ertificate User: Su	(et Use 20140722111 peruser	er Inter ) 23-Aug-2(	face
																					Participant:	ISO New England Inc		Y User:	Superuser	*
Public Ge	neration Demand	ARD R	egulation																							
Private Messages	Portfolio Demand Manager Bids	Inc/Dec Bids	Load Response Offers	e Demand By Portfolio	Load Respor	nse	XML Download																			
Inc/De	c Bids																									
Select Date a	and Node		~	Decrement Bi	ds for UN.JAY_	T 46 I	KCW on 25	i-Aug-20	14																	
Date	05.4 004.4			Hour	+	*	MN	Price		MN	Price	*	MOV	Price		1.007	Price		1400	Price	Total					<u> </u>
Destifiable	25-A0g-2014			× `	Copy 🖾	1			2			3			4			5								
Node	MKL_Adm_All_Phodes	s		01		1	18.0	0.00	2	18.0	5.01	3			4			5			36.0					
NOGE	UN.JAY_1 46 KCW		•		-7-	11			12			13			9			10								
					/	16			17			18			19			20								_
	29-Apr-20	012				21			22			23			24			25								
						26			27			28			29			30								
Сору То						31			32			33			34			35								
			Сору			41			42			43			44			45								
				/		46			47			48			49			50								
				02		1	18.0	0.00	2	18.0	0.65	3			4			5			36.0					
				03		1	18.0	0.00	2			3			4			5			18.0					•
																									Update	Refresh
				Increment Of	fers for UNJAY	/_T 46	5 KCW on S	25-Aug-2	014																	
			/	Hour	+		MN	Price		MIU	Price		MM	Price		100	Price		1400	Price	Total					-
				× `	Copy 🖾	1			2			3			4			6								
		_ /		01		1			2			3			4			•								
- F		1/	-			0			42			8			9			10								
						16			17			18			19			20								
						21		_	22			23			24			25								
	_					26		_	27			28			29			30								
L L						31		_	32			33			34			35								
						36		_	37			38			39			40		<u> </u>						
						41			42			43			44			45								
						46			47			48			49			50								
				02		1			2			3			4			6								•
																									Update	Refresh
Messages																										8

The format of the display is slightly different for Participants who have registered subaccounts in the ISO-NE Customer and Asset Management System (CAMS). As shown below, there is an additional selection drop-down box labeled "SubAccount" in the **Filters** pane that is blank when the display is first called up. The user must select one of the subaccounts appearing on the drop-down list before the display data entry fields are shown. Only subaccounts active on the selected market day and inactive subaccounts for which there are demand bids on the selected market day will be listed. Inactive subaccounts will appear with an asterisk (\*) appended to their name. See §0 for more information on subaccounts.

٠			eMarket Use	r Interface
ISO new england	Demand Market Status: OPEN(01)	c	Certificate User: Superuser	19-Jun-2015 10:36:17
	Participant:	ACME Inc	Vser:	Superuser 👻
Public Generation Demand ARD Regulation				
Private         Portfolio         Demand         Inc/Dec         Load Response         Demand By         Load Response         XML           Messages         Manager         Bids         Offers         Portfolio         Results         Download				
Inc/Dec Bids				
Select Date and Node				
Date: 20-Jun-2015	MW Price # MW Price # MW P	Price Total	Participant Total	
Portfolo: Mkt_Adm_Al_Pnodes				
Node: .Z.CONNECTICUT				
SubAccount:				
		-		
SubAccount:	¥			
Increment Offers (				
Hour DOMR		Total	Participant Total	
NRG				
Tort5				
16565				
Messages				8

An additional column of information is shown on the display:

• **Participant Total** – The cumulative MW value of all virtual bids submitted by the Participant users across all subaccounts for the hour.

																	<b>rket Use</b> 4.0.3(20150616130	r Interfa	ce
										Demand	Market St	tatus: OP	'EN(01)	_	c	Certificate Use	er: Superuser	19-Jun-2015 13	:06:26
P.												Partic	ipant:	ACME 1	inc		✓ User	Superuser	*
Public Generation Demand ARD Regulation																			
Private Portfolio Demand Inc/Dec Load Res Messages Manager Bids Bids Offers	ponse Demand By Portfolio	Load Res Results	sponse XI D	ML ownload															
Inc/Dec Bids																			
Select Date and Node	Decrement Bids for	.Z.CONN	ECTICUT (4	4004) on 2	0-Jun-201	5													
Date: 20 Jun 2015	Hour	+ +	+ MW	Price	# MV	Price	# N	IW P	Price	# MW	Price	# 1	ww	Price	Total	Participant			-
Portfolio: Mkt Adm All Poodes	Y Y Conv				2		3			4		5				Total	_		
Node: Z CONNECTICUT	01	0 1	145.6	7.60	2 1	5.7 26.40	3	12.3	45.30	4 11.1	48.60	5	8.0	51.20	197.8	198.9			
SubAccount: Test5	02	C 1	145.6	7.60	2 1	5.7 26.40	3	12.3	45.30	4 11.1	48.60	5	8.0	51.20	197.8	197.8			
	03	1	145.6	7.60	2 1	5.7 26.40	3	12.3	45.30	4 11.1	48.60	5	8.0	51.20	197.8	197.8			
	04	1	145.6	7.60	2 1	5.7 26.40	3	12.3	45.30	4 11.1	48.60	5	8.0	51.20	197.8	364.9			
	05	1	145.6	7.60	2 1	5.7 26.40	3	12.3	45.30	4 11.1	48.60	5	8.0	51.20	197.8	364.9			
Conv To:	06	□ 1	145.6	7.60	2 1	5.7 26.40	3	12.3	45.30	4 11.1	48.60	5	8.0	51.20	197.8	364.9			
	07	1	145.6	7.60	2 1	5.7 26.40	3	12.3	45.30	4 11.1	48.60	5	8.0	51.20	197.8	364.9			
Сору	08	1	145.6	7.60	2 1	5.7 26.40	3	12.3	45.30	4 11.1	48.60	5	8.0	51.20	197.8	364.9			
	09	1	145.6	7.60	2 1	5.7 26.40	3	12.3	45.30	4 11.1	48.60	5	8.0	51.20	197.8	364.9			
	10		145.6	7.60	2 1	5.7 26.40	3	12.3	45.30	4 11.1	48.60	5	8.0	51.20	197.8	364.9			•
				7 511					12 34		10 24				107.2			Update Re	fresh
	Increment Offers fo	r .Z.CON	INECTICUT	(4004) on	20-: N	otice	that	the	tota	als ar	e dif	ferer	nt	r					
	Hour	+ 4	* MW	Price	* fo	r son	ne ho	ours	bec	ause	ther	e ar	e	Price	Total	Participant Total			-
	🗸 🕆 Copy	0 1			<sup>2</sup> vi	rtual	hids	for	thos	e ho	urs o	n a					1		
	01	1	5.5	7.60	2	r tuur	bius		thos			ni u		99.50	254.1	254.1			
	02	1	5.5	7.60	2 <b>d</b>	ffere	nt su	bac	cou	nt.				99.50	254.1	254.1			
	03	1	5.5	7.60	2	1							_	99.50	25.1	516.6			
	04	1	5.5	7.60	2	8.5 26.45	3	11.5	45.56	4 15.9	52.30	5	56.7	99.50	254.1	516.6			
	05	E 1	5.5	7.60	2	8.5 26.45	3	11.5	45.56	4 15.9	52.30	5	56.7	99.50	254.1	516.6			
	06		5.5	7.60	2	8.5 26.45	3	11.5	45.56	4 15.9	52.30	5	56.7	99.50	254.1	516.6			
	07	1	5.5	7.60	2	5.5 26.45	3	11.5	45.56	4 15.9	52.30	5	56.7	99.50	254.1	516.6			
	00		5.5	7.60	2	0.0 20.45	3	11.5	40.50	15.5	52.30	5	50.7	39.50	254.1	516.6			
	10		5.5	7.60	2	3.5 26.45	3	11.5	45.56	4 15.5	52.30	5	56.7	99.50	254.1	254.1			
	41	m 4	5.5	7.00	2	0 E DE 4E	2	44.6	45 50	A 16.0	60.00	6	50.7	00.00	254.1	254.1			•
																		Update Re	fresh
Messages																			۲

#### Data Validation Rules

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

- MW values must be greater than zero; i.e. MW > 0.
- The Price of a bid must be less than or equal to the Energy Offer Cap price and greater than or equal to the Energy Floor price; i.e. Energy Offer Floor price ≤ Price ≤ Energy Offer Cap price<sup>23</sup>.

Increment offers and decrement bids for a given hour can be entered in any order; each is treated independently when clearing the Day-Ahead market. Since each is treated independently, entering multiple duplicate offer/bids for a given hour is equivalent to entering a single bid where the MW value is the sum of the MW values of the duplicate offer/bids; for example, three decrements bids for hour-ending 05 of 2 MW @ \$10.00 is equivalent to one bid of 6 MW @ \$10.00.

<sup>&</sup>lt;sup>23</sup> Energy Offer Floor price and Energy Offer Cap price are both defined in Market Rule 1, section I.2.2.

### Submit/Modify Virtual Bids (Decrement Bids / Increment Offers)

Increment offers look like spot market sales or generation offers. Decrement bids look like spot market purchases or price-sensitive demand bids.

The method to enter/modify them using the Inc/Dec Bids display is the same; the only difference is that they are entered separately, decrement bids in the top portion of the display, increment offers in the low portion.

- 1. In the Demand Navigation sub tabs, click the Inc/Dec Bids tab.
  - The Inc/Dec Bids display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired price location from the **Node** filter.
  - d. Select the desired subaccount from the **SubAccount** filter if it is shown.
    - The data for the selected price location displays.
- 3. To submit virtual bids for individual hours
  - a. Enter the **MW** amount and the **Price** of the bids in the cells provided for the hour of the day desired. Explode the row for the hour to give you access to the 45 additional pairs of cells to enter bids. To delete a bid, you need to clear the MW and Price values of the bid in the cells.
  - b. Repeat 3a for all hours as needed.
  - c. Click the **Update** button to save the data. Remember that you have to submit Increments and Decrements separately and independently.
    - The totals column of each affected hour is updated to reflect the MW total of the bids; the Participant totals column if it is shown is also updated.

To submit the same virtual bid for a range of hours:

- d. Enter the **MW** amount and the **Price** of the bids in the cells provided on the top row. Explode the row to give you access to the 45 additional pairs of cells to enter bids.
- e. Select the range of hours in the top row. Then select the "Copy" button. This will copy all of the values on the top row (including blanks) to the hourly rows for the range of hours selected.



- f. Click the **Update** button to save the data for the selected hours.
  - The totals column of each affected hour is updated to reflect the MW total of the bids; the Participant totals column if it is shown is also updated.

### **Deleting Ranges of Virtual Bids**

If you want to delete the incremental offers or decrements bids at a location for a range of hours of a given date, you can use the top row of the grids to do this.

- 1. Leave all the data entry cells of the top row empty.
- 2. Select the range of hours in the top row. Then select the "Copy" button. This will copy the blanks on the top row to the hourly rows for the range of hours selected.



3. Click the **Update** button. All of the existing offer/bids shown on the display will be deleted.

**Note**: If you select an *inactive* subaccount, you can **ONLY** delete virtual bids; you cannot modify the bids that exist on the selected day, nor can you submit new bids. The inactive subaccount will appear on the drop-down select list **only** if there are virtual bids for the subaccount on the selected market day; if there are no bids for the subaccount, it won't even be listed and hence not be available for the submission of virtual bids.

### **Duplicating one Day's Virtual Bids**

If you are interested in initializing your virtual bids at a location with the bids that you submitted on another day, you can use the tool provided in the tooltray.

I	nc/Dec	Bids		
Se	elect Date an	nd Node	6	к
	Date:	20-Aug-2014		
	Portfolio:	Mkt_Adm_All_Pnodes	*	
	Node:	UN.JAY_T 46 KCW	*	
	Copy To:	21-Aug-2014		
			Copy	

- 1. View the virtual bids for the location and date that you want to copy to another date (§0)
- 2. In the "**Copy To**" filed select the date on the drop-down calendar to which you want to copy your virtual bids.
- Select the Copy button in the tooltray to copy all of your virtual bids, for the selected subaccount when applicable. When the operation completes, you will notice that the "Date:" filter field is set to the date that you entered/selected.

**Note**: The request to copy your bid data will be rejected when the selected subaccount is terminated on the selected "**Copy To**" date.

**Note**: You cannot use the **Copy** functionality to duplicate bids from one subaccount to another subaccount; rather, it can only be used to duplicate bids from one market day to another for a selected subaccount.

## Demand by Portfolio Display

You can view the net amount of your demand and virtual bids that cleared in the Day-Ahead Market at each of the Pnodes listed in your selected portfolio using the **Demand by Portfolio** display that is accessible on one of the Demand sub tabs. The information shown includes the name of the Pnode, the net MW amount of demand/virtual bids that cleared and the nodal price for each hour of the day. The 24-hour period is shown on two lines: the top line details the hours ending 01 through 12; the second line details hours ending 13 through 24. The last row of the display is labeled **Total Portfolio MW** and shows the total net MW amount of your bids for each hour that cleared in the Day-Ahead market for all the Pnodes listed. Information on the display is shown only after the Day-Ahead market has been cleared and the time for the opening of the Re-Offer Period of the selected day has passed.

<b>.</b>														eMarket U	ser Inter	face
ISO new england								De	mand Mark	et Status:	OPEN(01)		0	Version: 4.0.3(201506) ertificate User: Superuser	.61306) 19-1up-2	115 13:53:43
									ReadOnl	y Pa	articipant:	ISO New	England Inc	×	User: Superuser	~
Date Country Demod 400 Devictor																
Public Generation Demand Akb Regulation			10.0													
Messages Manager Bids Bids Offers	Portfolio	Results	Download													
Demand By Portfolio																
Select Date and Portfolio	By Portfolio for M	3P on 20-Jun-2015	5													
Dates 20 his 2015	Node															
Date: 20-Jun-2015	.H.INTERNAL_HUB	01/13	02/14	03 / 15	04 / 16	05 / 17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24			
Portroio: MBP																
	Z.CONNECTICUT	01/13	02/14	03/15	04/16	05/17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24			
		16.8@	16.8@	0@	0@	16.8@	16.8@	16.8@	0@	0@	16.8@	16.8@	11.2@			
		\$18.00	\$15.64	\$13.00	\$13.00	\$13.00	\$15.58	\$15.45	\$18.00	\$17.99	\$18.00	\$17.97	\$20.94			
		11.2@	11.2@	11.2@	11.2@	11.2@	11.2@	11.2@	16.8@	16.8@	16.8@	16.8@	16.8@			
	ZNEWACCROCT	\$18.68	\$20.99	\$20.99	\$20.99	\$20.73	\$20.97	\$19.89	\$18.00	\$18.07	\$18.00	\$16.04	\$15.84			
	.Z.NEMASSBUST	01713	02714	03715	04716	05717	06718	07719	08720	09721	10722	11723	12724			
	.Z.RHODEISLAND	01/13	02/14	03 / 15	04 / 16	05/17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24			
	Z.SEMASS	01/13	02/14	03/15	04 / 16	05/17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24			
		17.1@	16.2@	15.8@	15.7@	16.1@	17.5@	20.8@	23.7@	25.7@	27@	28@	28.7@			
		\$18.00	\$15.64	\$13.00	\$13.00	\$13.00	\$15.58	\$15.45	\$18.00	\$17.99	\$18.00	\$69.83	\$16.68			
Deutfelie tetele		28.9@	29@	28.7@	28.2@	27.7@	27.3@	26.7@	25.9@	26.3@	25.1@	21.4@	18.1@			
Portrollo totals		\$18.00	\$18.01	\$18.01	\$18.01	\$20.73	\$20.97	\$18.01	\$18.00	\$18.00	\$18.00	\$16.04	\$15.84	1		
shown on last	Total Portfolio MW	01/13	02/14	03/15	047/16	05717	06718	077/19 37.6	08720	09721	10/22	117/23	12724			
rows of the display		40.1	40.2	39.9	39.4	38.9	38.5	37.9	42.7	43.1	41.9	38.2	34.9			
Tows of the display														1		
																Refresh
https://emktmuiprj/emktmui/EMKT/Application.html#																8

The format of this display is shown below:

The fields on this display are:

- **Node** the Pnode name of the price location.
- **MW** @ **Price** the net MW amount that cleared in the market and the LMP at which the bids cleared. Be aware that in the calculation of the net MW amount, the MW amount of increment offers that cleared are treated as negative quantities.

The format of the display is slightly different for Participants who register subaccounts in the ISO-NE Customer and Asset Management System (CAMS). As shown below, there is an additional selection drop-down box labeled "SubAccount" in the **Filters** pane that is blank when the display is first called up. The user must select one of the subaccounts appearing on the drop-down list before data is shown on the display. Only subaccounts active on the selected market day or inactive subaccounts for which there are demand bids on the selected market day will be listed. Inactive subaccounts will appear with an asterisk (\*) appended to their name. See §0 for more information on subaccounts.

ISO new england		Demand Market Status: OPEN(01)	<b>eMarket User Interface</b> Version: 4.0.3(201506161306) Certificate User: Superuser 19-Jun-2015 14:31:36
		ReadOnly Participant: AC	ME Inc Viser: Superuser 👻
Public Generation Demand ARD Regulation			
Private Portfolio Demand Inc/Dec Load Response Demand By Manager Bids Bids Offers Portfolio	Load Response XML Results Download		
Demand By Portfolio			
Select Date and Portfolio 🥢 The day ahead mark	tet results are not available for MBP on 20-Jun-2015		
Date: 20-Jun-2015	SubAccount: 15941 DOMR NRG Test5		
l			J
			Refresh
Messages			8

When a subaccount is selected, the net amount of the demand and virtual bids that were submitted in the selected subaccount and that cleared in the Day-Ahead Market at each of the Pnodes listed in the selected portfolio is shown on the display, along with a total for the portfolio.

ISO new england									De	mand Marl	kat Statue	OPEN(01)		c	eMark	et Use	r 5)
										ReadOnl	ly Pi	articipant:	ACME Inc	:	Sertificate Oser. Se	V User:	
Public Generation <b>Demand</b> ARD Reg	ulation																ĺ
Private Portfolio Demand Inc/Dec L Messages Manager Bids Bids C	oad Respons Offers	se Demand By Portfolio	Load Response Results	XML Download													
Demand By Portfolio																	
elect Date and Portfolio	~	By Portfolio for M	BP on 20-Jun-201	5													
Date: 20-Jun-2015	•	Node	01/13	02/14	03/15	04/16	05/17	06 / 18	07/19	08/20	09/21	10/22	11/23	12/24			
Portfolio: MBP	×																
SubAccount: Test5																	
		.Z.CONNECTICUT	01 / 13	02/14	03/15	04 / 16 216.60	05/17	06 / 18 216 6/9	07 / 19	08/20	09/21	10/22	11/23	12/24			
			\$18.00	\$15.64	\$13.00	\$13.00	\$13.00	\$15.58	\$15.45	\$18.00	\$17.99	\$18.00	\$17.97	\$20.94			
			46.7@	46.7@	46.7@	46.7@	46.7@	46.7@	46.7@	46.7@	46.7@	46.7@	46.7@	46.7@			
		.Z.NEMASSBOST	\$18.68 01 / 13	\$20.99 02 / 14	\$20.99 03 / 15	\$20.99 04 / 16	\$20.73 05 / 17	\$20.97	\$19.89 07 / 19	\$18.00	\$18.07 09/21	\$18.00	\$16.04 11/23	\$15.84			
		.Z.RHODEISLAND	01 / 13	02 / 14	03/15	04 / 16	05 / 17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24			
		.Z.SEMASS	01 / 13	02/14	03/15	04 / 16	05/17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24			
Portfolio totals															_		
shown on last		Total Portfolio MW	01 / 13	02/14	03 / 15	04/16	05/17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24			
rows of the display			46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7	46.7			
i ows of the display	Ļ														_		
lassages																	

### View DA Cleared Bids at Pnodes in Portfolio

- 1. In the Demand Navigation sub tabs, click the **Demand by Portfolio** tab.
  - The Demand by Portfolio display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired subaccount from the **SubAccount** filter if it is shown.
    - Results are displayed for all Pnodes in the selected portfolio and for the selected date and when applicable, for the selected subaccount.

### XML Download for Demand Display

The XML Download display is accessible through the Demand Navigation sub tab. This display enables you to download pre-defined Demand specific XML report files of data that you maintain in the ISO-NE Market System, including results from the cleared Day-Ahead market. It also provides you the means to upload data in XML formatted data files into the ISO-NE Market System to be used to clear the Day-Ahead and Real Time markets. The format of the XML files can be found in the **eMarket Data Exchange Specification**, which is found on the <u>ISO New England website</u> among the documents listed on the Participate > Support > Upload and Download File Format Protocols page.

ISO new england		Demand Market Status: 0PEN(01) Cer Participant: ISO New Eng	Comparison of the second secon
Politic Generation Demandt ARD Regulation DRR SF Private Pertidio Demand Inc/Dec Demand by XHL Recoges Manager Edd Pertidio Download			
Select Date XML Download on Date: 19-Sep-2024 Bids.(Demand Demand By P Detailed Dem	19-scp-2024 4, Incs, Decs) articipant and by Participant	Upload XHL SOAP Request File:Broose	
Messages			8

The format of the display is slightly different for Participants who register subaccounts in the ISO-NE Customer and Asset Management System (CAMS). As shown below, there is an additional selection drop-down box labeled "SubAccount" in the **Filters** pane that is blank when the display is first called up. The user can select one of the subaccounts appearing on the drop-down list before requesting a download of the reports. If a subaccount is not selected, the requested demand report will contain information for all of the Participant's subaccounts. Only subaccounts active on the selected market day and inactive subaccounts for which there are demand bids on the selected market day will be listed. Inactive subaccounts will appear with an asterisk (\*) appended to their name. See §0 for more information on subaccounts.

ISO new england	Demand Market Status Pa	CLOSED ticipant: ACME Inc	Certificate User: User: Superuser Version: 4.0.3(201506161306) Certificate User: Superuser Version: 5.0.2015 15:33:31
Public         Generation         Demand         ARD         Regulation           Private         Portfolio         Demand         Inc/Dec         Load Response           Messages         Manager         Bids         Differs         Offers           XML Download         Inc/Dec         Load Response         Inc/Dec         Load Response	nse Demand By Load Response XML Portfolio Results Download		
Select Date (7)	XHL Download on 20-Jun-2015         Bids (Demand, Incs, Decs)         Demand By Participant         Detailed Demand by Participant         Load Response Results         Load Response Offers         SubAccount         15941         Down         Initial State         Tests	Upload XML SOAP Request	Browse
Messages			8

The following XML reports of demand data are available for downloading:

- Bids (Demand, Increment, Decrement)
- Demand by Participant
- Detailed Demand by Participant

Each returns an XML formatted report for the selected date and for all the Pnodes listed in all of the user's portfolios.

**Note**: The Load Response roles are retired/discontinued sometime after the implementation of the Price-Responsive Demand (PRD) project in June 2018.

See §0 for details on uploading and downloading files. The following sections provide samples of the downloaded reports.
### **Bids XML Report**

This report contains the information that is shown on the Demand Bids and Inc/Dec Bids displays for all Pnodes listed in all of your portfolios, and when applicable, for each of your subaccounts or for the subaccount that you selected. The following is a sample of the report. If you are using subaccounts, each set of *DemandBid* information appears within *DemandBidBySubAccount* tags that identify the name of the subaccount as follows:

```
<PricePoint price="15.15" MW="5" />
       </HourlyBid>
      - <HourlyBid time="2014-08-24T01:00:00-04:00">
           <PricePoint price="222" MW="99" />
           <PricePoint price="17.15" MW="3" />
           <PricePoint price="15.15" MW="5" />
       </HourlyBid>
      - <HourlyBid time="2014-08-24T23:00:00-04:00">
           <PricePoint price="15.15" MW="2" />
           <PricePoint price="11.15" MW="2" />
       </HourlyBid>
    </HourlyProfile>
</DemandBid>
- <DemandBid bidType="Increment" day="2014-08-24" ID="4000">
    <NodeName>.H.INTERNAL_HUB</NodeName>
   - <HourlyProfile>
      - <HourlyBid time="2014-08-24T00:00:00-04:00">
           <PricePoint price="25.15" MW="3" />
           <PricePoint price="23.15" MW="2" />
       </HourlyBid>
      - <HourlyBid time="2014-08-24T01:00:00-04:00">
           <PricePoint price="25.15" MW="3" />
           <PricePoint price="22.15" MW="2" />
       </HourlyBid>
      - <HourlyBid time="2014-08-24T23:00:00-04:00">
           <PricePoint price="25.15" MW="3" />
           <PricePoint price="22.15" MW="2" />
       </HourlvBid>
```

</HourlyProfile>

```
</DemandBid>
- <DemandBid bidType="Decrement" day="2014-08-24" ID="4004">
    <NodeName>.Z.CONNECTICUT</NodeName>
   - <HourlyProfile>
      - <HourlyBid time="2014-08-24T00:00:00-04:00">
           <PricePoint price="34.02" MW="30" />
           <PricePoint price="17.15" MW="3" />
           <PricePoint price="15.15" MW="5" />
        </HourlyBid>
      - <HourlyBid time="2014-08-24T23:00:00-04:00">
           <PricePoint price="34.02" MW="20" />
           <PricePoint price="15.15" MW="2" />
           <PricePoint price="11.15" MW="2" />
        </HourlyBid>
    </HourlyProfile>
 </DemandBid>
- <DemandBid bidType="Increment" day="2014-08-24" ID="4004">
    <NodeName>.Z.CONNECTICUT</NodeName>
   - <HourlyProfile>
      - <HourlyBid time="2014-08-24T00:00:00-04:00">
           <PricePoint price="25.15" MW="3" />
           <PricePoint price="23.15" MW="2" />
        </HourlyBid>
      - <HourlyBid time="2014-08-24T01:00:00-04:00">
           <PricePoint price="25.15" MW="3" />
           <PricePoint price="22.15" MW="2" />
        </HourlyBid>
      - <HourlyBid time="2014-08-24T23:00:00-04:00">
           <PricePoint price="25.15" MW="3" />
           <PricePoint price="22.15" MW="2" />
        </HourlyBid>
    </HourlyProfile>
</DemandBid>
- <DemandBid bidType="Fixed" day="2014-08-24" ID="4004">
    <NodeName>.Z.CONNECTICUT</NodeName>
      - <HourlyProfile>
           <HourlyBid time="2014-08-24T00:00:00-04:00" fixedMW="100" />
           <HourlyBid time="2014-08-24T01:00:00-04:00" fixedMW="101" />
           <HourlyBid time="2014-08-24T02:00:00-04:00" fixedMW="102" />
           <HourlyBid time="2014-08-24T22:00:00-04:00" fixedMW="122" />
           <HourlyBid time="2014-08-24T23:00:00-04:00" fixedMW="123" />
    </HourlyProfile>
 </DemandBid>
- <DemandBid bidType="PriceSensitive" day="2014-08-24" ID="4004">
    <NodeName>.Z.CONNECTICUT</NodeName>
   - <HourlyProfile>
      - <HourlyBid time="2014-08-24T00:00:00-04:00">
           <PricePoint price="400.13" MW="13.1" />
        </HourlyBid>
      - <HourlyBid time="2014-08-24T01:00:00-04:00">
           <PricePoint price="400.13" MW="11.9" />
        </HourlyBid>
```

```
- <HourlyBid time="2014-08-24T02:00:00-04:00">
           <PricePoint price="400.13" MW="11.4" />
        </HourlyBid>
      - <HourlyBid time="2014-08-24T22:00:00-04:00">
           <PricePoint price="400.13" MW="15.3" />
        </HourlyBid>
      - <HourlyBid time="2014-08-24T23:00:00-04:00">
           <PricePoint price="400.13" MW="14.2" />
        </HourlyBid>
    </HourlyProfile>
 </DemandBid>
- <DemandBid bidType="Decrement" day="2014-08-24" ID="4007">
    <NodeName>.Z.WCMASS</NodeName>
   - <HourlyProfile>
      - <HourlyBid time="2014-08-24T00:00:00-04:00">
           <PricePoint price="222" MW="44" />
           <PricePoint price="17.15" MW="3" />
           <PricePoint price="15.15" MW="5" />
        </HourlyBid>
      - <HourlyBid time="2014-08-24T23:00:00-04:00">
           <PricePoint price="222" MW="33" />
           <PricePoint price="15.15" MW="2" />
           <PricePoint price="11.15" MW="2" />
        </HourlyBid>
    </HourlyProfile>
 </DemandBid>
- <DemandBid bidType="Increment" day="2014-08-24" ID="4007">
    <NodeName>.Z.WCMASS</NodeName>
   - <HourlyProfile>
      - <HourlyBid time="2014-08-24T00:00:00-04:00">
           <PricePoint price="25.15" MW="3" />
           <PricePoint price="23.15" MW="2" />
        </HourlyBid>
      - <HourlyBid time="2014-08-24T01:00:00-04:00">
           <PricePoint price="25.15" MW="3" />
           <PricePoint price="22.15" MW="2" />
        </HourlyBid>
      - <HourlyBid time="2014-08-24T23:00:00-04:00">
           <PricePoint price="25.15" MW="3" />
           <PricePoint price="22.15" MW="2" />
        </HourlyBid>
    </HourlyProfile>
 </DemandBid>
- <DemandBid bidType="PriceSensitive" day="2014-08-24" ID="4007">
    <NodeName>.Z.WCMASS</NodeName>
   - <HourlyProfile>
      - <HourlyBid time="2014-08-24T00:00:00-04:00">
           <PricePoint price="400.13" MW="52.1" />
        </HourlyBid>
      - <HourlyBid time="2014-08-24T01:00:00-04:00">
           <PricePoint price="400.13" MW="46.7" />
        </HourlyBid>
```

#### **Demand by Participant XML Report**

This report shows the net amount of your demand and virtual bids that cleared in the Day-Ahead Market at each of the distinct Pnodes that are listed in all of your Demand portfolios, and when applicable, for each of your subaccounts or for the subaccount that you selected, and the price at which they cleared. Be aware that in the calculation of the net MW amount cleared the MW amount of Increment offers that cleared are treated as negative quantities. The report contains information only after the time for the opening of the Re-Offer Period of the selected day has passed. The following is a sample of the report. If you are using subaccounts, each set of *DemandByParticipant* information appears within *DemandByParticipantBySubAccount* tags that identify the name of the subaccount as follows:

- <DemandByParticipantBySubAccount subAccount ="SubaccountName">

```
- <DemandByParticipant day="..." ID="...">
```

</DemandByParticipant>

</DemandByParticipantBySubAccount>

#### Sample Report:

<?xml version="1.0" encoding="UTF-8" standalone="yes" ?>

- <GetDemandByParticipantResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">

- <DemandByParticipant day="2014-08-24" ID="4000">
  - <NodeName>.H.INTERNAL\_HUB</NodeName>

- <HourlyProfile>

```
<HourlyValues time="2014-08-24T00:00:00-04:00" MW="99" price="21.61" />
       <HourlyValues time="2014-08-24T01:00:00-04:00" MW="99" price="19.11" />
       <HourlyValues time="2014-08-24T02:00:00-04:00" MW="99" price="20.15" />
       <HourlyValues time="2014-08-24T03:00:00-04:00" MW="99" price="19.19" />
       <HourlyValues time="2014-08-24T04:00:00-04:00" MW="99" price="19.94" />
       <HourlyValues time="2014-08-24T05:00:00-04:00" MW="99" price="21.12" />
       <HourlyValues time="2014-08-24T06:00:00-04:00" MW="99" price="23.95" />
       <HourlyValues time="2014-08-24T07:00:00-04:00" MW="55" price="25.49" />
       <HourlyValues time="2014-08-24T08:00:00-04:00" MW="99" price="31.7" />
       <HourlyValues time="2014-08-24T09:00:00-04:00" MW="97" price="37.58" />
       <HourlyValues time="2014-08-24T10:00:00-04:00" MW="30" price="35.51" />
       <HourlyValues time="2014-08-24T11:00:00-04:00" MW="-8" price="34.09" />
       <HourlyValues time="2014-08-24T12:00:00-04:00" MW="-9" price="32.93" />
       <HourlyValues time="2014-08-24T13:00:00-04:00" MW="-103" price="26.14" />
       <HourlyValues time="2014-08-24T14:00:00-04:00" MW="-99" price="24.61" />
       <HourlyValues time="2014-08-24T15:00:00-04:00" MW="-99" price="24.11" />
       <HourlyValues time="2014-08-24T16:00:00-04:00" MW="-99" price="24.04" />
       <HourlyValues time="2014-08-24T17:00:00-04:00" MW="-99" price="25.83" />
       <HourlyValues time="2014-08-24T18:00:00-04:00" MW="-99" price="25.84" />
       <HourlyValues time="2014-08-24T19:00:00-04:00" MW="-99" price="31.99" />
       <HourlyValues time="2014-08-24T20:00:00-04:00" MW="99" price="36.85" />
       <HourlyValues time="2014-08-24T21:00:00-04:00" MW="94" price="33.68" />
       <HourlvValues time="2014-08-24T22:00:00-04:00" MW="-2" price="23.53" />
       <HourlyValues time="2014-08-24T23:00:00-04:00" MW="-2" price="23.67" />
    </HourlyProfile>
 </DemandByParticipant>
- <DemandByParticipant day="2014-08-24" ID="4004">
    <NodeName>.Z.CONNECTICUT</NodeName>
   - <HourlyProfile>
       <HourlyValues time="2014-08-24T00:00:00-04:00" MW="43.1" price="21.86" />
```

<HourlyValues time="2014-08-24T01:00:00-04:00" MW="41.9" price="19.29" /> <HourlyValues time="2014-08-24T02:00:00-04:00" MW="41.4" price="20.34" /> <HourlyValues time="2014-08-24T03:00:00-04:00" MW="30.8" price="19.37" /> <HourlyValues time="2014-08-24T04:00:00-04:00" MW="10.7" price="20.09" /> <HourlyValues time="2014-08-24T05:00:00-04:00" MW="11" price="21.35" /> <HourlyValues time="2014-08-24T06:00:00-04:00" MW="11.5" price="23.86" /> <HourlyValues time="2014-08-24T07:00:00-04:00" MW="12.4" price="25.52" /> <HourlyValues time="2014-08-24T08:00:00-04:00" MW="13.3" price="31.86" /> <HourlyValues time="2014-08-24T09:00:00-04:00" MW="12.4" price="38.03" /> <HourlyValues time="2014-08-24T10:00:00-04:00" MW="12.1" price="35.93" /> <HourlyValues time="2014-08-24T11:00:00-04:00" MW="7.1" price="34.52" /> <HourlyValues time="2014-08-24T12:00:00-04:00" MW="35.6" price="33.24" /> <HourlyValues time="2014-08-24T13:00:00-04:00" MW="40.2" price="26.41" /> <HourlyValues time="2014-08-24T14:00:00-04:00" MW="13.7" price="24.83" /> <HourlyValues time="2014-08-24T15:00:00-04:00" MW="13.3" price="24.33" /> <HourlyValues time="2014-08-24T16:00:00-04:00" MW="13.2" price="24.15" /> <HourlyValues time="2014-08-24T17:00:00-04:00" MW="13.5" price="25.99" /> <HourlyValues time="2014-08-24T18:00:00-04:00" MW="14.2" price="25.98" /> <HourlyValues time="2014-08-24T19:00:00-04:00" MW="15.1" price="32.18" /> <HourlyValues time="2014-08-24T20:00:00-04:00" MW="16" price="37.09" /> <HourlyValues time="2014-08-24T21:00:00-04:00" MW="61.1" price="33.92" /> <HourlyValues time="2014-08-24T22:00:00-04:00" MW="33.3" price="23.5" /> <HourlyValues time="2014-08-24T23:00:00-04:00" MW="32.2" price="23.82" /> </HourlyProfile> </DemandByParticipant> - <DemandByParticipant day="2014-08-24" ID="4007"> <NodeName>.Z.WCMASS</NodeName> - <HourlyProfile> <HourlyValues time="2014-08-24T00:00:00-04:00" MW="96.1" price="21.75" /> <HourlyValues time="2014-08-24T01:00:00-04:00" MW="90.7" price="19.23" /> <HourlyValues time="2014-08-24T02:00:00-04:00" MW="88.8" price="20.3" /> <HourlyValues time="2014-08-24T03:00:00-04:00" MW="88" price="19.34" /> <HourlyValues time="2014-08-24T04:00:00-04:00" MW="89.3" price="20.08" /> <HourlyValues time="2014-08-24T05:00:00-04:00" MW="93.4" price="21.28" /> <HourlyValues time="2014-08-24T06:00:00-04:00" MW="75" price="24.07" /> <HourlyValues time="2014-08-24T07:00:00-04:00" MW="83.9" price="25.62" /> <HourlyValues time="2014-08-24T08:00:00-04:00" MW="93.3" price="31.88" /> <HourlyValues time="2014-08-24T09:00:00-04:00" MW="96.8" price="37.84" /> <HourlyValues time="2014-08-24T10:00:00-04:00" MW="98.3" price="35.77" /> <HourlyValues time="2014-08-24T11:00:00-04:00" MW="36.5" price="34.33" /> <HourlyValues time="2014-08-24T12:00:00-04:00" MW="35" price="33.14" /> <HourlyValues time="2014-08-24T13:00:00-04:00" MW="36.7" price="26.33" /> <HourlyValues time="2014-08-24T14:00:00-04:00" MW="38.6" price="24.78" /> <HourlyValues time="2014-08-24T15:00:00-04:00" MW="37.1" price="24.28" /> <HourlyValues time="2014-08-24T16:00:00-04:00" MW="39.4" price="24.18" /> <HourlyValues time="2014-08-24T17:00:00-04:00" MW="40.7" price="25.99" /> <HourlyValues time="2014-08-24T18:00:00-04:00" MW="40.3" price="25.99" /> <HourlyValues time="2014-08-24T19:00:00-04:00" MW="44.1" price="32.17" /> <HourlyValues time="2014-08-24T20:00:00-04:00" MW="115.4" price="37.03" /> <HourlyValues time="2014-08-24T21:00:00-04:00" MW="104.4" price="33.84" /> <HourlyValues time="2014-08-24T22:00:00-04:00" MW="98.3" price="23.64" /> <HourlyValues time="2014-08-24T23:00:00-04:00" MW="90.3" price="23.78" /> </HourlyProfile>

</DemandByParticipant>

```
</GetDemandByParticipantResponse>
```

### **Detailed Demand by Participant XML Report**

This report lists each of your demand and virtual bids that cleared in the Day-Ahead Market at each of the distinct Pnodes that are listed in all of your Demand portfolios, and when applicable, for each of your subaccounts or for the subaccount that you selected. The report contains information only after the time for the opening of the Re-Offer Period of the selected day has passed.

It essentially is a breakdown of the bids that contributed to the net MW amount shown in the Demand by Participant report. If nothing cleared for a market hour, the Demand by Participant report will show a net MW amount of zero and the Detailed Demand by Participant report will list nothing. Note however that if the Demand by Participant report shows a net MW amount of zero, it does not mean that none of your bids cleared; you may have submitted demand or decrements bids that are countered by increment offers of total equal magnitude resulting in a net MW amount of zero since in the calculation of the net MW amount cleared the MW amount of Increment offers that cleared are treated as negative quantities. Note also that the sum of the MW amounts of the demand and decrement bids and increment offers listed for a given hour may not exactly match the net MW amount shown in the Demand by Participant report; this will happen when one of the bid/offers is marginal, thereby setting the price at the Pnode, which implies that only a portion of the MW amount bid/offered cleared.

The report lists the bids by type exactly as you've submitted them. In other words, it does not report the MW amount of the bid that cleared, although it will be the same unless the bid is marginal, nor does it report the price at which the bid cleared but the bid price.

The following is a sample of the report. If you are using subaccounts, each set of *DetailedDemandByParticipant* information appears within *DetailedDemandByParticipantBySubAccount* tags that identify the name of the subaccount as follows:

```
    - <DetailedDemandByParticipantBySubAccount subAccount ="SubaccountName">
    - <DetailedDemandByParticipant bidType ="..." day="..." ID="...">
```

</DetailedDemandByParticipant> </DetailedDemandByParticipantBySubAccount>

#### Sample Report:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes" ?>
- <GetDetailedDemandByParticipantResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
- <DetailedDemandByParticipant bidType="Decrement" day="2014-08-24" ID="4000">
< <NodeName>.H.INTERNAL_HUB</NodeName>
- <HourlyProfile>
- <HourlyPid time="2014-08-24T00:00:00-04:00">
< </HourlyBid time="2014-08-24T01:00:00-04:00">
</HourlyBid time="2014-08-24T01:00:00-04:00">
</HourlyBid time="2014-08-24T01:00:00-04:00">
</HourlyBid time="2014-08-24T01:00:00-04:00">
</HourlyBid time="2014-08-24T23:00:00-04:00">
</HourlyBid time="2014-08-24T23:00:00
```

```
<PricePoint price="222" MW="0" />
        </HourlyBid>
    </HourlyProfile>
 </DetailedDemandByParticipant>
- <DetailedDemandByParticipant bidType="Increment" day="2014-08-24" ID="4000">
    <NodeName>.H.INTERNAL_HUB</NodeName>
   - <HourlyProfile>
      - <HourlyBid time="2014-08-24T21:00:00-04:00">
           <PricePoint price="25.15" MW="2" />
           <PricePoint price="30.15" MW="3" />
        </HourlyBid>
      - <HourlyBid time="2014-08-24T22:00:00-04:00">
           <PricePoint price="22.15" MW="2" />
        </HourlyBid>
      - <HourlyBid time="2014-08-24T23:00:00-04:00">
           <PricePoint price="22.15" MW="2" />
        </HourlyBid>
    </HourlyProfile>
 </DetailedDemandByParticipant>
- <DetailedDemandByParticipant bidType="Decrement" day="2014-08-24" ID="4004">
    <NodeName>.Z.CONNECTICUT</NodeName>
   - <HourlyProfile>
      - <HourlyBid time="2014-08-24T00:00:00-04:00">
           <PricePoint price="34.02" MW="30" />
        </HourlvBid>
      - <HourlyBid time="2014-08-24T01:00:00-04:00">
           <PricePoint price="34.02" MW="30" />
        </HourlyBid>
      - <HourlyBid time="2014-08-24T23:00:00-04:00">
           <PricePoint price="34.02" MW="20" />
        </HourlyBid>
    </HourlyProfile>
 </DetailedDemandByParticipant>
- <DetailedDemandByParticipant bidType="Increment" day="2014-08-24" ID="4004">
    <NodeName>.Z.CONNECTICUT</NodeName>
   - <HourlyProfile>
      - <HourlyBid time="2014-08-24T21:00:00-04:00">
           <PricePoint price="25.15" MW="2" />
           <PricePoint price="30.15" MW="3" />
        </HourlyBid>
       - <HourlyBid time="2014-08-24T22:00:00-04:00">
           <PricePoint price="22.15" MW="2" />
        </HourlyBid>
      - <HourlyBid time="2014-08-24T23:00:00-04:00">
           <PricePoint price="22.15" MW="2" />
        </HourlyBid>
    </HourlyProfile>
 </DetailedDemandByParticipant>
- <DetailedDemandByParticipant bidType="PriceSensitive" day="2014-08-24" ID="4004">
    <NodeName>.Z.CONNECTICUT</NodeName>
   - <HourlyProfile>
      - <HourlyBid time="2014-08-24T00:00:00-04:00">
           <PricePoint price="400.13" MW="13.1" />
        </HourlyBid>
      - <HourlyBid time="2014-08-24T01:00:00-04:00">
           <PricePoint price="400.13" MW="11.9" />
```

```
</HourlyBid>
```

```
- <HourlyBid time="2014-08-24T23:00:00-04:00">
             <PricePoint price="400.13" MW="14.2" />
          </HourlyBid>
      </HourlyProfile>
   </DetailedDemandByParticipant>
  - <DetailedDemandByParticipant bidType="Decrement" day="2014-08-24" ID="4007">
      <NodeName>.Z.WCMASS</NodeName>
     - <HourlyProfile>
         - <HourlyBid time="2014-08-24T00:00:00-04:00">
             <PricePoint price="222" MW="44" />
          </HourlyBid>
         - <HourlyBid time="2014-08-24T01:00:00-04:00">
             <PricePoint price="222" MW="44" />
          </HourlyBid>
         - <HourlyBid time="2014-08-24T23:00:00-04:00">
             <PricePoint price="222" MW="33" />
          </HourlyBid>
      </HourlyProfile>
   </DetailedDemandByParticipant>
  - <DetailedDemandByParticipant bidType="Increment" day="2014-08-24" ID="4007">
      <NodeName>.Z.WCMASS</NodeName>
     - <HourlyProfile>
         - <HourlyBid time="2014-08-24T21:00:00-04:00">
             <PricePoint price="25.15" MW="2" />
             <PricePoint price="30.15" MW="3" />
          </HourlyBid>
         - <HourlyBid time="2014-08-24T22:00:00-04:00">
             <PricePoint price="22.15" MW="2" />
          </HourlyBid>
         - <HourlyBid time="2014-08-24T23:00:00-04:00">
             <PricePoint price="22.15" MW="2" />
          </HourlyBid>
      </HourlyProfile>
   </DetailedDemandByParticipant>
  - <DetailedDemandByParticipant bidType="PriceSensitive" day="2014-08-24" ID="4007">
      <NodeName>.Z.WCMASS</NodeName>
     - <HourlyProfile>
         - <HourlyBid time="2014-08-24T00:00:00-04:00">
             <PricePoint price="400.13" MW="52.1" />
          </HourlyBid>
         - <HourlyBid time="2014-08-24T01:00:00-04:00">
             <PricePoint price="400.13" MW="46.7" />
          </HourlyBid>
         - <HourlyBid time="2014-08-24T23:00:00-04:00">
             <PricePoint price="400.13" MW="59.3" />
          </HourlyBid>
      </HourlyProfile>
   </DetailedDemandByParticipant>
</GetDetailedDemandByParticipantResponse>
```

# 7. Asset-Related Demand (ARD) Tab

To access the Generation Tab, you must be a registered user with an ARD Read/Write or Read-Only role. When you have this access, the ARD tab will be shown and selecting it will show all of its display sub tabs as shown below.

Public	Generation	Demand	ARD	Regulation	n								
Private	ARD Defa	ult Portfo	olio	Ramp Rate	Ramp Rate	Schedule	Schedule	Schedule	Schedule Offers	Schedule	Hourly	ARD By	XML
Message	Parameter	s Mana	Iger	Default	Hourly Updates	Manager	Detail Defaults	Offers Default	Hourly Updates	Selection	Updates	Portfolio	Download

# **ARD Offer Concepts**

An ARD asset is a physical load, either dispatchable or non-dispatchable, that has been discretely modeled within the ISO New England's Energy Management and Settlement systems that settles at a nodal location. Dispatchable ARD assets (aka DARDs) are loads that can be dispatched just like generators to increase or decrease consumption and get nodal pricing as opposed to load zone pricing as is the case for demand in general. Non-dispatchable ARD assets are special loads that satisfy all of the ISO-NE metering and are eligible for nodal pricing; unlike DARDs, they are not dispatchable and as such are simple price takers in the energy market. The following discussions are applicable to dispatchable ARDs.

When submitting data, it is important to understand the hierarchy of the ARD data and the implications of data overrides. Figure 9 below shows the hierarchy of the ARD displays used to submit data and where the same bid data appears in different displays, the data of which display has precedence over (overrides) the others. [**Note**: only the data elements subject to overrides are shown.]

The ARD Default Parameters display is at the root of the hierarchy. The ARD record itself is initially created by ISO New England with default bid data when the asset is instantiated in the Market system. Participants must update some data values, like the asset's default dispatch availability status and single value ramp rate, using the ARD Default Parameters display. For assets capable of providing off-line reserves, the default Claim10 and Claim30 values must be updated on this display.

To participate in the energy market, a Participant must define at least one schedule for the asset using the Schedule Manager display and all of the child data that goes with it. The schedule defines a container for which detail bid data must be submitted.

Managing ARD schedules is accomplished by performing the following general steps:

- Create or modify a schedule using the Schedule Manager display
- Create or modify schedule-specific default data, which include MW operating limits and market participation (day-ahead or real time) using the Schedule Detail Defaults display.

• Create or modify schedule-bid default data (MW and price) using the Schedule Offers Default display.



#### Figure 9 – ARD Display Hierarchy and Data Precedence

• Identify the schedule or schedules to be used in the clearing of the Day-Ahead and Real Time (Balancing) Markets using the Schedule Selection display.

The other displays allow for overriding either schedule based default data or an asset's default dispatch availability data. Bid data in other displays higher in the hierarchy are overridden by the presence of data in these displays:

- The ARD Ramp Rate Default display can be used to define a default ramp rate curve for an asset that overrides the simple slope defined with the ARD Default Parameters display.
- The Minimum Consumption and Maximum Consumption limits on the Hourly Updates display override for specified hours of the day the corresponding limit values defined in the Schedule Detail Defaults display for all schedules.
- The dispatch availability status (Unavailable, Economic, Must Run) on the Hourly Updates display overrides for specified hours of the day the default dispatch availability status (Default Status) defined with the ARD Default Parameters display. For assets capable of providing off-line reserves, the display can be used to override for specific hours of the day the default Claim10 and Claim30 values defined on the ARD Default Parameters display.
- The incremental energy offers (Price/MW pairs) shown on the Schedule Offers Hourly Updates display override for specified hours of the day the default values defined in the Schedule Offers Default display for the corresponding schedule.

**Note**: For dispatchable ARDs that are part of a Continuous Storage Facility (CSF), refer to chapter 11 Continuous Storage Facilities (CSF) for additional considerations.

## ARD Portfolio Manager Display

An ARD portfolio is a collection of ARD assets that is defined by each individual user. The user assigns a unique name to each portfolio when it is created. Once a portfolio is created, the user assigns it one or more ARD assets. An ARD asset can be assigned to more than one portfolio.

Data is filtered by ARD portfolios on the following displays:

- ARD Default Parameters
- ARD Multiple Ramp Rates Default
- ARD Ramp Rate Hourly Updates
- ARD Schedule Manager
- ARD Schedule Detail Defaults
- ARD Schedule Offers Default
- ARD Schedule Offers Hourly Updates
- ARD Schedule Selection

- ARD Hourly Updates
- ARD by Portfolio

**Note**: An asset that is not associated with a portfolio cannot be selected in these displays' tooltray filters.

See section 0, Manage Portfolios, for details on the purpose of portfolios and details using this display.

## ARD Default Parameters Display

The ARD Default Parameters display allows you to view asset ownership information and to update an asset's default ramp rate, dispatch status and when applicable, its off-line reserve Claim Capability values. ARD bid data is defined on an asset basis, as well as on schedule basis. The ARD Default Parameters Display is for managing an ARD's more static bid data.

ISO New England requires that the Participant submit to the ISO, asset specific information about an ARD. This information is used to create the initial ARD asset record in the market system database and must be submitted in writing to ISO-NE and verified by ISO-NE before the Participant submits bids. (For more information on the data required, see the *ISO New England Manual for Market Operations Manual 11*, which is found on the *ISO New England website* among the documents listed on the Participate > Rules and Procedures > Manuals page.)

When the asset-specific information is received, ISO creates the necessary records in the market system database. Some of this information is shown on the ARD Default Parameters display, and users cannot modify the information from here.

ISC	newe	england											Market Status: OPEN(01) Participant:	ISO New England Inc	<b>eMarke</b> Version: 2.0.1(201+ Certificate User: Superu	User: Sup	Interface 23-Aug-2014 12:31:57 eruser
Public Ger	neration Dem	and ARD	Regulation	n													
Private Messages	ARD Default Parameters	Portfolio Manager	Ramp Rate Default	Ramp R Hourly	ate Sched Jpdates Manag	tule Schedul ger Detail D	le Schedule efaults Offers Default	Schedule Offers Hourly Updates	Schedule Selection	Hourly Updates	ARD By Portfolio	XML Download					
ARD D	aily Defa	ult Para	meters														
Select Date a	nd ARD			~	ARD Details for	ASSET NAME											
Date:	24-Aug-2014					Accel Tune:	0	Accel chort Name-	ACCET.								
Portfolio:	AAA			~		Asset Number:	888888888			Node:	ADDET	ENAME					
ARD:	ASSET NAME			~	As:	set Longname:	ASSET NAME					DA Schedule Required:	No				
					Lead Pa	rticipant(ID#):	88888888						Ramp Rate(MW/Min):	1.0			
					Lead Par	ticipant Name:	Participant Name						Ramp Rate Cap:	11			
					1	Dispatch Zone:	Nik-Stam						Claim 10 Capable:	Yes			
						Dispatchable:	Yes						Claim 10 (MW):	7.0			
													Claim 10 Cap:	7			
						Default Status:	Economic						Claim 30 Capable:	Yes			
							C Unavailable						Claim 30 (MW):	12.0			
							C Must Run						Claim 30 Cap:	12			
																Upo	late Refresh
Messages																	*

The format of the ARD Default Parameters display is shown below:

The fields on this display are:

- **Asset Type** the physical type of the asset (e.g. Pump vs Non-Pump).
- Asset Number the ISO-NE generated unique identifier for the asset. This is the preferred reference number used in doing business with the Customer Service Department.

- **Node** the name of the pricing node, or bus, at which the ISO calculates day-ahead and real-time LMPs and to which the asset is connected. ISO assigns the pricing node for each ARD based on the asset's telemetry and on the ISO state estimator model.
- Asset Short Name the abbreviated name of the ARD asset
- Asset Long Name the full name or description of the Asset Related Demand. This label is shown on other ARD displays and in the ARD filter of all ARD displays.
- Lead Participant ID the ISO-NE assigned unique identifier of the Market Participant whose users are responsible for submitting the operating information of the ARD using the eMarket application.
- Lead Participant Name the full name of the Market Participant whose users are responsible for submitting the operating information of the ARD asset using the eMarket application.
- **Dispatch Zone** the electrical dispatch zone in which the ARD reside.
- **Dispatchable** indication as to whether the asset is a DARD and can respond to ISO New England dispatch signals or simply an ARD nodal price-taker.
- **Default Status (Economic/Unavailable/Must Run)** the default dispatch availability status of the ARD; applicable only to DARDs.
- **DA Schedule Required** indicates whether or not the ARD must submit a bid into the Day-Ahead market.
- Ramp Rate (MW/Min) the number of MW per minute with which the asset can respond to dispatch signals when it is on-line. This value is used in the calculation of reserves unless it is overridden by a default ramp rate curve on the Ramp Rate Default display or an override for an hour defined on the Ramp Rate Hourly Updates display.
- Ramp Rate Cap the asset's demonstrated ramp rate capability value that was established during the last audit conducted by ISO New England. The bid value will be capped (constrained) to this value if it is defined. If the demonstrated capability value is undefined, it will be shown as "UD".
- **Claim 10 Capable** indicates if the ARD asset is registered as capable of producing Ten Minute Non-Spinning Reserve. Only DARDs are Claim 10 eligible.
- Claim 10 (MW) the submitted bid for the number of consumption MW an asset can shed within 10 minutes. Used in the calculation of Ten Minute Non Spinning Reserves.

- Claim 10 Cap the asset's demonstrated Claim 10 Capability value that was established during the last audit conducted by ISO New England. The bid value will be capped (constrained) to this value if it is defined. If the demonstrated capability value is undefined or the asset is not Claim 10 Capable, it will be shown as "UD".
- Claim 30 Capable indicates if the ARD asset is registered as capable of producing Thirty Minute Reserve. Only DARDs are Claim 30 eligible.
- Claim 30 (MW) the submitted bid for the number of consumption MW an asset can shed within 30 minutes. Used in the calculation of Thirty Minute (non-spinning) Reserves.
- Claim 30 Cap the asset's demonstrated Claim 30 Capability value that was established during the last audit conducted by ISO New England. The bid value will be capped (constrained) to this value if it is defined. If the demonstrated capability value is undefined or the asset is not Claim 30 Capable, it will be shown as "UD".

## **Data Validation Rules**

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

- $0 \leq \text{Ramp Rate}$
- A warning will be issued if the Ramp Rate exceeds Ramp Rate Cap when the demonstrated capability is defined (not "UD")
- A warning will be returned if the asset is Claim10 capable and any of the following conditions exist
  - Claim 10 = 0 or NULL
  - Claim 10 > Claim 10 Cap when the demonstrated capability is defined (not "UD") – meaning that the Claim 10 Cap value will be used instead of the offered value
- A warning will be returned if the asset is Claim 30 capable and any of the following conditions exist
  - Claim 30 = 0 or NULL
  - Claim 30 > Claim 30 Cap when the demonstrated capability is defined (not "UD") – meaning that the Claim 30 Cap value will be used instead of the offered value
  - Claim 30 < Claim 10 meaning that the Claim 10 value will be used instead of the offered Claim 30 value.

## View Specific Asset Information:

- 1. In the ARD Navigation sub tabs, click the ARD Default Parameters tab.
  - The ARD Default Parameters display is shown in the display pane.
- 2. In the **Filters** pane:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired asset from the **ARD** filter.
    - The default data for the selected date and asset is shown in the ARD Default Parameters display.

## Modify Asset Default Claim 10/30 and Ramp Rate

An asset's Claim 10/30 values and its default ramp rate are specified at the asset level. To define these values:

- 1. View the desired unit's information as described in §0
- 2. Enter all of the following information:
  - a. Claim 10 (MW) if Claim 10 Capable
  - b. Claim 30 (MW) if Claim 30 Capable
  - c. Ramp Rate (MW/Min)
- 3. Click the **Update** button to save the data.

## Modify Asset Default Status

- 1. View the desired unit's information as described in §0
- 2. Select one of the following radio buttons:
  - a. Economic
  - b. Unavailable
  - c. Must Run
- 3. Click the **Update** button to save the selection.

## ARD Multiple Ramp Rates Daily Default Display

This display provides for viewing and modifying an asset's default ramp rate curve. A ramp rate defines how quickly an asset can change its consumption in MW per min. Depending on the asset's physical characteristics this rate can vary as a function of the asset's MW consumption. When that is the case, the Participant can use this display to model the asset's ramp rate curve. Ramp rate curves consist of Energy Ramp Rate (MW/Minute) over a range of the asset's MW consumption. Up to 10 MW ranges can be defined. The default ramp rate curve shown on the display is effective for the date selected and for all future days until it is redefined or removed at a future date. Note that the effective date of the data may be a date prior to the date selected. See §0 Effective Dates of Data.

**Note**: The existence of a ramp rate curve on this display overrides the simple slope specified in the Ramp Rate field on the ARD Default Parameters display.

ISC	new england							Market S	tatus: OPEN(01) Participant:	ISO New England Inc	eMarket Use Version: 2.0.1(20140722111 Certificate User: Superuser	9) 23-Aug-2014 12:44:26 Superuser Y
Public Ger	neration Demand ARD Regulation	20										
Private Messages	ARD Default Portfolio Ramp Rate Parameters Manager Default	Ramp Ra Hourly U	ite Schedule S Jpdates Manager D	chedule Sch etail Defaults Offe	dule Schedule Offers s Default Hourly Updates	s Schedule Hourly Selection Updates	ARD By Portfolio	XML Download				
ARD M	ultiple Ramp Rates Dail	ly Defa	ault									
Select Date a	nd ARD	~	ARD Ramp Rates for A	SET NAME on 24-4	ug-2014							
Date:	24-0-0-2014		MUN	Energy Ramp Ra	•							
Portfolio:	000	~	6		6.6							
APD	ACCET NAME	-	10		1.8							
										New	Delete	Update Refresh
Messages												8

The format of this display is shown below:

The fields on this display are:

- **MW** the MW consumption level up to which the ramp rate applies.
- Energy Ramp Rate- the MW/Min the ARD can change consumption while its MW consumption is less than or equal to the MW value specified and greater than a lesser MW value specified on a separate row or zero if none. The ramp rate specified for the largest MW value will be used if the ARD's MW consumption is greater than this largest MW point defined for the curve.

## **Data Validation Rules**

• Energy Ramp Rate  $\geq$  0; MW > 0

- eMarket will give you a warning if any of the entered rates is greater than the Ramp Rate Cap shown on the ARD Default Parameters display.
- MW/Ramp Rate pairs can be entered in any order. eMarket will sort them and show them in increasing MW value order after the data is submitted and stored in the database.

### View Ramp Rates

To view the ramp rate curve segments of an ARD:

- 1. In the ARD Navigation sub tabs, click the **Ramp Rate Default** tab.
  - The ARD Multiple Ramp Rates Daily Default display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired asset from the **ARD** filter.
    - The display shows the selected asset's default ramp rate curve data for the selected date; if a ramp rate curve is not defined for the selected date, nothing is shown on the display.

#### **Create Ramp Rates**

To create segments of a ramp rate curve for an ARD:

- 1. View the asset's ramp rate curve segments (§0)
- 2. Click the **New** button; you can click more than once if you want to create multiple segments.
  - A new row for each click is added in the grid with a pink background to indicate it has not been saved.
- 3. Type in the desired **MW** and **Energy Ramp Rate** values in the appropriate cells.
- 4. Repeat steps 2-3 as desired.
- 5. Click the **Update** button to save the data.

### Modify Ramp Rates

To update ramp rate curve segments:

- 1. View the asset's ramp rate curve segments (§0)
- 2. (optional) To add new segments to the curve, do as described in §0.
- 3. (optional) To delete existing segments in the curve:
  - a. Click a cell in the row to be deleted. The row will be highlighted.

- b. Click the **Delete** button. The row is removed.
- 4. To change the parameters of a curve segment, enter the desired **MW** and **Energy Ramp Rate** values in the appropriate cells.
- 5. Repeat steps 2-4 as needed.
- 6. Click the **Update** button to save the data.

**Note**: to use the Ramp Rate defined on the ARD Default Parameters display, starting on the date selected, all Ramp Rate segments must be deleted from this display.

## **ARD Ramp Rate Hourly Updates Display**

This display provides for viewing, entering and modifying hourly updates to an ARD's default ramp rate characteristics for a given market day. A ramp rate defines how quickly a unit can change its generation in MW per min. Depending on the ARD's physical characteristics this rate can vary as a function of the ARD's MW consumption, in other words the ARD's ramp rate characteristic is a curve defined as ramp rate for up to 10 ranges of the ARD's MW consumption. With this display, you can define an ARD's ramp rate characteristics on an hourly basis for a given market day to be either a single ramp rate or a ramp rate curve and thereby account for the ARD's physical configuration throughout the day.

**Note**: The existence of a ramp rate definition for an hour on this display overrides both the simple slope specified in the Ramp Rate field on the ARD Default Parameters display and the default ramp rate curve for the day, if one is defined, specified on the ARD Ramp Rate Default display.

The format of this display is shown below. There are two illustrations. The only difference is in the default values shown in the upper section when there is a default ramp rate curve defined for the ARD on the selected market day date and when there is none.

ISO new england																eMarket User Interface Veriani 20.1003/0723110) Maiket Statur: OFEN(03) Parloganti 100 New England Inc	:21
Public Generation Demand ARD Regulation																	
Private ARD Default Portfolio Ramp Rate Ramp Rate Houries Manager Default Houries	ate Scheo Jpdates Maria	dule Sche ger Detai	edule il Defaults	Schedule Offers Defi	ult H	hedule Off surly Upda	rs Sch es Sel	ection	Hourly Updates	ARD By Portfolio	XM Dor	L wnload					
ARD Ramp Rate Hourly Updates																	
Select Date and ARD	Default Values	for ASSET	NAME on 2	4-Aug-201	4												
Datas and and		Daily	RR	MN	RR	8 16	er 👘	RR #	MIX	RR		MN	RR	#	RR	1	
Date: 24-Aug-2014			1.0 1	6.0	6.6	2	10.0	1.8 3	16.0	1.0	4			5			
Portfolio: AAA			•			1					a			10			
ARD: ASSET NAME	Override Hour	ly Values fo	ASSET N	AME on 24-	Aug-201	4											
	Hour		RR #	MO	RR	# M	w 1	RR #	MV	RR		MY	RR	# MA	RR		
		Copy	1			2		3			4			6	1 i		
			6			7		8			9			10			
	01		•	10.0	10.0	2	13.0	1.0 3			4			5			
			6			7		8			9			10		Shown only if there is a default ramp	
	02		1	6.0	8.0	2	10.0	12.0 3	12.0	10.0	4	13.0	1.0	5		Shown only in there is a deradic ramp	
	03		1	10.0	10.0	2	13.0	1.0 3			4			5		rate curve defined for the selected	
			6			7		8			9			10			
	04		1	5.0	8.0	2	10.0	12.0 3	12.0	10.0	4	13.0	1.0	5		market day date.	
						7		8			9			10			
	05		6	10.0	10.0	7	13.0	1.0 3		[	9	-		10			
	05		1	5.0	8.0	2	10.0	12.0 3	12.0	10.0	4	13.0	1.0	6			
			6			7		8			9			10			
	07		1	10.0	10.0	2	13.0	1.0 3			4			5			
	08		0	5.0	8.0	2	10.0	12.0 3	12.0	10.0	4	13.0	1.0	5			-
			6			7		8			9			10			
	09		1	10.0	10.0	2	13.0	1.0 3			4			6			
			0			7		8			9			10			
	10			5.0	8.0	7	10.0	12.0 3	12.0	10.0	9	13.0	1.0	10			
	- 11		1	10.0	10.0	2	13.0	1.0 3			4		_	6			
			6			7		8			9			10			
	12			5.0	8.0	2	10.0	12.0 3	12.0	10.0	4	13.0	1.0	6			
	13		0	10.0	10.0	2	13.0	10 3			4		_	5			
	1.5		6	0.01	0.01	7		8			9			10			
	и					2		12.0 0	10.0	10.0		12.0			1		-
																Update	
Messages																	۲

ISO new england														Market Status: OPEN(01) Participant: <mark>ISO New Engle</mark> r	eMarket User Interface Version 20.0(201407221319) Certificate Users Superuser 20.4kg/2014.13/02/02 d Ind Vers Superuser V
Public Generation Demand ARD Regulation															
Private ARD Default Portfolio Ramp Rate Parameters Manager Default Hourty	Rate Schedule Updates Manager	Schedule Detail Defaults	Schedule Offers Def	fault Hor	edule Offers irly Updates	Schedule Selection	Hourly Updates	ARD By Portfolio	XML Dow	beolm					
ARD Ramp Rate Hourly Updates															
Select Date and ARD	Default Values for A	ASSET NAME on G	24-Aug-201	14											
		Daily RR													
Date: 24-Aug-2014		1.0													
Portfolio: AAA											_	-			
ARD: ASSET NAME	Ourseide Manda Mai	Inter Con ACCES N	AME 04	-A									_		
	Hour	BR A	MN	RR	8 144	BB	4 MV	BB		MN	RR #	MI	BB		
	▼ ▼ Co	PX 1			2		3		4		6				
		6			7		8		9		10				
	01	1	10.0	10.0	2 13.	1.0	3		4		6				
		0			7		8		9		10			Notice that no	othing is shown for a
	02	1	6.0	8.D	2 10.1	12.0	3 12.6	10.0	4	13.0	1.0 5				
	03	5	10.0	10.0	7 121	10	3		9		10			default ramp	rate curve if one is not
		6	10.0	10.0	7		8	1	9		10			المراجع المحالية	
	04	1	5.0	8.0	2 10.	12.0	3 12.0	10.0	4	13.0	1.0 5			defined for th	le selected market day
		0			7		8		9		10			data	
	00	1	10.0	10.0	2 13.1	1.0	3		4		0			uale.	
	00	1	5.0	8.0	2 10.1	12.0	3 12.0	10.0	4	13.0	1.0 6				
		6			7		8		9		10				
	07	1	10.0	10.0	2 13.	1.0	3		4		6				
		0			7	100	8	10.0	0	10.0	10 6				
	00	6	0.0	0.0	7	12.0	8	0.0	9	15.0	10 0				
	09	1	10.0	10.0	2 13.	1.0	3		4		6				
		6			7		8		9		10				
	10	1	5.0	0.8	2 10.1	12.0	3 12.0	10.0	4	13.0	1.0 5				
	11	0	10.0	10.0	2 131	1.0	3		4		5				
		6			7		8		9		10				
	12	1	6.0	8.0	2 10.	12.0	3 12.0	10.0	4	13.0	1.0 6				
		6			7		8		9		10				
	13	1	10.0	10.0	7 13.1	1.0	8		*		5		<u> </u>		
	1.4				2 10.					10.0	10 4				· · · · · · · · · · · · · · · · · · ·
															Update Refresh
Messages															

The Default Values section is provided as a reference to show what are the default daily values for the chosen day that are being overridden by the hourly update values entered in the section below. The fields in this section of the display are:

• **Daily RR** – the ARD's default energy ramp rate defined on the ARD Default Parameters display for the selected market day date.

#/MW/RR – the ARD's default ramp rate curve segments or MW blocks; # is the segment number, MW is the ARD's MW consumption upper bound for the block and RR is the ramp rate value for the range of MW consumption from the MW value of the previous segment (0 if there is no previous segment) up to the MW value of the segment. The RR of the last segment is the value used for ARD MW consumptions values greater than the MW value of the last segment.

The Default Values section can be collapsed using the double up-arrow icon at the extreme right of the section title bar to show more rows in the hourly section as shown below. The collapsed section can be expanded again to see the default values using the double down-arrow icon at the extreme right of the collapsed section title bar.

ISO new england																Market Status: OPEN(01) Participants <mark>ISO New England I</mark>	eMarket Us Version: 2.0.1(201407223 Certificate User: Superuser	er Interface 119) 23-Aug-2014 13:03:04 Superuser ¥
Public Generation Demand ARD Regulati	tion																	
Privale ARD Default Portfolio Ramp Rate Messages Parameters Manager Default	Ramp Rate Hourly Up	lates Schedule Manager	Schedule Detail Defaults	Schedul Offers D	e Scher vefault Hour	dule Offers ly Updates	Schedule Selection	Hour Upda	rly AR ates Po	D By rtfolio	XML Download							$\backslash$
ARD Ramp Rate Hourly Upda	ites																	- 🔨
Select Date and ARD	*	Default Values for A	SSET NAME on	24-Aug-21	014													*
Date: 24-Aug-2014		Override Hourly Val	ues for ASSET M	AME on 2	4-Aug-2014													
Portfolio: AAA	~	Hour	RR #	MN	RR	e Mir	RR		v90'	RR #	e MN	RR		MI	RR			
APD: ACCET MANE		Y Y Cop	w ;					3		4	•		5					
AGE NAME						′		8		9	·		10					
		01		10.	D 10.0	13.1	1.0	3		4	*	1	5		_			<u> </u>
i i ∸r		02		6.	0 8.0	2 10.1	1 12.0	3	12.0	10.0 4	1 13.0	1.0	6		_			
01			(			7		8		9	•		10					
02		83		10.	0 10.0	2 13.	1.0	3		4	•		6					
03		04					120	8	12.0	10.0 0	1 100	10	10		_			
04		54		0.	0.0	2	12.0	8	12.0	10.0 9	13.0	1.0	10					
05		05		10.	0 10.0	13.	1.0	3		4	•		6					
06			0			7		8		9	•		10					
07		06		6.	0 8.0	2 10.1	1 12.0	3	12.0	10.0 4	4 13.0	1.0	5					
08		07		10	0 10.0	131	10	3		4	4		5					
09								8		9		1	10					
10		08		6.	0.8.0	2 10.1	1 12.0	3	12.0	10.0 4	13.0	1.0	6					
11						7		8		9			10					
12		09		10.	0 10.0	131	1.0	3		4	•	1	0					
12		10		0.	0 8.0	10.1	12.0	3	12.0	10.0 4	4 13.0	1.0	5		_			
						7		8			•		10					
		11		10.	0 10.0	2 13.	1.0	3		4	•		6					
		40						8		9			10					
		12		6.	0 8.0	10.1	1 12.0	3	12.0	10.0 4	4 13.0 A	1.0	0					
		13		10.	0 10.0	13.1	1.0	3		4	4	1	6					
			6			7		8		9			10					
		14		5.	0.8.0	2 10.1	1 12.0	3	12.0	10.0 4	13.0	1.0	8					
			0					8		9	2		10					
		15		10.	u 10.0	13.	1.0	3		4	•		10					
		16							13.0	10.0 0	1 120							-
																		Update Refresh
Messages																		

The Override Hourly Values section shows each hour of the day and fields to enter overrides. When the fields are blank, it means that there is no override of the default values for that hour. Hence setting all data entry fields for an hour to blank (NULL) means that the applicable daily default value is to be used for the market hour; i.e. it is equivalent to removing the override for the market hour.

The description of the fields in the Override Hourly Values section of the display are the same as those in the Default Values section, except they define the unit's ramp rate characteristic for the hour-ending shown in the Hour column. *Either a single ramp rate override or a ramp rate curve override can be defined for an hour, not both.* 

The top row of the grid provides you with the means to enter or clear overrides for a selected range of hours. You select the "from" and "to" hours using the

drop-down list boxes under the Hour column, enter a single ramp rate or a ramp rate curve using the data entry fields on the right and then select the "Copy" button. As illustrated below, the values entered in the top row are copied to the rows for each hour in the range selected and the cells where values are being changed are highlighted. This process can be repeated to enter different ramp rate updates for other hour ranges before selecting the "Update" button to save the values in the database. If you do use the top row, you need to **remember** *that leaving all data entry field on this row blank means that you want to remove the overrides for all hours in the range selected*. For example, if you want to remove overrides for every hour of the day, simply select "01" as the "From" hour and "24" as the "To" hour in the Hour drop-down selections, select Copy to blank out all data entry fields below and then select Update. Since you did not enter anything in the data entry fields, all overrides are removed.

											<b>e<i>Market User 1</i></b> Version: 2.0.1(201407221119)	nterface
SO new england											Market Status: OPEN(01) Certificate User: Superuser 2	3-Aug-2014 13:04:05
											Participant: ISO New England Inc 💙 User: Supe	ruser 👻
Public Generation Demand ARD Regulation												
Private ARD Default Portfolio Ramp Rate Ramp R Morrange Destructure Missioner Default Manufaci	ate Schedule Sc Undater Manager Di	chedule Schedule	Schedule Offi	ers Schedule	Hourly	ARD By	ML					
messages parameters manager prease mounty	opuaces manager of	etai Detadas    Cites De	sadir    Hodany opea	65 5660000	oposies	Porticito	200011040					
ARD Ramp Rate Hourly Updates												
Select Date and ARD	Default Values for ASSE	T NAME on 24-Aug-20	14									*
Date: 24-Jun-2014	Override Hourly Values	for ASSET NAME on 24	-Aug-2014									
Portfolio: aaa	Hour	RR # MW	RR # M	# RR #	MN	RR #	MO	RR	# MAI	RR		
ARD: ASSET NAME	07 ¥ 12 ¥ Copy	1.5	2	3		4			•	<u> </u>		
Post i finite		6	7			9			10		-	
	01	6	7	13.0 1.0 3		9			10			-
	02	1 5.0	8.0 2	10.0 12.0 3	12.0	10.0 4	13.0	1.0	6			
	03	5	7	120 10 3		9			10		Hour PR	
		6	7	100 10 1		9			10	1		
	D4	1 6.0	8.0 2	10.0 12.0 3	12.0	10.0 4	13.0	1.0	6			
	05	6	10.0 2	13.0 1.0 3		9			5		07 🝸 12 🍸 Copy 1.	5
		0	7	8		0			10			_
	08	1 6.0	8.0 2	10.0 12.0 3	12.0	10.0 4	13.0	1.0	5			
	07	6	10.0 2	13.0 1.0 3		9			5			
		8	7			9			10		Before selecting "Copy", example whe	ere
	08	1 5.0	8.0 2	10.0 12.0 3	12.0	10.0 4	13.0	1.0	6		you want to get the unit's ramp rate	
	09	1 10.0	10.0 2	13.0 1.0 3		4			5		you want to set the unit's ramp rate	
		8	7	8		9			10		characteristics to a single ramp rate o	f 1.5
	10	1 6.0	8.0 2	10.0 12.0 3	12.0	10.0 4	13.D	1.0	5			
		1 10.0	10.0 2	13.0 1.0 3		4			5		for hours ending 07 through 12.	
		6	7	8		9			10			
	12	1 6.0	8.0 2	10.0 12.0 3	12.0	10.0 4	13.0	1.0	5			
	13	1 10.0	10.0 2	13.0 1.0 3		4			5			
		•	7	8		9			10			
	14	1 6.0	8.0 2	10.0 12.0 3	12.0	10.0 4	13.0	1.0	5			
	16	1 10.0	10.0 2	13.0 1.0 3		4			6			
		0	7	8		9			10			-
	14		0.0.2	100 100 2	10.0	10.01 4	10.0				Upd	ate Refresh
Messages												
-												

ISO new england									м	larket Status: OPEN(01) Participanti ISO New England Inc	eMarket User Interfa Version: 2.0.1(201407221119) Certificate User: Superuser 23-Aug-2014 Vuser: Superuser	3 <b>CE</b> 13:04:48 ¥
Public Generation Demand ARD Regulation												
Private ARD Defauk Portfolio Ramp Rate Ramp R Messages Parameters Manager Defauk Hourly t	ate Schedule Si Updates Manager D	chedule Schedu ietal Defaults Offers I	ile Schedule Offer Default Hourly Updates	Schedule Hou Selection Upd	arly ARD By lates Portfolio	XML Download						
ARD Ramp Rate Hourly Updates												
Select Date and ARD	Default Values for ASSI	ET NAME on 24-Aug-2	:014									*
Date: 24-Aug-2014	Override Hourly Values	s for ASSET NAME on :	24-Aug-2014									
Portfolio: AAA	Hour	RR # MW	RR N MA	RR #	MW RR	U MAI	RR #	MW F	RR			
ARD: ASSET NAME	✓ ✓ Copy:	1.5	2	3		4	°					
	01	1 10	0 10.0 2 1:	0 10 3		4	5					-
		8	7	8		9	10					_
	02	1 5	0 8.0 2 10	0 12.0 3	12.0 10.0	4 13.0	1.0 5		-			
	63	1 10	0 10.0 2 10	0 10 3		4	5					
		6	7	8		9	10			After selecting "(	Copy", the values	
	D4	8	0 8.0 2 10	0 12.0 3	12.0 10.0	9 13.0	1.0 0		-/	optorod on the to	an row are conied to	
	05	1 10	0 10.0 2 1	0 1.0 3		4	5				op row are copied to	
	08	0	0 80 2 10	0 120 3	12.0 10.0	9 4 13.0	10		4	the rows for eacl	h of the selected	
		6	7	8	12.0	0	10 0			having Tha fields		
	07	1.6 1	2	3		4	5			nours. The fields	where values are	
	08	1.5 1	2	3		4	5		_	changed are high	lighted to show	
		8	7	8		9	10					
	09	1.5 1	2	3		9	5		_	where data entri	es will be made when	
	10	1.5 1	2	1 ×		4	5			the "Update" but	tton is selected.	
	11	6	7	8		9	10		_			
		6	7	8		9	10					-
	12	1.5 1	2	3		4	5					
	13	1 10	0 10.0 2 10	0 10 3		4	5					
		8	7	8		0	10					
	14	6	0 80 7 10 7	U 12.0 3 8	12.0 10.0	9 13.0	1.0 9					
	15	1 10	0 10.0 2 1	0 1.0 3		4	5					
	18	8	7	8	10.0 10.0	9	10					•
											Update	Refresh
Messages												*

| ISO new england  |   
  |  
   |   
   |   
   |  |  |   
  |  |  |   |          | eMarket User Interface<br>Verient 0.1003407221159<br>Market Status: OFEN(01) Centrate User Segment<br>Pentagenet <u>100 New England Ix</u> V Veri   |  |
--
--
--
--
--
---|---|--
--	--	--	--
Public Generation Demand ARD Regulation Private ARD Default Portfolio Ramp Rate Heurly Messages Parameters Manager Default Heurly	Rate Schedule Sch Updates Manager Det		
  | redule Sched<br>tail Defaults Offers   
   | ule Scheo<br>Default Houri  
   | dule Offers<br>y Updates  
   | Schedule I<br>Selection I  | Hourly<br>Updates  | ARD By X<br>Portfolio D   
  | ML<br>ownload  |  |   |          |   |  |
| ARD Ramp Rate Hourly Updates   |   
  |  
   |   
   |   
   |  |  |   
  |  |  |   |          |   |  |
| Select Date and ARD  | Default Values for ASSET  
  | T NAME on 24-Aug-  
   | 2014  
   |   
   |  |  |   
  |  |  |   |          |   |  |
| Date: 24-Aug-2014  | Override Hourly Values  
  | for ASSET NAME on  
   | 24-Aug-2014   
   |   
   |  |  |   
  |  |  |   |          |   |  |
| Portfolio: AAA   | Hour  
  | RR # Mile  
   | RR A  
   | r MAI   
   | RR #   | MA   | RR #  
  | MIX  | RR #   | MA  | RR       |   |  |
| ARD: ASSET NAME  | 04 ¥ 06 ¥ Copy  
  | 0  
   | 2 0.0 2   
   | 10.0  
   | 7.0 3  | 12.0   | 2.0 4   
  | 14.0   | 1.0 0  | <u> </u>  |          |   |  |
|  | 01  
  | 1 1  
   | 0.0 10.0 2  
   | 13.0  
   | 1.0 3  |  | 4   
  |  | 5  |   | <u> </u> |   |  |
|  |   
  | 6  
   | 7   
   |   
   | 8  |  | 9   
  |  | 10   |   | $\sim$   |   |  |
|  | 02  
  | 0  
   | 5.0 8.0 2   
   | c 10.0  
   | 12.0 3   | 12.0   | 10.0 4  
  | 13.0   | 1.0 0  |   | — 1      | Before selecting "Copy", example where  |  |
|  | 00  
  | 1 1  
   | 0.0 10.0 2  
   | 13.0  
   | 1.0 3  |  | 4   
  |  | 5  |   |          | you want to set the unit's ramp rate  |  |
|  | 04  
  | 1  
   | 5.0 8.0 2   
   | 10.0  
   | 12.0 3   | 12.0   | 10.0 4  
  | 13.0   | 1.0 5  |   |          |   |  |
|  |   
  | 6  
   | 7   
   |   
   | 0  |  | 9   
  |  | 10   |   |          | characteristics to a different ramp rate  |  |
|  | 05  
  | 0  
   | 0.0 10.0 2  
   | 13.0  
   | 1.0 3  |  | 4   
  |  | 5  |   |          | curve for hours ending 04 through 06  |  |
|  | 06  
  | · · ·  
   | 5.0 8.0 2   
   | 10.0  
   | 12.0 3   | 12.0   | 10.0 4  
  | 13.0   | 1.0 5  |   |          |   |  |
|  | 07  
  | 1.5 1  
   | 2   
   |   
   | 8  |  | 4   
  |  | 10   |   |          |   |  |
|  |   
  | 6  
   | 2   
   |   
   | 8  |  | 9   
  |  | 10   |   |          |   |  |
|  | 80  
  | 1.5 1  
   | 2   
   | 2   
   | 3  |  | 4   
  |  | 5  |   |          |   |  |
|  | 09  
  | 1.5 1  
   | 2   
   |   
   | 3  |  | 4   
  |  | 5  |   |          |   |  |
|  | 10  
  | 0  
   | 7   
   |   
   | 8  |  | 9   
  |  | 10   |   |          |   |  |
|  |   
  | 8  
   | 7   
   |   
   | 8  |  |   
  |  | 10   |   |          |   |  |
|  |   
  | 1.5 1  
   | 2   
   |   
   | 3  |  | 4   
  |  | 6  |   |          |   |  |
|  | 12  
  | 1.5 1  
   | 2   
   |   
   | 3  |  | 4   
  |  | 5  |   |          |   |  |
|  |   
  | 0  
   | 7   
   |   
   | 8  |  | 9   
  |  | 10   |   |          |   |  |
|  | 13  
  | 6  
   | 0.0 10.0 2  
   | 13.0  
   | 1.0 3  |  | 4   
  |  | 5  |   |          |   |  |
|  | 14  
  | · _  
   | 5.0 8.0 2   
   | 10.0  
   | 12.0 3   | 12.0   | 10.0 4  
  | 13.0   | 1.0 5  |   |          |   |  |
|  | 15  
  | 0  
   | 7   
   | 13.0  
   | 1.0 3  |  | 9   
  |  | 10   |   |          |   |  |
|  |   
  | •  
   | ,   
   | ·   
   | 8  |  | 9   
  |  | 10   |   |          |   |  |
|  |   
  |  
   |   
   | 10.0  
   | 12.0 2   | 12.0   | 10.0 4  
  | 10.0   |  |   |          | Update  |  |
|  |   
  |  
   |   
   |   
   |  |  |   
  |  |  |   |          |   |  |
| Research Conner Anno Tagaton<br>Research Conner Anno Tagaton<br>Research Conner Conner Anno Tagaton<br>Research Conner Conner Conner Anno Tagaton  | Rate Schedula Sid<br>Updates Minngor Del  
  | ndule Sched<br>All Defaults Offers   
   | ule Scher<br>Default Houri  
   | dule Offers<br>ly Updales   
   | Schedule   | Hourly<br>Updates  | ARD By C  
  | ML<br>ownload  |  |   |          | <b>EMarket User Interface</b><br>Version 20.01201409221139)<br>Nasket Status: ORCI(01)<br>Participante ISO New England Inc V Versi Spannar  |  |
| Exact Generation         Central         ADD         FageMont           Reverse         ADD Official         Refuelding         Garage Market         Reverse           ARDR Ramp Rate Hourly Updates           States Date and ARD         Control         Control  | Pate<br>Schedda Sch<br>Updates Manager Dat<br>Default Values for ASSE1  
  | radula<br>Offers<br>T NAME on 24-Aug   
   | ule Scher<br>Default Hourf<br>2014  
   | dule Offers<br>ly Updates   
   | Schedule   | Hourly<br>Updates  | ARD By X  
  | ML<br>ownload  |  |   |          | <b>EMarket User Interface</b><br>Vernion 20.10104072211391<br>Market Status: OPEN(01) Centificate Uren: Supervise<br>Perticipant: ISO New England Dic Verni Supervise<br>Supervise  |  |
| ISO provingiand<br>India Greenter Cenard ADD Registre<br>Marchard Registre<br>Marchard Registre<br>ARD Registre<br>ARD Registre<br>ARD Registre<br>Cenard Re   | Rate Schedde Sch<br>Update Manage Dat   
  | vedule Sched<br>Jail Defaults Offers<br>T NAME on 24-Aug-<br>for ASSET NAME on 24-Aug-<br>DD 4   
   | ule Scher<br>Default Houri<br>2014<br>24-Aug-2014   
   | dule Offers<br>ly Updales   | Schredule<br>Selection  
  | Hourly<br>Updates  | ARD By C   | ML<br>ownload  
   |  |   |          | EMarket User Interface<br>Version: 20.100040723333<br>Ocentrate User: Supervise<br>Performet: [20.16m/England Inc. Version<br>Description (Section 20.100)<br>Version (Section 20.1000)<br>Ve |  |
| Table Greenstein owned Arbo Regulatori<br>Research Benetic Beneti  | Rate Schedule Sch<br>Honope Oct<br>Default Valees for ASSE<br>Verride Hearly Valees<br>Hor<br>V V Eccess  
  | vedule Sched<br>Iail Defaults Offers<br>T NAME on 24-Aug-<br>for ASSET NAME on<br>RR 1   
   | ułł Schwał<br>Dodauł Mouri<br>2014<br>224-Aug-2014<br>50 00 0   
   | Sule Offers<br>ly Updales   | Schedule<br>Selection   
  | Hourly<br>Updates<br>Mey<br>12.0   | ARD By X<br>Portfolio C  | ML<br>ownload  
   | RR #   | Mer   | RR       | eMarket User Interface<br>Version 20.10201497221159<br>Narket Status: OPEN(03) 20-Andréa User Superior<br>Partogrant: ISO New England Inc. V Unari Spenicer   |  |
| Reader Granden Control Regulation<br>Reader Granden Control Regulation<br>Reason Record Resource Control Regulation<br>Reason Record Record Resource Control Regulation<br>Reason Record  | Rate Scheduk Sch<br>Opticales Frienge<br>Defect Values for ASSE<br>Defect Values for ASSE<br>Hor<br>V V (Eopy)   
   | volde<br>Jai Defuits<br>Scheduts<br>Offers<br>TNAME en 24-Aug<br>Gr ASET NAME en<br>RR # MA<br>0<br>0   
  | ułł Schwałł<br>Dodaułł Mouri<br>2014<br>224-Aug-2014<br>5.0 0.0 7<br>2 7   
  | Sule Offers<br>y Updates   
                            | Schedule<br>Selection<br>RR 4<br>70 9<br>8   | Hourly<br>Updates  | ARD By<br>Portfolio C<br>RR /<br>2.0 4<br>9  | ML<br>ownload<br>MAN<br>14.0  
  | RR #<br>10 5<br>10   |   | RR       | eMarket User Interface<br>Version 20.012092022000<br>Participanti: ISO New England Soc<br>Version 20.01200<br>Participanti: ISO New England Soc<br>Version 20.0120<br>Version 20.0120<br>Versi          |  |
| Robe Growten         Development         MOD         Regulation           Brownig         ADD Defail         Mode of the segulation         Regulation         Regulation           Brownig         Mode of the segulation         Regulation         Regulation         Regulation         Regulation           Brownig         Mode of the segulation         Regulation         Regulation         Regulation         Regulation           Brownig         Mode of the segulation         Regulation         Regulation         Regulation         Regulation           ABDI         ADDIT MARK         V         ADDIT         V         ADDIT         V   | Rate<br>Belgets Schedula Sch<br>Horsoy Or<br>Orarise Hearty Values for ASSE<br>Nor<br>Nor<br>Nor<br>01  
  | wódał Schardzawie Schardzewie  
   | ule Scheg<br>Default Mourt<br>2014<br>24-Aug-2014<br>88 1<br>50 0.0 2<br>50 2.0 2<br>50 10.0 2  
   | Sule Offers<br>y Updates  | Schedule<br>Selection 9<br>70 9<br>8<br>10 9  
  | Hourly<br>Updates  | ARD By<br>Portfolo D   | ML<br>ownload<br>MAN<br>140  
   | RR #<br>1.0 5<br>10<br>5   |   | RR       | eMarket User Interface         Version 20.0100002020000         Market Statur: 0000001       Confided User Superior       20.0000014300         Participant:       ISO New England Inc       Image: I   |  |
| Note         Constraint         Constraint <td>Rata Schulde Sch<br/>Update Ffranger<br/>Overlast Vales for ANE<br/>Her<br/>V V Ecept<br/>01<br/>02</td> <td>vedd-<br/>al belads Stheta<br/>FINAME en 24-Aseg<br/>for ASET NAME en<br/>RR 4 Mai<br/>0<br/>0<br/>1<br/>0<br/>1<br/>0<br/>1<br/>0</td> <td>ule Sither<br/>Default Houri<br/>2014<br/>24-Aug-2014<br/>50 00 2<br/>20 10.0 2<br/>20 10.0 2<br/>3 0 0.0 2</td> <td>2.4e Offers<br/>y Updates<br/>y Updates</td> <td>Schedule<br/>Selection<br/>70<br/>9<br/>8<br/>10<br/>9<br/>8<br/>120<br/>9</td> <td>Hourly<br/>Updates</td> <td>ARD By<br/>Portfolio D<br/>RR F<br/>2.0 4<br/>9<br/>10.0 4</td> <td>ML<br/>ownload</td> <td>RR #<br/>10 5<br/>10<br/>5<br/>10<br/>10<br/>10</td> <td></td> <td>RR</td> <td>EMarket User Interface         Version 20.010000000000000000000000000000000000</td> | Rata Schulde Sch<br>Update Ffranger<br>Overlast Vales for ANE<br>Her<br>V V Ecept<br>01<br>02   
  | vedd-<br>al belads Stheta<br>FINAME en 24-Aseg<br>for ASET NAME en<br>RR 4 Mai<br>0<br>0<br>1<br>0<br>1<br>0<br>1<br>0   
   | ule Sither<br>Default Houri<br>2014<br>24-Aug-2014<br>50 00 2<br>20 10.0 2<br>20 10.0 2<br>3 0 0.0 2  
   | 2.4e Offers<br>y Updates<br>y Updates  | Schedule<br>Selection<br>70<br>9<br>8<br>10<br>9<br>8<br>120<br>9  
   | Hourly<br>Updates  | ARD By<br>Portfolio D<br>RR F<br>2.0 4<br>9<br>10.0 4  | ML<br>ownload  | RR #<br>10 5<br>10<br>5<br>10<br>10<br>10  |   
   | RR       | EMarket User Interface         Version 20.010000000000000000000000000000000000  |  |
| Inder Greuten england<br>Nate Greuten england  | Rata Schedda Sch<br>Typelar Manage Sch<br>Soffall Vales for ASSE<br>Hor<br>01<br>02<br>20<br>20<br>20<br>20<br>20<br>20<br>20<br>20<br>20<br>20<br>20<br>20   
  | widula Solved<br>al Defaults Office<br>FINAME on 24 - Auror<br>RR # Monte<br>0<br>0<br>0<br>0<br>0<br>0<br>0   
   | ude Schwart<br>Default Hourt<br>2014<br>24-Aug-2014<br>24-Aug-2014<br>88 0 0 2<br>7<br>0 0 100 2<br>50 0 0 7<br>50 0 0 7  
   | Sule Offers           /   | Schedule<br>Selection<br>7.0<br>9<br>10<br>9<br>120<br>8<br>8<br>120<br>8<br>8<br>120<br>8<br>8<br>8<br>8   
  | Hourly<br>Updates<br>12.0  | ARD By<br>Portfolio C<br>2.0 4<br>0<br>4<br>0.0 4<br>9<br>9<br>9<br>9  | ML<br>ownload  
   | RR #<br>10 5<br>10 5<br>10 10<br>10 10<br>10 10  |   | RR       | eMarket User Interface         Water 2010         Varies 2010       201000 Control 100         Participant       201000 Control 100         Varies 2010       Varies 201000 Control 100         After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected   |  |
| Rester Forward Area Rester<br>Rester Rester Rester<br>Rester Rester<br>Rester Rester Rester<br>Rester Rester Rester<br>Rester Rester Rester Rester<br>Rester Rester Rester Rester<br>Rester Rester Rester Rester Rester<br>Rester Rester Rester<br>Rester Rester Rester Rester Rester Rester Rester Res  | Rate Schedule Sch<br>Bighales Harvoy Sch<br>Default Valens for ASSE<br>Diverside Hawly Valens for<br>Norrick Hawly Valens for<br>Overside   
  | wolds Schedults Schedults Offers   
   | da Schwart Houri<br>Vorinzi Houri<br>2014<br>24-Aug-2014<br>50 0.0 2<br>50 0.0 2<br>50 0.0 3<br>50 0.0 3<br>7<br>7<br>7<br>7<br>7<br>7<br>7<br>7<br>7<br>7<br>7<br>7<br>7<br>7<br>7<br>7<br>7<br>7<br>7   
   | 5.4e Offers<br>y Updates<br>2 100<br>2 100<br>2 100<br>2 100<br>2 100<br>2 100<br>2 100<br>2 100  | Schredde Selection 9<br>Selection 9<br>10 9<br>120 9<br>10 9<br>120 9<br>10 9   
  | Hourly<br>Updates<br>12.0<br>12.0  | ARD By X<br>Portfolo C<br>4<br>0<br>4<br>0<br>4<br>4<br>0<br>4<br>4<br>0<br>4<br>4<br>0<br>0<br>4<br>4<br>0<br>0<br>4<br>4<br>0<br>0<br>0<br>4   | ML<br>oowrload<br>14.0<br>13.0   
   | RR # 10 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6  |   | RR       | After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are  |  |
| And a  | Rete<br>Schuduk Schuduk Sch<br>Hanger<br>Dafasit Vales for ASSE<br>Nor<br>Nor<br>01 01 0<br>02 0<br>03 0<br>04 0  
  | volda<br>Schedults Schedults<br>Gradester Notes<br>RR #
Market<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Schedults<br>Sc  
   | ule Schwart Hourt<br>Central Hourt<br>2014<br>24-Aug-2014<br>50 00 2<br>50 00 2<br>50 00 2<br>50 00 2<br>50 00 2  
   | 8ule Offers<br>y Updates<br>8 100<br>7 100<br>7 100<br>7 100<br>8 1300<br>7 100<br>8 1300<br>7 100<br>8 1300<br>7 100<br>8 1300   | Schredde<br>Selection 9<br>10 9<br>10 9<br>10 9<br>10 9<br>10 9<br>10 9<br>10 9<br>10  | Hourly<br>Updates  
   | ARD By<br>Portfolo         X           RR         #           2.0         4           0         4           0.0         4           0.0         4           0.0         4           0.0         4           0.0         4           0.0         4           0.0         4           0.0         4           0.0         4           0.0         4           0.0         4           0.0         4  | ML<br>ovvridad<br>H40<br>100<br>100<br>100<br>100<br>100<br>100<br>100<br>100<br>100<br>1  | RR # 10<br>10<br>6<br>10<br>10<br>10<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0   |   | RR       | After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are shared are bicklighted to the orus.  
   |  |
| ACC Constraint of the second o   | Datas Schwalze Sch<br>Byddes Ffersger Cel<br>Datast Valess for ASSE<br>Hor<br>Occrific Starty Valess<br>Hor<br>Q<br>01<br>Q<br>2<br>Q<br>03<br>Q<br>0<br>0<br>0<br>0  
  | NADA<br>III Dahaha<br>T NAME an 24-Aug<br>Gra ASET NAME an<br>R<br>R<br>B<br>B<br>B<br>B<br>B<br>B<br>B<br>B<br>B<br>B<br>B<br>B<br>B<br>B<br>B<br>B<br>B  
   | old-<br>Colfuel         Sither<br>Mount           2014         RR         I           24- Aug-2014         RR         I           20         00         2           20         100         2           20         00         2           20         00         2           20         00         2           20         00         2           20         00         2           20         00         2           20         00         2           20         00         2           20         00         2           20         00         2           20         000         2   
   | dule Offers<br>y Updates<br>2 100<br>2 100<br>2 100<br>2 100<br>2 100<br>2 100<br>2 100   | Schwidule         I           RR         4           7.0         9           1.0         9           1.0         9  
        1.0         3           1.0         3           7.0         3           7.0         3           7.0         3   | Hourly<br>Updates<br>12.0<br>12.0<br>12.0<br>12.0<br>12.0<br>12.0<br>12.0  | ARD By C<br>Portfolio C<br>2.0 4<br>0<br>10.0 4<br>4<br>2.0 4<br>0<br>4<br>0<br>2.0 4<br>0<br>2.0 4  | Mu overlaad  
   | RR # 110<br>5<br>10<br>10<br>10<br>5<br>6<br>10<br>5<br>10<br>5<br>10<br>5<br>10<br>5<br>1   |   | RR       | After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show  |  |
| Rate Gravitan bendar<br>Research Strander Strander<br>Research Strander Strander<br>Research Strander Strander<br>Research Strander Strander<br>Research Strander Strander<br>Research Strander<br>Res   | Rata Solvada Sol<br>Opfall Vales (FAIS)<br>Hor<br>Overdal Starty Vales<br>Hor<br>Overdal Starty Vales<br>(FAIS)<br>01<br>02<br>03<br>04<br>04<br>05   
  | vedde<br>al Ceferalts Scheel<br>I NAME en 24 Amerika<br>RR 2<br>3<br>3<br>3<br>3<br>4<br>3<br>4<br>5<br>5<br>5<br>5<br>5<br>5<br>5<br>5<br>5<br>5<br>5<br>5<br>5   
   | Adv         Schwart           Collul         Schwart           2014         Houri           224-Aug-2014         R           50         00         2           0         100         2           0         00         2           0         00         2           0         00         2           0         00         2           0         00         2           0         00         2           0         00         2           0         00         2           0         00         2           0         00         2           0         00         2           0         00         2  
   | Sule Offers<br>/ Updates<br>/ Upd   | RR         #           70         0           11         0           120         0           120         0           10         0           70         0           70         0           70         0           70         0           70         0           70         0           70         0           70         0           70         0  
  | Hourly<br>Updates<br>120<br>120<br>120<br>120<br>120   | AADD By X ADD BY X AD   | NL<br>NV<br>NV<br>NV<br>NV<br>NV<br>NV<br>NV<br>NV<br>NV<br>NV<br>NV<br>NV<br>NV   | RR # 10<br>5<br>10<br>10<br>5<br>5<br>5<br>5<br>10<br>5<br>5<br>5<br>5<br>10<br>5<br>5<br>5<br>5   |   
   | RR       | After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when   |  |
| Robert Gerenden verselande<br>Robert Gerenden verselande<br>Ro   | Rate Schedula Sch<br>Ugalas Houser Sch<br>Ugalas Houser Sch<br>Overside Heady Values for ASSE<br>Nor<br>Nor<br>Overside Heady Values for<br>Overside Heady Values for<br>Ove  
   | widds Scheider<br>T NAME on 24-Arrg<br>RR 4 Mark<br>0 0<br>0 0<br>0 0<br>0 0<br>0 0<br>0 0<br>0 0<br>0  
  | 2014<br>2014<br>2014<br>2014<br>2014<br>2014<br>2014<br>2014   
  | 804-00Hers<br>4 Ugdites<br>8 100<br>8 1000<br>8 1000<br>8 1000<br>8 1000<br>8 1000<br>8   | Schudze / Schudz   | Hourly<br>Updates<br>120<br>120<br>120<br>120<br>120<br>120   
  | RR         F           22         4           0         0           4         0           22         4           0         0           23         4           0         0           24         0           25         4           0         0           24         0           25         4           0         0           20         4           0         0           20         4           0         0  | MM<br>MV<br>140<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10  | RR # #<br>10 5<br>10 5<br>10 5<br>10 10<br>10 5<br>10 10<br>10 10<br>10 10<br>10 10<br>10 10<br>10 10<br>10 10   |   | RR       | After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "lundets" is colored.  
  |  |
| ACTION ACTION  | Bate     Schulular     Schulular       Default     Participer     Default       Hor     V     Esspir       01     01     02       03     04     05       06     07  
  | ndd-<br>ald-fullt Offen<br>I NAME on 24-Ang<br>RR # 4<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0   
   | 2014<br>22142<br>2214<br>22-Aug-2014<br>23-Aug-2014<br>23-Base<br>2010<br>2010<br>2010<br>2010<br>2010<br>2010<br>2010<br>201   
   | 2 Mar Ollers<br>V Lydere<br>2 Mar<br>2 120<br>2 10<br>2 1  | RR         #           70         3           81         10           91         10           10         1           110         1           120         3           130         1           140         1           150         1           160         1           170         3           180         1           190         1           100         1           100         1           100         1           100         1           100         1           100         1           100         1           100         1           100         1 
         100         1           100         1           100         1           100         1           100         1           100         1           100         1           100         1           100         1           100         1           100         1           100 <td< td=""><td>Mourly<br/>Updates<br/>12.2<br/>12.0<br/>12.0<br/>12.0<br/>12.0<br/>12.0<br/>12.0<br/>12.0</td><td>ARD By X<br/>ARD By X<br/>20 4<br/>4<br/>4<br/>4<br/>4<br/>4<br/>4<br/>20 4<br/>4<br/>20 4<br/>4<br/>20 4<br/>4<br/>20 4<br/>4<br/>4<br/>20 4<br/>4<br/>4<br/>20 4<br/>4<br/>4<br/>20 4<br/>4<br/>4<br/>4<br/>20 4<br/>4<br/>4<br/>4<br/>20 4<br/>4<br/>4<br/>4<br/>20 4<br/>5<br/>4<br/>5<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10</td><td>MM<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>booking<br/>boo</td><td>RR         #           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6</td><td></td><td>RR</td><td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td></td<> | Mourly<br>Updates<br>12.2<br>12.0<br>12.0<br>12.0<br>12.0<br>12.0<br>12.0<br>12.0  | ARD By X<br>ARD By X<br>20 4<br>4<br>4<br>4<br>4<br>4<br>4<br>20 4<br>4<br>20 4<br>4<br>20 4<br>4<br>20 4<br>4<br>4<br>20 4<br>4<br>4<br>20 4<br>4<br>4<br>20 4<br>4<br>4<br>4<br>20 4<br>4<br>4<br>4<br>20 4<br>4<br>4<br>4<br>20 4<br>5<br>4<br>5<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10  |
MM<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>booking<br>boo | RR         #           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6   |   | RR       | After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.  |  |
| In the Grand and And Test and A   | Rata Solvada Sol<br>Spalar Solvada Sol<br>Dafast Vales for ASS<br>Hor<br>Operate Isely Vales<br>Hor<br>01<br>02<br>00<br>04<br>66<br>66<br>67<br>00  | wolde<br>addeform<br>INAME as 24 and<br>INAME  | Ad- S-Dec 2014<br>22014<br>221-0222014<br>RR 0 00<br>RR 0 00<br>00<br>00<br>00<br>00<br>00<br>00<br>00<br>00<br>0   | 8.44 Offers<br>1 Upplies<br>1 Upplies  | RR / /<br>Selecton 1<br>10 1<br>10 2<br>10 2<br>10 3<br>10 3<br>10 3<br>10 3<br>10 3<br>10 3<br>10 3<br>10 3   | Hourly<br>Ucdates<br>120<br>120<br>120<br>120<br>120<br>120<br>120<br>120<br>120<br>120  | AACD By X C<br>AACD B   | Materia (1998)<br>Materia (1998)   | RR # 10 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5  |   | RR       | After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.  |  |
| Reference and ABD Control of ABD   | Rata Schudde Sch<br>Topstate Facuyor Sch<br>Overside Stauly Values for ASSE<br>Poer 10<br>00<br>00<br>00<br>00<br>00<br>00<br>00<br>00<br>00<br>00<br>00<br>00<br>0   
  | wilds<br>Sheadsong<br>I NAME as 24 Aug<br>IF NAME as 24 A  
  | Lde         Scher           Control         Scher           2014         RR           80         0           90         0 <td>Bile Offer<br/>y Updites<br/>00<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0</td> <td>Schudzk         R         A         Schudzk           10         3         3         3         3           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10</td> <td>Hourly<br/>Jodres<br/>120<br/>120<br/>120<br/>120<br/>120</td> <td>APD By         X           RR         F           20         4           0         4           0         9           20         4           0         9           20         4           0         9           20         4           0         9           20         4           0         9</td> <td>NAL<br/>Severites and a severite s</td> <td>RR         #           10         5           4         10           5         10           10         5           10         10           5         10           10         5           11         5           12         5           13         5           14         10           15         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5</td> <td></td> <td>RR</td> <td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when
the "Update" button is selected.</td>  | Bile Offer<br>y Updites<br>00<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0  | Schudzk         R         A         Schudzk           10         3         3         3         3           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10         10         10         10         10           10  
  | Hourly<br>Jodres<br>120<br>120<br>120<br>120<br>120  | APD By         X           RR         F           20         4           0         4           0         9           20         4           0         9           20         4           0         9           20         4           0         9           20         4           0         9   | NAL<br>Severites and a severite s  | RR         #           10         5           4         10           5         10           10         5           10         10           5         10           10         5           11         5           12         5           13         5           14         10           15         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5  |  
  | RR       | After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.  |  |
| And  | Rate Schedula Sch<br>Ugalats Honoyor Sch<br>Ugalats Honoyor Sch<br>Overrick Hearly Values for ASSE<br>Nor<br>Nor<br>01<br>02<br>03<br>04<br>04<br>03<br>04<br>04<br>05<br>06<br>00<br>00  
  | which which we have a solution of the solution   
   | Schwarz         Schwarz <t< td=""><td>8.44 Offers<br/>y Lpdies<br/>7<br/>7<br/>8<br/>100<br/>8<br/>8<br/>100<br/>8<br/>8<br/>100<br/>8<br/>8<br/>100<br/>8<br/>8<br/>100<br/>8<br/>8<br/>100<br/>8<br/>8<br/>100<br/>8<br/>8<br/>100<br/>8<br/>8<br/>100<br/>8<br/>8<br/>100<br/>8<br/>8<br/>100<br/>8<br/>100<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10</td><td>Schudde         Image: Schudde           RR         //         //         //           70         0         0         //         //           10         1         0         1         //         //         //         //           10         1         0         1         0         1         //         <td <="" td=""><td>Houriv<br/>Update<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120</td><td>RR / C C C C C C C C C C C C C C C C C C</td><td>MA<br/>MW<br/>440<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0</td><td>RR 4 4<br/>10 5<br/>50 5<br/>10 10 5<br/>10 10 5<br/>10 10 10<br/>10 10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>1</td><td></td><td>RR</td><td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td></td></td></t<>   
   | 8.44 Offers<br>y Lpdies<br>7<br>7<br>8<br>100<br>8<br>8<br>100<br>8<br>8<br>100<br>8<br>8<br>100<br>8<br>8<br>100<br>8<br>8<br>100<br>8<br>8<br>100<br>8<br>8<br>100<br>8<br>8<br>100<br>8<br>8<br>100<br>8<br>8<br>100<br>8<br>100<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10   | Schudde         Image: Schudde           RR         //         //         //           70         0         0         //         //           10         1         0         1         //         //         //         //           10         1         0         1         0         1         // <td <="" td=""><td>Houriv<br/>Update<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120</td><td>RR / C C C C C C C C C C C C C C C C C C</td><td>MA<br/>MW<br/>440<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0</td><td>RR 4 4<br/>10 5<br/>50 5<br/>10 10 5<br/>10 10 5<br/>10 10 10<br/>10 10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>1</td><td></td><td>RR</td><td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td></td>  
  | <td>Houriv<br/>Update<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120</td> <td>RR / C C C C C C C C C C C C C C C C C C</td> <td>MA<br/>MW<br/>440<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0<br/>0</td> <td>RR 4 4<br/>10 5<br/>50 5<br/>10 10 5<br/>10 10 5<br/>10 10 10<br/>10 10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>1</td> <td></td> <td>RR</td> <td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td> | Houriv<br>Update<br>120<br>120<br>120<br>120<br>120<br>120<br>120<br>120<br>120<br>120   | RR / C C C C C C C C C C C C C C C C C C   | MA<br>MW<br>440<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0   | RR 4 4<br>10 5<br>50 5<br>10 10 5<br>10 10 5<br>10 10 10<br>10 10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>1 |          | RR   
  | After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected. |
| ACC Control Co   | Pada Selvadar Soft<br>Tyradar Francov Col<br>Tyradar Tyracov Col<br>Dafadt Vales for ANSE<br>Hor<br>ODerrifal Steely Vales<br>Hor<br>0 0<br>0 0<br>0 0<br>0 0<br>10   
  | Notes a 24-Aug<br>FINANE as 24-A   
   | Image: state of the s   
   | Blé Offines<br>Updies<br>1000<br>2 1000<br>2 10000<br>2 1000<br>2 1000<br>2 1000<br>2 1000<br>2 1000<br>2 100   | Schucke         #           RR         #           Value         0           10         0           110         0           120         0           130         0           140         0           150         0           160         0           170         0           180         0           190         0           100  | Hearly<br>Updates  
   | AMD By         X           RR         F           2.0         4              | 54, 000 100 100 100 100 100 100 100 100 10   | RR 8 4<br>10 5<br>5<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10  |   | 88       | After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.  
   |  |
| Reference in the second   | Rate         Schedule         Schedule <th< td=""><td>velde<br/>NAME en 24 Adveg<br/>RAME en 24 Adveg<br/>RAME a 2<br/>1<br/>1<br/>1<br/>1<br/>1<br/>1<br/>1<br/>1<br/>1<br/>1<br/>1<br/>1<br/>1</td><td>Selection         Selection           Selection         Selection</td><td></td><td>Schudzka         I           RR         #           70         0           10         0</td><td>Hourly<br/>Updates<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120<br/>120</td><td>AAC (b) X AC (b) X AC</td><td>M.<br/>Service 1<br/>M.<br/>M.<br/>M.<br/>M.<br/>M.<br/>M.<br/>M.<br/>M.<br/>M.<br/>M.</td><td>RR         #           10         5</td><td></td><td>RR</td><td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td></th<>  
   | velde<br>NAME en 24 Adveg<br>RAME en 24 Adveg<br>RAME a 2<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1  
  | Selection         Selection  
  |   | Schudzka         I           RR         #           70         0           10         0   | Hourly<br>Updates<br>120<br>120<br>120<br>120<br>120<br>120<br>120<br>120<br>120<br>120   
  | AAC (b) X AC   | M.<br>Service 1<br>M.<br>M.<br>M.<br>M.<br>M.<br>M.<br>M.<br>M.<br>M.<br>M.  | RR         #           10         5   |   | RR       | After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.   
  |  |
Reference of the second of the	Bate         Schedule         Schedule <th< td=""><td>wolds T NAME on 24 Aury T NAME</td><td>Lie         Sphere           2014         Facular           2014         Sphere           2015         Sphere           2016         Sphere           2016         Sphere           2016         Sphere           2016         Sphere           2016         Sphere           2017         Sphere           2018         Sphere           2019         Sphere           2010         Sphere           2010<td>Bile Offers 2 100 2 1</td><td>RR         A         S           Bector         0         0           10         0         0           10         0         0           10         0         0           10         0         0           10         0         0           10         0         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         3         0           10         2         0           10         3         0           10         3         0</td><td>Hearly Updates 120 120 120 120 120</td><td>APC 0 y C C C C C C C C C C C C C C C C C</td><td>M. Severila di la construicta di la construicta</td><td>RR 8 8 100 5 5 5 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 1</td><td></td><td></td><td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td></td></th<>	wolds T NAME on 24 Aury T NAME	Lie         Sphere           2014         Facular           2014         Sphere           2015         Sphere           2016         Sphere           2016         Sphere           2016         Sphere           2016         Sphere           2016         Sphere           2017         Sphere           2018         Sphere           2019         Sphere           2010         Sphere           2010 <td>Bile Offers 2 100 2 1</td> <td>RR         A         S           Bector         0         0           10         0         0           10         0         0           10         0         0           10         0         0           10         0         0           10         0         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         3         0           10         2         0           10         3         0           10         3         0</td> <td>Hearly Updates 120 120 120 120 120</td> <td>APC 0 y C C C C C C C C C C C C C C C C C</td> <td>M. Severila di la construicta di la construicta</td> <td>RR 8 8 100 5 5 5 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 1</td> <td></td> <td></td> <td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td>	Bile Offers 2 100 2 1	RR         A         S           Bector         0         0           10         0         0           10         0         0           10         0         0           10         0         0           10         0         0           10         0         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         2         0           10         3         0           10         2         0           10         3         0           10         3         0	Hearly Updates 120 120 120 120 120	APC 0 y C C C C C C C C C C C C C C C C C	M. Severila di la construicta	RR 8 8 100 5 5 5 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 1			After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.	
Reference of the second of the	Data         Schwalze         Schwalze <th< td=""><td>Schedults         Schedults           INAME with 24-Aug         Offersity           ISAME with 24-Aug         I           ISAME with 24-Aug         I</td><td>debut         Fabrication           Result         Standard           Result</td><td>Auto Offers Udolfers Data</td><td>Schudde 1  RR 4  Schudde 1  RR 4  Schudde 1  R  R  Schudde 1  R  Schudde 1  S</td><td>Hourly Updates 120 120 120 120 120 120 120 120 120 120</td><td>RP 8/ 0 6/ 0 6/ 0 6/ 0 6/ 0 6/ 0 6/ 0 6/ 0</td><td>NL NL NL NL NL NL NL NL NL NL NL NL NL N</td><td>RR         #           10         6           5         5           10         10</td><td></td><td>58</td><td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td></th<>	Schedults         Schedults           INAME with 24-Aug         Offersity           ISAME with 24-Aug         I	debut         Fabrication           Result         Standard           Result	Auto Offers Udolfers Data	Schudde 1  RR 4  Schudde 1  RR 4  Schudde 1  R  R  Schudde 1  R  Schudde 1  S	Hourly Updates 120 120 120 120 120 120 120 120 120 120	RP 8/ 0 6/ 0 6/ 0 6/ 0 6/ 0 6/ 0 6/ 0 6/ 0	NL NL NL NL NL NL NL NL NL NL NL NL NL N	RR         #           10         6           5         5           10         10		58	After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.	
In the Grand the Applied of the Appl	Bate         Schedule         Schedule <th< td=""><td>Weided         Schedultz         Schedultz           IT NAME as 24 - August         August         August           IT NAME as 24 - August         Image: August August         Image: August August           IT NAME as 24 - August         Image: August August         Image: August August           IT I         Image: August August         Image: August August         Image: August August           IT I         Image: August August         Image: August         Image: Augu</td><td>Lange         Selection         Selection           2</td><td>Bulcoffues Updates 2 MW 100 2 100 2 100 2</td><td>RR         #           720         3           710         3           710         3           710         3           710         3           710         3           720         3           720         3           720         3           720         3           720         3           720         3           720         3           720         3           720         3           730         3           74         3           75         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3     <td>Houty Goods</td><td>AACO By X C C C C C C C C C C C C C C C C C C</td><td>March 1995 March 1995</td><td>FR         #           10         5           4         5           4         5           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         7           10         7           11         6           12         6           13         6           14         10           15         10           16         10           17         10           18         10           19         10           10         10           10         10           10         10           10         10           10         10           10         10</td><td></td><td></td><td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td></td></th<>	Weided         Schedultz         Schedultz           IT NAME as 24 - August         August         August           IT NAME as 24 - August         Image: August August         Image: August August           IT NAME as 24 - August         Image: August August         Image: August August           IT I         Image: August August         Image: August August         Image: August August           IT I         Image: August August         Image: August         Image: Augu	Lange         Selection         Selection           2	Bulcoffues Updates 2 MW 100 2 100 2	RR         #           720         3           710         3           710         3           710         3           710         3           710         3           720         3           720         3           720         3           720         3           720         3           720         3           720         3           720         3           720         3           730         3           74         3           75         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3           70         3 <td>Houty Goods</td> <td>AACO By X C C C C C C C C C C C C C C C C C C</td> <td>March 1995 March 1995</td> <td>FR         #           10         5           4         5           4         5           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         7           10         7           11         6           12         6           13         6           14         10           15         10           16         10           17         10           18         10           19         10           10         10           10         10           10         10           10         10           10         10           10         10</td> <td></td> <td></td> <td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td>	Houty Goods	AACO By X C C C C C C C C C C C C C C C C C C	March 1995 March 1995	FR         #           10         5           4         5           4         5           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         6           10         7           10         7           11         6           12         6           13         6           14         10           15         10           16         10           17         10           18         10           19         10           10         10           10         10           10         10           10         10           10         10           10         10			After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.	
Reference of the second of the	Rate         Schedule         Schedule <th< td=""><td>wolds TNAME on 24-Aug Brance and 24-Aug Brance a</td><td>Lis         Spherical           2014         24           2014</td><td>Bulcolles Marcolles</td><td>Schweizer         Image: Constraint of the sector of t</td><td>Houring to the second s</td><td>AND 95 X C</td><td>Networks of the second second</td><td>RR 8 9 10 10 10 10 10 10 10 10 10 10</td><td></td><td>RR</td><td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td></th<>	wolds TNAME on 24-Aug Brance and 24-Aug Brance a	Lis         Spherical           2014         24           2014	Bulcolles Marcolles	Schweizer         Image: Constraint of the sector of t	Houring to the second s	AND 95 X C	Networks of the second	RR 8 9 10 10 10 10 10 10 10 10 10 10		RR	After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.	
In the second se	Bate         Schedula         Schedula <th< td=""><td>widds shall be failed as a state of the second state of the second</td><td>Sele         Enternance           224-4422-042         244-4422-042           201         244-4422-042           201         201     <!--</td--><td>But offers           Image: State S</td><td>Schudzke         F           70         3           70         1           2         2           10         2           2         2           10         2           2         2           10         2           10         2           10         2           10         2           10         2           10         2           10         3           10         3           11         3           12         3           12         3</td><td>Howy Updates</td><td>APD Par 880 F C 200 F 200 F</td><td>M. Sourcessed So</td><td>PR         J         A           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J         J           J         J         J         J         J           J         J         J         J         J           J         J         J         J         J           J         J         J         J         J         J           J         J         J         J         J         J           J         J         J         J         J         J           J         J         J         J         J         J  </td><td></td><td>58</td><td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td></td></th<>	widds shall be failed as a state of the second	Sele         Enternance           224-4422-042         244-4422-042           201         244-4422-042           201         201 </td <td>But offers           Image: State S</td> <td>Schudzke         F           70         3           70         1           2         2           10         2           2         2           10         2           2         2           10         2           10         2           10         2           10         2           10         2           10         2           10         3           10         3           11         3           12         3           12         3</td> <td>Howy Updates</td> <td>APD Par 880 F C 200 F 200 F</td> <td>M. Sourcessed So</td> <td>PR         J         A           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J         J           J         J         J         J         J           J         J         J         J         J           J         J         J         J         J           J         J         J         J         J         J           J         J         J         J         J         J           J         J         J         J         J         J           J         J         J         J         J         J  </td> <td></td> <td>58</td> <td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td>	But offers           Image: State S	Schudzke         F           70         3           70         1           2         2           10         2           2         2           10         2           2         2           10         2           10         2           10         2           10         2           10         2           10         2           10         3           10         3           11         3           12         3           12         3	Howy Updates	APD Par 880 F C 200 F 200 F	M. Sourcessed So	PR         J         A           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J           J         J         J         J         J           J         J         J         J         J           J         J         J         J         J           J         J         J         J         J           J         J         J         J         J         J           J         J         J         J         J         J           J         J         J         J         J         J           J         J         J         J         J         J		58	After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.	
Reference in the second of the	Bate         Schedule         Schedule <th< td=""><td>Schedults         Schedults           I NAME on 24 - Augr         Offersity           II Addition 200         II           II Addition 200         II           II Addition 200         II           II Addition 200         II           II Addition 200         III           II III         IIII           II IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII</td><td>La         Sales           23-0-2-2         5-0-2-2           3</td><td>BA-Offers V (colders) 2 000 2 100 2 100 2</td><td>Schukker         Image: Schukker         Image: Schukker           72         3         4           72         3         4           73         3         4           73         3         3           74         3         3           75         3         3           70         3         3           71         3         3           72         3         3           73         3         3           74         3         3           75         3         3           74         3         3           75         3         3           76         3         3           76         3         3           76         3         3           76         3         3           76         3         3           76         3         3           76         3         3           76         3         3           76         3         3           76         3         3           76         3         3</td><td>Novier Novier 120 120 120 120 120 120 120 120 120 120</td><td>App Bay         Z         Z           RB         4         0           20         4         0           4         0         0           4         0         0           4         0         0           4         0         0           4         0         0           4         0         0           4         0         0           4         0         0           4         0         0           4         0         0           4         0         0           4         0         0           5         0         0           6         0         0           6         0         0           6         0         0           6         0         0           6         0         0           6         0         0           6         0         0           6         0         0           6         0         0</td><td>NA SWALES IN INCOMENTAL INTERPONTENTE INCOMENTAL INTERPONTENTE INCOMENTAL INTERPONTENTE INCOMENTAL INTERPONTENTE INTE</td><td>FR         #           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           11         5           12         5</td><td></td><td></td><td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td></th<>	Schedults         Schedults           I NAME on 24 - Augr         Offersity           II Addition 200         II           II Addition 200         II           II Addition 200         II           II Addition 200         II           II Addition 200         III           II III         IIII           II IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	La         Sales           23-0-2-2         5-0-2-2           3	BA-Offers V (colders) 2 000 2 100 2	Schukker         Image: Schukker         Image: Schukker           72         3         4           72         3         4           73         3         4           73         3         3           74         3         3           75         3         3           70         3         3           71         3         3           72         3         3           73         3         3           74         3         3           75         3         3           74         3         3           75         3         3           76         3         3           76         3         3           76         3         3           76         3         3           76         3         3           76         3         3           76         3         3           76         3         3           76         3         3           76         3         3           76         3         3	Novier Novier 120 120 120 120 120 120 120 120 120 120	App Bay         Z         Z           RB         4         0           20         4         0           4         0         0           4         0         0           4         0         0           4         0         0           4         0         0           4         0         0           4         0         0           4         0         0           4         0         0           4         0         0           4         0         0           4         0         0           5         0         0           6         0         0           6         0         0           6         0         0           6         0         0           6         0         0           6         0         0           6         0         0           6         0         0           6         0         0	NA SWALES IN INCOMENTAL INTERPONTENTE INCOMENTAL INTERPONTENTE INCOMENTAL INTERPONTENTE INCOMENTAL INTERPONTENTE INTE	FR         #           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           10         5           11         5           12         5			After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.	
Reference of the second of the	Rate         Schedule         Schedule <th< td=""><td>Validation         Schedule           INAME on 24-bits         Schedule     <!--</td--><td>Selection         Selection           Interference         Interference           Interference         Interference     <!--</td--><td>Bulcoffees 4 Mar 2 Ma</td><td>Schweider         RR         A         P           70         3         2         3         3           10         3         3         3         3           70         3         3         3         3           70         3         3         3         3           70         3         3         3         3           70         3         3         3         3           70         3         3         3         3           9         3         3         3         3           9         3         3         3         3           9         3         3         3         3           9         3         3         3         3           9         3         3         3         3           9         3         3         3         3         3           9         3         3         3         3         3         3           9         3         3         3         3         3         3         3         3         3         3         3         3         3</td><td>Hourly Job V 120 120 120 120 120 120 120 120 120 120</td><td>AND Dest         X         C           RR         F         C         C           RR         F         C         C           UD0         4         C         C           UD0         4         4         C           UD0         4         4         C           UD0         4         4         C           UD0         4         C         C           UD</td><td>94, eyes of the second second</td><td>RB         #           10         5           10         5           10         5           10         6           10         7           10         7           10         7           10         7           10         10<td></td><td></td><td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td></td></td></td></th<>	Validation         Schedule           INAME on 24-bits         Schedule </td <td>Selection         Selection           Interference         Interference           Interference         Interference     <!--</td--><td>Bulcoffees 4 Mar 2 Ma</td><td>Schweider         RR         A         P           70         3         2         3         3           10         3         3         3         3           70         3         3         3         3           70         3         3         3         3           70         3         3         3         3           70         3         3         3         3           70         3         3         3         3           9         3         3         3         3           9         3         3         3         3           9         3         3         3         3           9         3         3         3         3           9         3         3         3         3           9         3         3         3         3         3           9         3         3         3         3         3         3           9         3         3         3         3         3         3         3         3         3         3         3         3         3</td><td>Hourly Job V 120 120 120 120 120 120 120 120 120 120</td><td>AND Dest         X         C           RR         F         C         C           RR         F         C         C           UD0         4         C         C           UD0         4         4         C           UD0         4         4         C           UD0         4         4         C           UD0         4         C         C           UD</td><td>94, eyes of the second second</td><td>RB         #           10         5           10         5           10         5           10         6           10         7           10         7           10         7           10         7           10         10<td></td><td></td><td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td></td></td>	Selection         Selection           Interference         Interference           Interference         Interference </td <td>Bulcoffees 4 Mar 2 Ma</td> <td>Schweider         RR         A         P           70         3         2         3         3           10         3         3         3         3           70         3         3         3         3           70         3         3         3         3           70         3         3         3         3           70         3         3         3         3           70         3         3         3         3           9         3         3         3         3           9         3         3         3         3           9         3         3         3         3           9         3         3         3         3           9         3         3         3         3           9         3         3         3         3         3           9         3         3         3         3         3         3           9         3         3         3         3         3         3         3         3         3         3         3         3         3</td> <td>Hourly Job V 120 120 120 120 120 120 120 120 120 120</td> <td>AND Dest         X         C           RR         F         C         C           RR         F         C         C           UD0         4         C         C           UD0         4         4         C           UD0         4         4         C           UD0         4         4         C           UD0         4         C         C           UD</td> <td>94, eyes of the second second</td> <td>RB         #           10         5           10         5           10         5           10         6           10         7           10         7           10         7           10         7           10         10<td></td><td></td><td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td></td>	Bulcoffees 4 Mar 2 Ma	Schweider         RR         A         P           70         3         2         3         3           10         3         3         3         3           70         3         3         3         3           70         3         3         3         3           70         3         3         3         3           70         3         3         3         3           70         3         3         3         3           9         3         3         3         3           9         3         3         3         3           9         3         3         3         3           9         3         3         3         3           9         3         3         3         3           9         3         3         3         3         3           9         3         3         3         3         3         3           9         3         3         3         3         3         3         3         3         3         3         3         3         3	Hourly Job V 120 120 120 120 120 120 120 120 120 120	AND Dest         X         C           RR         F         C         C           RR         F         C         C           UD0         4         C         C           UD0         4         4         C           UD0         4         4         C           UD0         4         4         C           UD0         4         C         C           UD	94, eyes of the second	RB         #           10         5           10         5           10         5           10         6           10         7           10         7           10         7           10         7           10         10 <td></td> <td></td> <td>After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.</td>			After selecting "Copy", the values entered on the top row are copied to the rows for each of the selected hours. The fields where values are changed are highlighted to show where data entries will be made when the "Update" button is selected.	

### Data Validation Rules

- Ramp Rate  $\geq$  0; MW > 0
- eMarket will give you a warning if any of the entered rates is greater than the Ramp Rate Cap shown on the Unit Default Parameters display.
- MW/Ramp Rate pairs can be entered in any order. eMarket will sort them and show them in increasing MW value order after the data is submitted and stored in the database.
- Either a single ramp rate or a ramp rate curve can be defined for an hour, not both.

## Override Unit's Default Ramp Rate for a Day and Hour

As discussed in §0 ARD Default Parameters Display, you define on this display a unit's daily default ramp rate. Similarly, as discussed in §0 ARD Multiple Ramp Rates Daily Default Display, you can define on this display a daily default ramp rate curve for the unit that supersedes the daily default. Both the daily default single ramp rate and the daily default ramp rate curve for a selected market day are shown in the Default Values section of the display. If you want to profile the unit's ramp rate characteristics on an hourly basis,

- 1. In the Generation Navigation sub tabs, click the **Ramp Rate Hourly Updates** tab.
  - The ARD Ramp Rate Hourly Updates display is shown in the display pane.
- 2. In the Filters pane:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired unit from the **ARD** filter.
    - The display reflects the hourly overrides for the selected unit.
- 3. To update the overrides for individual hours:
  - a. Enter the override value for a single ramp rate or for a ramp curve in the hours that you wish. Remember that if you are switching from a ramp rate curve override to a single ramp rate value, you need to blank each segment of the ramp rate curve in addition to entering the single ramp rate value.
  - b. Click the **Update** button to save the data.
- 4. To update the overrides for a range of hours
  - a. Specify the range of hours by selecting "From" and "To" hour-ending values in the **Hour** drop-down list on the top row.
  - b. Enter the override value for either a single ramp rate or a ramp rate curve in the top row.

- c. Select the **Copy** button to copy the entered values to the rows for each hour in the selected range.
- d. Repeat steps a through c to enter different values in other range of hours if necessary.
- e. Click the **Update** button to save the data for the selected hours.

## ARD Schedule Manager Display

Schedule Manager enables users to view, create, and update schedules. The format of this display is shown below:

ISC	new eng	land											Market	Status: OPEN(01)	150 May England Inc	<b>eMarket</b> Version: 2.0.1(2014) Certificate User: Superus	User II	nterface
	•													Participants	150 New England Inc		Osen: Super	1261
Public Gen Private / Messages F	ARD Default Port Parameters Man	ARD folio Ra lager De	Regulati mp Rate sfault	Ramp Rate Hourly Up	idates	Schedule Manager	Schedule Detail Defaults	Schedule Offers Default	Schedule Offers Hourly Updates	Schedule Selection	Hourly Updates	ARD By Portfolio	XML Download					
ARD So	chedule Ma	nager																
Select ARD				~	Schedule	e Manager	for ASSET NAME											
Portfolio:	000			~	Schedul	le Name		Description				Sched	ale Type					
ARD:	ASSET NAME			~	DFLPRI	ICE		DFLPRICE				0 (Prio	•)	×				-
	HOSE THE				ASSET	_12 cT		ASSET Pric	e			12 (Pn	ce)	×				
															New	Delete	Upda	te Refresh
Messages																		8

The fields on this display are:

- Schedule Name a short name for the asset schedule, defined by the Participant. This label appears in the Schedule filter on the ARD displays.
- **Description** a brief description of the asset's schedule, defined by the Participant. This label appears in the ARD by Portfolio display, which shows the DAM results by ARD portfolio.
- Schedule Type identifies the number and type of the schedule, as follows:
  - **0 94** price-based schedules
  - 95 99 cost-based schedules, reserved for use by ISO New England.

## Create a New Schedule

Users can define more than one price-based schedule for an ARD asset. To assist in creating multiple schedules for an ARD asset, the Schedule Manager display allows you to assign a schedule name and a description to a specific ARD asset schedule. To create a new schedule:

1. In the ARD Navigation sub tabs, click the **Schedule Manager** tab.

- The Schedule Manager display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired portfolio from the **Portfolio** filter.
  - b. Select the desired asset from the **ARD** filter.
    - The existing schedules for the selected asset are listed.
- 3. Click the **New** button.

Type the following information in the new row:

- a. Schedule Name
- b. Description
- 4. Select an unused type of schedule from the **Schedule Type** drop-down menu.
- 5. Click the **Update** button to save the data.

## Modify a Schedule's Name and/or Description

After a schedule is created and saved to the database, you cannot modify the Schedule Type field. Only the schedule's name and description can be changed.

To modify an existing schedule's parameters:

- 1. In the ARD Navigation sub tabs, click the **Schedule Manager** tab.
  - The Schedule Manager display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired portfolio from the **Portfolio** filter.
  - b. Select the desired asset from the **ARD** filter.
    - The existing schedules for the selected asset are listed.
- 3. Modify the either or both of the following in any of the listed schedules:
  - a. Schedule Name
  - b. Description
- 4. Click the **Update** button to save the data.

## Delete a schedule

- 1. In the ARD Navigation sub tabs, click the **Schedule Manager** tab.
  - The Schedule Manager display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired portfolio from the **Portfolio** filter.
  - b. Select the desired asset from the **ARD** filter.
    - The existing schedules for the selected asset are listed.
- 3. Select a cell in the row of the schedule that you want to delete.

4. Click the **Delete** button. If the schedule is not flagged available in any of the market days for the period that market information is preserved in the market database, it is deleted; otherwise you will get an error message.

## ARD Schedule Detail Defaults Display

The Schedule Detail Defaults display is used to view and manage an ARD asset's default market offer parameters. The format of this display is shown below:

ISO new england						Market Status: OPEI Particip	N(01) Certifica pant: ISO New England I	eMarket User Interface           Version: 6.0.0(2249)12224)           te User: emktupenuef512         12-Sep-2024 20:10:11           inc         Version: emktupenuef512         Version: emktupenuef512
Public Generation Demand ARD Regulation	DRR ESF							
Private ARD Default Portfolio Ramp Rate Ram Messages Parameters Manager Default Hou	mp Rate Schedule Schedule Detail Defai	Its Schedule Schedule Offers Offers Default Hourly Updates	Schedule DA Schedule A/S Offers Selection	Hourly ARD Updates Port	By A/S By Portfolio	A/S Benchmark A/S Data Data	Benchmark AML Download	
ARD Schedule Detail Defaults								
Select Date, ARD and Schedule	Schedule Details for	and a second second second	Price-based)	on 19-Sep-2024				
Date: 19-Sep-2024	Descript Schedule Availa Day Ahead Mar Real Time Mar	on: The second sec				Max Dai Max Daily Consumption Max Daily Award Limil Min Downt Min Runt Max Consumptio Min Consumptio	Ily Starts: 10 n (MWh): 1250.0 t (MWh): 0.16 sime (hr): 0.16 sime (hr): 1.0 on (MW): 250.0 on (MW): 250.0	
Messanes								Update Refresh

The fields on this display are:

- **Description** the schedule description as entered on the Schedule Manager display.
- **Day Ahead Market** this check box indicates whether the schedule is enabled for Day-Ahead market use.
- **Real Time Market** this check box indicates whether the schedule is enabled for Real-Time market use.
- Schedule Available indicates whether the schedule is to be used. This is managed on the Schedule Selection display.
- **Max Daily Starts** the maximum number of times that the ARD can be started in one operating day under **normal** operating conditions. A blank field means the value is unlimited. This parameter is primarily intended for dispatchable ARDs (pumps in a pump storage facility).
- Max Daily Award Limit expressed in MWh, this is the limit on the total energy, Operating Reserves and EIR for a day in the DAM. A blank field means the value is unlimited.
- Max Daily Consumption the maximum amount of energy that the ARD can consume in one operating day. A blank field means the value is unlimited. This parameter is primarily intended for dispatchable ARDs (pumps in a pump storage facility).
- **Min Downtime** the minimum number of hours that the ARD owner requires between the time the ARD is released for shutdown by the ISO and the time the ARD is scheduled to be released for dispatch to the ISO; non-enterable.

- **Min Runtime** the minimum number of hours that the ARD must remain online after it has been scheduled to reach its Minimum Consumption Limit before it can be released for shutdown from its Minimum Consumption Limit; non-enterable.
  - Max Consumption (MW) the highest MW level at which the asset can be economically dispatched.
  - **Min Consumption (MW)** the lowest MW level at which the asset can be economically dispatched. This value represents the minimum amount, in MW, available from a Dispatchable Asset Related Demand that is not available for economic dispatch and is based on its physical characteristics.

You cannot change the Min Downtime and Min Runtime values. They are for information purposes only. To have either value changed, you must submit a Heat ticket to the ISO New England.

## **Data Validation Rules**

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

- Data is entered for each of the MW limit values, i.e., non-blank values appear in the data entry cells.
- Max Daily Starts and Max Daily Consumption values can be blank (unspecified)
- Max Consumption ≥ Min Consumption ≥ 0 for dispatchable ARDs Max Consumption = Min Consumption ≥ 0 for non-dispatchable ARDs The data submitted is rejected if any of these limit value validations fails.
- Max Daily Starts must be blank to specify an unlimited number of starts or a value greater than zero if you want to specify the maximum number of times the ARD can be started in a day. Max Daily Starts ≤ 24.
- Max Daily Consumption must be blank to specify an unlimited capacity or a value greater than zero if you want to define a limit on the ARD's consumption capability and be treated as a Limited Energy Generation (LEG) resource. If a non-blank value is entered, then Max Daily Consumption should be greater than or equal to Min Consumption x Min Runtime; a warning message will be reported if it is not.
- **Max Daily Award Limit** error: eMarket rejects submittals when both of the following are true:
  - Max Daily Award Limit is entered (not blank) AND
  - Max Daily Award Limit is less than or equal to zero.
- **Max Daily Award Limit** warning message: the system issues a submittal warning when all of the following are true:

- Max Daily Award Limit is not blank AND
- The ARD is self-scheduled for any number of hours (not necessarily consecutive) AND
- The Max Daily Award Limit is less than Minimum Consumption (MW) multiplied by the total number of self-scheduled hours for the day.
- **Max Daily Award Limit** warning message: the system issues a submittal warning both of the following are true:
  - Max Daily Award Limit is not blank AND
  - Max Daily Award Limit is less than Minimum Consumption multiplied by Minimum Run Time (hrs).
- **Max Daily Award Limit** warning message: the system issues a submittal warning all of the following are true:
  - Max Daily Award Limit (MWh) is not blank AND
  - Max Daily Consumption (MWh) is not blank AND
  - Max Daily Award Limit is less than Max Daily Consumption.
- When an ARD self schedules for a total number of hours greater than its Min Runtime, the Max Daily Consumption (if defined) must be greater than or equal to Min Consumption x the number of hours that the ARD self schedules or a warning will be returned.

### View Schedule Detail Defaults

To view the details of an ARD asset schedule:

- 1. In the ARD Navigation sub tabs, click the **Schedule Detail Defaults** tab.
  - The ARD Schedule Detail Defaults display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired asset from the **ARD** filter.
  - d. Select the desired schedule from the **Schedule** filter.
    - The display reflects the selected date's schedule detail.

### Modify Schedule Constraint Data

Constraint data that can be modified includes maximum daily starts, maximum daily consumption and maximum daily award limit. To modify schedule constraints:

1. View the ARD's schedule details (§0)

Enter the desired changes for any or all of the following offer parameters:

- a. Maximum Daily Starts
- b. Maximum Daily Consumption (MWh)

- c. Maximum Daily Award Limit (MWh)
- 2. Click the **Update** button to save the data.

### Modify Schedule Operating Limits

To modify an ARD's schedule operating limits

1. View the ARD's schedule detail (§0)

Enter the desired changes for any or all of the following operating limits:

- a. Min Consumption (MW)
- b. Max Consumption (MW)
- 2. Click the **Update** button to save the data.

#### **Enable Schedule for a Market**

Another schedule parameter is market participation. The Participant selects the schedules that are enabled for the Day-Ahead Market (DAM) and/or the Real-Time market (RTM). The following steps enable a schedule for the specified market(s):

- 1. View the ARD's schedule detail (§0)
- 2. To enable/disable a schedule for use in the DAM, click the **Day Ahead Market** checkbox.
- 3. To enable/disable a schedule for use in the RTM, click the **Real Time Market** checkbox.
- 4. Click the **Update** button to save the data.

**Note**: If the schedule is flagged as available, you will not be able to change the schedule's applicable market flags. That is because one price-based schedule must be flagged as available for each of the markets at all times. To change a schedule's market eligibility, you must first make one or more other schedules available (one for each market).

## **ARD Schedule Offers Daily Default Display**

The purpose of this display is to view and update the ARDs daily default schedule bid segments and Use Offer Slope flag. Schedule bid segments specify a MW amount and the price per MWH for consumption from the previous segment's MW amount up to this segment's MW amount. In other words, schedule bids consist of MW/price segments. Up to 10 segments can be defined for each schedule.

Bids in MW are cumulative. For example,

- To bid the first block of 15 MW of consumption at \$30.00, you enter an offer segment of 15 MW @ \$30.00
- To bid the next block of 20 MW of consumption at \$10.00, you enter an offer segment of 35 MW @ \$10.00

And so on. You can enter the segment bids in any order of MW values; eMarket will organize the segments and display them in increasing MW value order. The price value of each segment must however be less than the price of the previous segment after the segments are sorted in increasing MW value order. In other words, the bid segments must be monotonically decreasing in MW and increasing in price value.

The slope from zero to the first MW point (which can be zero), is equal to zero; that is to say that the price/MWH is fixed and equal to the price of the first segment. The price along the segment between MW points is a calculated slope or block, depending on the status of the Use Offer Slope checkbox.

The last MW point should be greater than or equal to the Max Consumption Limit. If it is not, the curve is extended with a slope equal to zero.



This is all illustrated in Figure 10.

ARD assets are eligible to change segment bid Price/MW pairs after the close of the DA market during the daily Re-Offer period and during the RT Intraday Re-Offer period.

The format of the Schedule Offers Daily Default display is shown below:

ISC	new england									Market S	tatus: OPEN(01) Participant:	ISO New England In	eMi Version: : Certificate Use	arket Us 2.0.1(2014072211 r: Superuser ♥ User	er Inte. <sup>19)</sup> 23-Aug-2 Superuser	rface
Public Ger	neration Demand ARD Regu	lation														
Private I Messages I	ARD Default Portfolio Ramp Rate Parameters Manager Default	Ramp Rat Hourly U	e Schedule pdates Manager	Schedule Detail Defaults	Schedule Offers Default	Schedule Offers Hourly Updates	Schedule Selection	Hourly Updates	ARD By Portfolio	XML Download						
ARD So	chedule Offers Daily D	efault														
Select Date, A	ARD and Schedule		Schedule Offer for	ASSET NAME - DFI	LPRICE (Price-b	ased) on 24-Aug-2	014									
Date:	24 Aug 2014		M	w	Price											
Dortfolio	24-A0g-2014			6.0	6.00	Use Offer Slope	e: 🔽									
ARD:				13.0	4.75											
Schadular	ADDET MAME															
Scriedule:	DFLPRICE	•														
												New	Delete		Update	Refresh
Messages																8

The fields on this display are:

- **MW** the net MW consumption associated with this segment. The last MW point should be greater than or equal to the Max Consumption Limit.
- **Price** the \$/MWH price bid for this segment.
- Use Offer Slope this check box indicates whether to use the offer slope for the incremental energy bids within the market clearing and dispatch software as illustrated in Figure 10.

### Data Validation Rules

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

- MW quantity must be strictly positive or zero; i.e.  $MW \ge 0$
- Price must be less than or equal to the Energy Offer Cap price and greater than or equal to the Energy Offer Floor price; i.e. Energy Offer Floor price ≤ Price ≤ Energy Offer Cap price<sup>24</sup>.
- Offers must be monotonically decreasing. The price value for each segment must be less than the one of the previous segment after the segments are ordered in increasing MW value<sup>25</sup>.

<sup>&</sup>lt;sup>24</sup> Energy Offer Floor price and Energy Offer Cap price are both defined in Market Rule 1, section I.2.2.

<sup>&</sup>lt;sup>25</sup> The same price for successive segments is allowed; however it doesn't really make sense when considering Participant offers because the two segments are equivalent to a single segment with a MW value equal to that of the second segment. It is allowed only to permit mitigation reference price values for successive offer segments to be equal.

## Modify Schedule Offers

- 1. In the ARD Navigation sub tabs, click the **Schedule Offers Default** tab.
  - The Schedule Offers Daily Default display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired asset from the ARD filter.
  - d. Select the desired schedule from the **Schedule** filter.
    - The display reflects the selected schedule's bid data for the selected date.
- 3. (optional) Click the **New** button to add a new segment. You can click the button more than once to add several rows.
  - A new segment row is added for each click of the button and the background of each is pink to show that it has not been saved.
- 4. (optional) To delete a segment:
  - a. Click in a cell in the row for the segment you wish to delete
    - The row is highlighted
  - b. Click the **Delete** button.
- 5. Type the following information for each segment as needed:
  - a. MW
  - b. Price
- 6. Repeat steps 3-5 as desired.
- 7. Click the **Update** button to save the data.
# Schedule Offers Hourly Updates Display

This display provides for viewing, entering and modifying hourly updates to an ARD schedule's default offers for a given market day. Refer to §0 ARD Schedule Offers Daily Default Display for a description of these schedule offer parameters and how incremental energy offers must be structured. *This is the only ARD display enabled for submittal of hourly updates during the RT Intraday Re-Offer period*.

																						Ver		<b>Us</b>	er Inte	rface
IS	I new	england															Market	Statu	s: OPEN(			Certificat	te User: Superus		23-Aug-	2014 13:16:10
																			Participa	nt: ISO	New England Inc			User	Superuser	*
Public G	eneration D	emand AF	2D Regulatio	on																						
Private	ARD Default	Portfolio	Ramp Rate	Ramp Rate	Schedule S	chedul	•	Schedule	ľ	Schedule	Offers	Sch	edule	Hourly	ARE	By	XML									
Messages	Parameters	Manager	Default	Hourly Up	odates Manager D	etail De	faults	Offers Defa	ult	Hourly U	pdates	Sele	ction	Updates	Por	folio I	Download									
ARD S	Schedule	Offers	Hourly U	pdate	s																					
Select Date	ARD and Sch	dule		~	Default Values for AS	SET N	AME - DFI	PRICE (F	rice-	based) on	24-Aug-20	14														۲
Date							MIN	Price		MW	Price		MW	Price	N	MØ	Price		MW	Price	Use Offer Slope					
Date	24-Aug-201	4				1	0.0	5.00	2	13.0	4.75	3			4			5			1					
Portfolio	AAA			*		6			7			8			9			10								
ARD	ASSET NAM	E		~	Onemide Hende Hele		ACCUT N		DDIC	c (Duise h			- 0014													
Schedule	DFLPRICE			~	Hour		MO	Price		MO	Price		MIC	Price		MO	Price		MIX	Price	Lise Offer Slope					
					V V Copy	1			2			3			4			5								
						6			7			8			9			10					Legend			
					01	1	1.0	16.00	2	2.0	14.00	3	3.0	12.00	4	4.0	10.00	6	6.0	8.00	1021	<b>A</b>	No Override:			
						6	6.0	6.00	7	7.0	4.00	8	9.0	2.00	9	12.0	0.00	10	16.0	-10.00			False:			
					02	1	1.0	16.00	2	2.0	14.00	3	3.0	12.00	4	4.0	10.00	5	5.0	8.00	<b>V</b>		True:			
						6	6.0	6.00	7	7.0	4.00	8	9.0	2.00	9	12.0	0.00	10	16.0	-10.00						
					03	1	1.0	16.00	2	2.0	15.00	3	5.0	12.00	4	10.0	5.00	6	15.0	0.00		-				
					04	6	20.0	-15.00	2	2.0	15.00	8	6.0	12.00	9	10.0	5.00	10	16.0	0.00	<b>ER</b>					
						6	20.0	-15.00	7	1.0	10.20	8	0.0	12.00	9	10.0	0.00	10	10.0	0.00						
					05	1	1.0	16.00	2	2.0	14.00	3	3.0	12.00	4	4.0	10.00	5	5.0	8.00	<b>V</b>					
						6	6.0	6.00	7	7.0	4.00	8	9.0	2.00	9	12.0	0.00	10	16.0	-10.00						
					06	1	1.0	16.00	2	2.0	14.00	3	3.0	12.00	4	4.0	10.00	6	5.0	8.00	<b>V</b>					
					07	8	6.0	6.00	2	7.0	4.00	8	9.0	2.00	9	12.0	0.00	10	16.0	-10.00	1004					
					01	6	20.0	-15.00	7	10	13.00	8	0.0	12.00	9	10.0	0.00	10	10.0	0.00	×					
					08	1	1.0	16.00	2	2.0	15.00	3	5.0	12.00	4	10.0	5.00	5	15.0	0.00	<b>V</b>					
						6	20.0	-15.00	7			8			9			10								
					09	1	1.0	16.00	2	2.0	14.00	3	3.0	12.00	4	4.0	10.00	6	6.0	8.00	<b>v</b>					
					10	6	0.0	6.00	7	7.0	4.00	8	9.0	2.00	9	12.0	0.00	10	10.0	-10.00						
					10	6	6.0	6.00	7	7.0	4.00	8	3.0	2.00	9	12.0	0.00	10	16.0	-10.00	<b>V</b>					
					11	1	1.0	16.00	2	2.0	15.00	3	5.0	12.00	4	10.0	5.00	5	15.0	0.00	<b>v</b>					
						6	20.0	-15.00	7			8			9			10								
					12	1	1.0	16.00	2	2.0	15.00	3	5.0	12.00	4	10.0	5.00	6	15.0	0.00	<b>V</b>					
					12	6	20.0	-15.00	7		14.00	8		10.00	9	4.5	10.00	10		0.00	-					
					10	6	1.0	10.00	7	2.0	4.00	8	3.0 0 N	12.00	9	4.0	10.00	10	0.0 16.0	-10.00	<b>V</b>	<b>T</b>				
							0.5	0.00		1.5	1.00		0.0	2.00		12.0	0.00		10.0	.0.00					Update	Refresh
Messages																										8

The format of the display is shown below.

The Default Values section is provided as a reference to show what are the default offers for the chosen day that are being overridden by the hourly update values entered in the section below.

## Data Validation Rules

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

• At least one MW/Price pair is entered for an hour and the Use Offer Slope checkbox must be set to a state other than "No Override". When all data entry cells for an hour are set to blank and the Use Offer Slope is set to "No Override", it means that the override for the hour is to be removed/deleted.

- MW quantity must be strictly positive or zero; i.e.  $MW \ge 0$
- Price must be less than or equal to the Energy Offer Cap price and greater than or equal to the Energy Offer Floor price; i.e. Energy Offer Floor price ≤ Price ≤ Energy Offer Cap price<sup>26</sup>.
- Offers must be monotonically decreasing. The price value for each segment must be less than the one of the previous segment after the segments are ordered in increasing MW value<sup>27</sup>.

## **Override Schedule Offers for One or More Hours of a Market Day**

- 1. In the ARD Navigation sub tabs, click the **Schedule Offers Hourly Updates** tab.
  - The ARD Schedule Offers Hourly Updates display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired asset from the **ARD** filter.
  - d. Select the desired schedule from the **Schedule** filter.
    - The display reflects the hourly overrides for the selected ARD schedule.
- 3. To update the overrides for individual hours:
  - a. Enter override values and set the Use Offer Slope in the hours that you wish. Enter blanks and set the Use Offer Slope to "No Override" if you want to remove an override.
  - b. Click the **Update** button to save the data.
- 4. To update the overrides for a range of hours using the first row in the grid:
  - a. Enter override values and set the Use Offer Slope in the top row. Enter blanks and set the Use Offer Slope to "No Override" if you want to remove overrides.
  - b. Specify the range of hours to override by selecting the "From" (left dropdown selector) and "To" (right drop-down selector) hours in the top row
  - c. Click the **Copy** button; this will copy the data that you entered in the top row to each row for the hours in the range that you selected.
  - d. Repeat steps a through c for other range of hours as desired.
  - e. Click the **Update** button to save the data for the selected hours.

<sup>&</sup>lt;sup>26</sup> Energy Offer Floor price and Energy Offer Cap price are both defined in Market Rule 1, section I.2.2.

<sup>&</sup>lt;sup>27</sup> The same price for successive segments is allowed; however it doesn't really make sense when considering Participant offers because the two segments are equivalent to a single segment with a MW value equal to that of the second segment. It is allowed only to permit mitigation reference price values for successive offer segments to be equal.

# Schedule DA A/S Offers Display

For Asset Related Demands, participants use this hourly interface to submit Ancillary Service "A/S" offers for the Day-Ahead market. Note: The DA A/S Offers are only given on an hourly basis. The hourly granularity requires that the user engage a conscious effort to submit A/S offers for the hours they wish to participate. Since there no daily corollary, the user **cannot** rely on an automatic carry forward such as is common with other energy offers.

ISO new england										Market Statu	is: OPEN(01)	Certificate User:	eMarket Version: 6.0.0(2 : emktsuperuser512	User Int 02409122244) 12-Si	erface
6											Participant: ISO	New England Inc	Y User:	emktsuperuser512	*
Public Generation Demand ARD Regulation	DRR E	SF													
Private ARD Default Portfolio Ramp Rate Parameters Manager Default H	amp Rate Jourly Update	es Schedule Manager	Schedule Detail Defaults	Schedule Sch Offers Default Hou	edule Offers rly Updates A/S	edule DA So Offers So	thedule Hou election Upd	ty ARD Ites Port	By A/S By folio Portfolio	A/S Benchmark Data	A/S Benchmark Data Overrides	XML Download			
Schedule Day-Ahead Ancillary	Service	e Offers													
Select Date, ARD and Schedule	«														
Date: 10.Sen-2024	1		Max Daily Award	Limit: 9.0	Day Al	nead Schedule:	Yes								
Dutility To a															
Portrollo: Test1			1.07.011												
ARD:			iouny oner values	s tor i			on a	9-Sep-202	4						
Schedule:		-	lour	MW	TMSR S	TMOR	S Avail								
			<ul> <li>Copy</li> </ul>												
		0	1	330.0	14.64	·	7.41	J							
		0	2	330.0	14.64		7.41	J							
			4	330.0	14.04		7.41	1							
			*	330.0	14.04		7.41	1							
				330.0	14.64		7.41	1							
			7	330.0	14.54		7.41	1							
		0	6	330.0	14.54		7.41	1							
		0	e	330.0	14.54		7.41	1							
		1	0	330.0	14.54		7.41	1							
		1	1	330.0	14.54		7.41	]							
		1	2	330.0	14.64		7.41	]							
		1	3	330.0	14.54		7.41	]							
		1	4	330.0	14.54		7.41	]							
		1	•	330.0	14.54		7.41	]							
		1	6	330.0	14.64		7.41	]							
		1	7	330.0	14.54		7.41	]							
		1	8	330.0	14.54		7.41	]							
		1	9	330.0	14.54	·	7.41	J							
		2		330.0	14.54		7.41	J							
		2		330.0	14.84		7.41	J							
		2	•	330.0	14.04		7.41	1							
		2	4	330.0	14.04		7.41	1							
					14.04									Undate	Defeat
														Update	Refresh
Marrana															

There are two read-only information fields:

- **Max Daily Award Limit**: A read only daily reference value entered via the ARD => Schedule Offers Default display. This is the limit on the total energy, Operating Reserves and EIR for the day in the Day-Ahead market. Please see related data validation rules.
- **Day Ahead Schedule:** A read only daily reference value. Value is "Yes" for an available schedule that is enabled for use in clearing the Day-Ahead market.

**Data Entry Pane**: Similar to the ARD Hourly Updates Display, the A/S Offers input section shows each hour of the day and fields to enter the user's A/S offers.

- **Hour** Hour ending values are shown in the first column for each hour in the day. The row for hour ending 03 is not shown for the Spring Daylight Saving Time transition day. Similarly, the value on the row of the repeating hour ending 02 of the Fall Daylight Saving Time transition day is marked with an asterisk (\*).
- **MW** maximum total for TMSR, TMSR, TMOR, and EIR awards

- **TMSR \$** DA Ancillary Service Offer for TMSR (\$)
- **TMOR \$** DA Ancillary Service Offer for TMOR (\$)
- **Aval** Informational read-only check box indicating the asset's effective availability is ither Economic or Must run for the hour.

#### **Data Validation Rules**

If a value is entered for an hour in any of these columns, values must also be entered in every other column even if they are copies from a prior hour. Setting all of the values to blank (NULL) acts to remove the offer in that market hour. The top row of the grid provides a means to enter or clear inputs for a range of hours. For example, to remove all the A/S offers for every hour of the day, select 01 for the "From" hour (left drop-down selector) and 24 for the "To" hour (right drop-down selector) in the Hour drop-down selection lists, select the "Copy" button and then select "Update". Note: you cannot use the top row to selectively update the inputs in one column for a range of hours while retaining the input values in other columns.

- The asset must belong to the user's selected portfolio and the asset must have a price schedule. Note that there no restriction to keep the user from entering A/S offers on a Real-Time Market only schedule. These inputs do not apply in the Real-Time market and thus ignored in market clearing.
- The eMarket user cannot modify Cost schedules.
- An hourly input requires values for all fields: MW, TMSR and TMOR.
- The MW input field must be numeric and have size and precision: 5,1.
- The "Price" input fields (TMSR and TMOR) must be numeric and have size and precision: 4,2.
- DA A/S Hourly Offer Prices >= 0. The system rejects values less than zero for any/all of the price inputs for: TMSR and TMOR.
- DA A/S Max MW >= DA A/S Hourly MW > 0. The system rejects MW submittals if either of the following are true for the input hour: MW is less than or equal to zero or MW is greater than the Maximum DA A/S Offer MW (2000).
- The DA A/S Hourly Offer Prices <= DA A/S Max Offer. eMarket rejects submittal if any of the A/S price values (TMSR, and TMOR) are greater than "Maximum DA A/S Offer Price" (2600).

# **ARD Schedule Selection Display**

This display is used to make schedules available for a given day and market. The format of this display is shown below:

ISO new england						м	arket Statu:	: OPEN(01)		V Certifi	eMari ersion: 2.0.7(: tate User: Sup	<b>ket Use</b> 201412111610 eruser	er Inte	rface
								Participant:	ISO New Engla	and Inc		Y User:	Superuser	×
Public Generation Demand ARD	Regulation													
Private ARD Default Portfolio Ram Messages Parameters Manager Defa	np Rate Ramp Rate ault Hourly Up	dates Manager	Schedule Detail Defaults	Schedule Offers Default	Schedule Offers Hourly Updates	Schedule Selection	Hourly Updates	ARD By Portfolio	XML Download					
ARD Schedule Selection						u								
Select Date and Portfolio	~	Schedules for Port	tfolio AAA on 21	Dec-2014										
Data: Dr. Dr. Data		ARD		Schedule ID	Type	Sd	redule		Day Ahead	Real Time	Available			
DestGline Land		ASSET NAME		1422499	Cost	DF	COST		х	x	$\checkmark$			
Portiolio: AAA	· · · · ·	ASSET NAME		1422401	Price	DF	DFLPRICE		х	x				
		ASSET NAME		1422412	Price	AS	SET_12		x	x	<b>V</b>			
													Update	Refresh
Messages														*

The fields on this display are:

- **ARD** the name of the ARD asset.
- Schedule ID the unique identifier of the schedule; it is the concatenation of the unique asset identifier and of the schedule type number.
- **Type** the type of schedule: Price or Cost.
- **Schedule** the name of the schedule as it was entered on the Schedule Manager display
- **Day Ahead** an X-mark indicates that the schedule is enabled to be used in the clearing of the Day-Ahead market if the schedule is flagged as available.
- **Real Time** an X-mark indicates that the schedule is enabled to be used in the clearing of the Real-Time market if the schedule is flagged as available.
- Available a checkmark indicates that the schedule is to be use in the clearing of the selected markets on the selected operating day.

#### Select Schedule for an Operating Day and Market

The ARD Schedule Selection operation is for modifying the availability of a schedule for a specific day.

**Note**: One and only one price-based schedule can be available for a market on any given day. Therefore, to make a schedule that is enabled for both Day-Ahead and Real-Time markets unavailable, you must at the same time make another schedule that is enabled for both markets available or two other schedules, one enabled for the Day-Ahead market and another enabled for the Real-Time market, available.

To update data or enable a schedule:

- 1. In the ARD Navigation sub tabs, click the **Schedule Selection** tab.
  - The ARD Schedule Selection display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
    - The schedules for all assets in the chosen portfolio are displayed.
- 3. Toggle the **Available** checkboxes as desired.
- 4. Click the **Update** button to save your modifications.

**Note**: To change the market to which a schedule applies you must use the Schedule Detail Defaults display.

**Note**: You cannot change the availability of the cost-based schedules. The availability of these is managed by ISO New England.

# ARD Hourly Updates Display

This display is used to view and modify the hourly overrides of an asset's MW limits, default dispatch availability status and when it is applicable, its off-line reserve capabilities for a specified market day. Changes made to the asset data using the ARD Hourly Updates display supersede all schedule limits (ARD Schedule Detail Defaults display) and default asset parameters (ARD Default Parameters Display).

									-Market Harr Trtevines
ISO new england						Market S	tatus: OPEN(01)		Certificate User: Superuser 23-Aug-2014 13:17:41
in the second							Participant:	ISO New England Ir	C User: Superuser V
Public Generation Demand APD Regulation									
Drivela ADD Drivela Dreafilia Dream Data Dream Data	ا منبعة ا	Contan Contan	Cataly office I	and a strategy of the second strategy of the	400.0-	1448			
Messages Parameters Manager Default Hourly U	ipdates Manager	Detail Defaults Offers Default	Hourly Updates	Selection Update	s Portfolio	Download			
ARD Hourly Updates									
Select Date and ARD									
Datas of any colid	Default Values for	ASSET NAME on 24-Aug-2014							
Date: 24-Aug-2014	Schedule	Min Consumption Max C	onsumption Type	Day Ahead	Real Time /	wailable		Claim10 Claim3	Defendence Carlos All
Portholio: AAA	ASSET_12	0.0	13.0 Price	X	x		Capable	Yes	Yes Derauk Scatus: C Unavarable
ARD: ASSET NAME	DFLCOST		Cost 12.0 Brian	×	X		Cap	7	12  © Economic 12
	Drenkice	5.5	13.0 Phote	^	A	V			C Must Run
	Override Hourds V	aluar for ASSET NAME on 24-A	2014						
	Hour	Min Consumption	Mrx Concurrentian	Chrim 10	Chrim 20	Unavailable	Economic	Must Rup	
		opy	Max consemption	Claimb	Claimbo			0	
	01		12.0	8.0	11		0	٢	
	02	0.0	13.0	7.0	12.		ŏ		
	03	0.0	12.0	0.8	13.	Ň	ŏ	۲	
	04	0.0	13.0	7.0	12.	0	0	۲	
	95	0.0	12.0	0.0	11.	0	0	۲	
	06	0.0	13.0	7.0	12.	• •	0	۲	
	07	0.0	12.0	0.8	13.		0		
	00	0.0	13.0	7.0	12.		0	0	
	10	0.0	12.0	6.0	11.		Š	~ ~	
	11	0.0	13.0	10	12.		ŏ	0	
	12	0.0	13.0	7.0	12.		ŏ	ŏ	
	13	0.0	12.0	6.0	11.		ŏ	ŏ	
	14	0.0	13.0	7.0	12.		ŏ	ŏ	
	15	0.0	12.0	0.8	13.		õ	õ	
	16	0.0	13.0	7.0	12.		0	0	
	17	0.0	12.0	0.8	11.	0 (0)	0	0	
	18	0.0	13.0	7.0	12.	0 (0)	0	0	
	19	0.0	12.0	0.8	13.	0 (0)	0	0	
	20	0.0	13.0	7.0	12.	•	0	0	
	21	0.0	12.0	0.0	11.	•	0	0	
	22	0.0	13.0	7.0	12.		0	0	
	23	0.0	12.0	0.8	13.		0	۲	
	24	0.0	13.0	7.0	12.	<u> </u>	0	۲	
									Update Refresh
Messages									*

The format of this display is shown below:

The Default Values section is provided as a reference to show what are the limit values in the various schedules and the default dispatch availability status and off-line reserve claim capability for the chosen day that are being overridden by the hourly update values entered in the section below.

- Schedule The name of the schedule
- Min Consumption The Min Consumption limit specified in the schedule detail.
- Max Consumption The Max Consumption limit specified in the schedule detail.
- Claim 10 and Claim 30 Capable Indicate whether the ARD is registered as capable (Yes/No) of providing 10 and 30 minute non-spinning reserves from an offline state.

- Claim 10 and Claim 30 Default The daily default off-line 10 and 30 minute off-line reserve capability for the market day as submitted using the ARD Default Parameters display.
- Claim 10 and Claim 30 Cap The demonstrated claim capabilities that were established during the last audit conducted by ISO New England. If the demonstrated capability value is undefined, it will be shown as "UD".
- **Default Status (Economic/Unavailable/Must Run)** The dispatch availability status (Default Status) specified on the ARD Default Parameters display

The Default Values section can be collapsed using the double up-arrow icon at the extreme right of the section title bar to show more rows in the hourly section as shown below. The collapsed section can be expanded again to see the default values using the double down-arrow icon at the extreme right of the collapsed section title bar.

ISO new england	new england Market Status: OPEN(01) Participant: ISO New England Inc														
Public Generation Domand APD Republics								_							
Public Generation Demand ARD Regulation		Carrier Carrier			1										
Messages Parameters Manager Default Hourly L	ipdates Manager	Detail Defaults Offers Default	Hourly Updates S	election Update:	s Portfolio	Download			*						
ARD Hourly Updates		"													
Select Date and ARD															
Date: 24-Aun-2014	Default Values for	ASSET NAME on 24-Aug-2014							×						
Portfolio: AAA	Override Hourly V	alues for ASSET NAME on 24-4	ug-2014												
Ропово. Дад	Hour	Min Consumption	Max Consumption	Claim 10	Claim30	Unavailable	Economic	Must Run							
ARD: ASSET NAME	~ ~ c	opy					0	0							
	01	0.0	12.0	6.0	11.0	) ()	0	۲							
	02	0.0	13.0	7.0	12.0		0	۲							
01	04	0.0	12.0	8.0	13.0		0	۲							
	05	0.0	13.0	7.0	11.0		ĕ								
02	06	0.0	13.0	7.0	12.0	ŏ	ŏ	۲							
03	07	0.0	12.0	0.8	13.0		0	۲							
04	08	0.0	13.0	7.0	12.0	۲	0	0							
04	09	0.0	12.0	0.0	11.0		0	0							
05	10	0.0	13.0	7.0	12.0		0	0							
06	12	0.0	13.0	7.0	12.0		ŏ	ŏ							
	13	0.0	12.0	0.8	11.0	) ()	ŏ	ŏ							
07	14	0.0	13.0	7.0	12.0		0	0							
08	15	0.0	12.0	0.8	13.0	۲	0	0							
	16	0.0	13.0	7.0	12.0		0	0							
09	18	0.0	12.0	7.0	12.0		ő	0							
10	19	0.0	12.0	0.8	13.0		ŏ	ŏ							
	20	0.0	13.D	7.0	12.0	) ()	Õ	ŏ							
11	21	0.0	12.0	0.0	11.0	) ()	0	0							
12	22	0.0	13.0	7.0	12.0	•	0	0							
10 -	23	0.0	12.0	0.8	13.0		0								
	24	0.0	13.0	7.0	12.1		0	۲							
									Update Refresh						
Messages									8						

The Override Hourly Values section shows each hour of the day and fields to enter overrides. When the fields are blank and the radio buttons unchecked, it means that there is no override of the schedule or default values for that hour.

• **Hour** – Hour ending values are shown in the first column for each hour in the day. The row for hour ending 03 is not shown for the Spring Daylight Saving Time transition day. Similarly, the value on

the row of the repeating hour ending 02 of the Fall Daylight Saving Time transition day is marked with an asterisk (\*).

- **Min Consumption** Column to enter overrides of the Min Consumption limit for any hour of the day.
- **Max Consumption** Column to enter overrides of the Max Consumption limit for any hour of the day.
- **Claim 10** Column to enter overrides of the Claim 10 capability for any hour of the day if the ARD is Claim 10 capable. If the ARD is not Claim 10 capable, there will be no data entry cells in this column.
- **Claim 30** Column to enter overrides of the Claim 30 capability for any hour of the day if the ARD is Claim 30 capable. If the ARD is not Claim 30 capable, there will be no data entry cells in this column.

The following override the Default Status specified on the ARD Default Parameters display:

- **Unavailable** When checked, it indicates that the asset is unavailable for commitment and dispatch for that hour of the operating day.
- **Economic** When checked, it indicates that the asset is available for economic commitment and dispatch for that hour of the operating day.
- **Must Run** When checked, it indicates that the asset is self-scheduling for that hour of the operating day; that is, the asset must be committed at its Min Consumption limit and can be dispatched up to the Max Consumption limit based on economics.

If a value is entered for an hour in any of these columns, values must also be entered in every other column even if they are copies of the default values. Setting these limit values to blank (NULL) means that the corresponding values defined in the Schedule Detail data of the schedules that are flagged as available for the market day are to be used for that market hour; i.e. it is equivalent to removing the override of the values for that market hour. Setting the off-line reserve claim values to blank (NULL) means that the corresponding values defined in the ARD Default Parameters data for the market day are to be used for that market hour. Similarly clearing all of the Unavailable/Economic/Must Run flags means that the ARD's default status defined in the ARD Default Parameters data for the market day is to be used for that market hour.

The top row of the grid provides you with the means to enter or clear overrides for a range of hours:

If you do use the top row, you need to **remember that leaving all data entry** fields on this row blank means that you want to remove the overrides for all *hours in the range selected*. For example, if you want to remove all overrides for every hour of the day, select 01 for the "From" hour (left drop-down selector) and 24 for the "To" hour (right drop-down selector) in the Hour drop-down selection list, select the "Copy" button and then select "Update". Since you did not enter anything in the limit fields or select any of the dispatch availability override flags, all overrides are removed. *You cannot use the top row to selectively update the overrides in one column for a range of hours while retaining the override values in the other columns*.

### Data Validation Rules

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

- Max Consumption ≥ Min Consumption ≥ 0 for dispatchable ARDs Max Consumption = Min Consumption ≥ 0 for non-dispatchable ARDs.
- A warning will be returned if the ARD is Claim 10 capable, a Claim 10 override is entered and any of the following conditions exist
  - Claim 10 = 0
  - Claim 10 > Claim 10 Cap meaning that the Claim 10 Cap value will be used instead of the offered value
- A warning will be returned if the ARD is Claim 30 capable, a Claim 30 override is entered and any of the following conditions exist
  - Claim 30 = 0
  - Claim 30 > Claim 30 Cap meaning that the Claim 30 Cap value will be used instead of the offered value
  - Claim 30 < Claim 10 meaning that the Claim 10 value will be used instead of the offered Claim 30 value.

## **Override MW Operating Limits for a Day and Hour**

As discussed in §0 ARD Schedule Detail Defaults Display, you define on this display an ARD's MW operating limits under the selected schedule. These limit values are shown in the Defaults section for each schedule that you've created for the ARD. If you want to profile the ARD's MW operating limits on an hourly basis, irrespective of which schedule is designated as available for a given market, you override the schedule values using the ARD Hourly Updates display as follows:

- 1. In the ARD Navigation sub tabs, click the **Hourly Updates** tab.
  - The ARD Hourly Updates display is shown in the display pane.
- 2. In the Filters pane:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.

- c. Select the desired asset from the **ARD** filter.
  - The display reflects the hourly overrides for the selected ARD.
- 3. To update the overrides for individual hours:
  - a. Enter override values for all of the limits in the hours that you wish. You must also enter ARD dispatch availability status overrides. If the ARD is Claim 10 or Claim 30 capable, you must also enter Claim 10 and Claim 30 override values. If you want to remove an override, you must enter blanks in every data entry cells and deselect all status overrides.
  - b. Click the **Update** button to save the data.
- 4. To update the overrides for a range of hours
  - a. Enter override values for all of the limits in the top row. You must also enter ARD dispatch availability status overrides. If the ARD is Claim 10 or Claim 30 capable, you must also enter Claim 10 and Claim 30 override values. If you want to remove overrides, leave all the data entry cells on the first row blank and the status overrides deselected.
  - b. In the Hour column, select a "From" hour (left drop-down selector) and a "To" hour (right drop-down selector) and then select the **Copy** button. This will copy the data entered in the top row to every row for the range of hours selected.
  - c. Repeat steps a and b if you want to enter/remove overrides for other ranges of hours.
  - d. Click the **Update** button to save the data for the selected hours.

### Override the Status of an ARD Asset for a Day and Hour

As discussed in §0 ARD Default Parameters Display, you define on this display an ARD's default dispatch availability status (Default Status) for an entire market day. This status is shown in the Defaults section. If you want to profile the ARD's dispatch availability status on an hourly basis, you override this default status using the ARD Hourly Updates display.

- 1. In the ARD Navigation sub tabs, click the **Hourly Updates** tab.
  - The ARD Hourly Updates display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired asset from the **ARD** filter.
    - The display reflects the hourly overrides for the selected unit.
- 3. To update the overrides for individual hours:
  - a. Select the Unavailable/Economic/Must Run status for the hours that you want to override the default status. You must also enter override values for all the limits even if they are copies of the default values. If the ARD is Claim 10 or Claim 30 capable, you must also enter Claim 10 and Claim 30

override values. If you want to remove an override, deselect all the status overrides and enter blanks in all other data entry cells.

- b. Click the **Update** button to save the data.
- 4. To update the overrides a range of hours
  - a. Select the status override value in the first row. You must also enter override values for all the limits even if they are copies of the default values. If the ARD is Claim 10 or Claim 30 capable, you must also enter Claim 10 and Claim 30 override values. If you want to remove overrides, leave all the data entry cells on the first row blank and the status overrides deselected.
  - b. In the Hour column, select a "From" hour (left drop-down selector) and a "To" hour (right drop-down selector) and then select the **Copy** button. This will copy the data entered in the top row to every row for the range of hours selected.
  - c. Repeat steps a and b if you want to enter/remove overrides for other ranges of hours.
  - d. Click the **Update** button to save the data for the selected hours.

### Self-Schedule an ARD Asset

If you want to self-schedule (must run) an ARD asset, you must submit a **Must Run** status and indicate whether the ARD is block loaded or if it can follow ISO dispatch instructions. To self-commit a ARD and allow the ISO to issue dispatch instructions, submit a must run status for the ARD, with a Min Consumption limit less than the Max Consumption limit. To submit a fixed MW schedule for the ARD with a must run status, set the Min Consumption limit equal to the Max Consumption limit.

**Note**: For Non-dispatchable ARDs the Minimum Consumption and Maximum Consumption values must be equal.

# **ARD by Portfolio Display**

You can view the cleared results of the Day-Ahead Market for each ARD asset listed in a selected portfolio using the **ARD by Portfolio** display that is accessible on one of the ARD sub tabs. The day-ahead ARD information includes the name of the schedule used when committing the ARD. That will be the schedule that was designated to be available for the DA market on the selected day. The other information is the MW amount that the ARD is committed to consume along with the Locational Marginal Price (LMP) at the ARD Pnode for each hour of the market day. If the ARD was not committed, "(*No Schedule Committed*)" will be shown instead of the schedule name. Information for a 24-hour period is shown on two lines: the top line details the hours ending 01 through 12; the second line details hours ending 13 through 24. The last row of the display is labeled **Total Portfolio MW** and shows the total MW amount for each hour committed in the Day-Ahead market for all the ARDs in your portfolio. Information on the display is shown only after the Day-Ahead market has been cleared.

	new england														eMarket User Interface Version: 2.0.1(201407221119) Coefficient Users Supporter 22:Aug-2014 14:55					
_	ilew england								arket Statu	s: CLOSED			Certificate	User: Supe	ruser	23-A	Jg-2014 14:55:31			
	<b></b>								eadOnly P	articipant:	ISO New En	gland Inc			💙 User	Superuse	*			
Public	Generation Demand ARD Re	gulation																		
Private Messag	es ARD Default Portfolio Ramp R Parameters Manager Default	ate Ramp Rati Hourly Up	e Schedule odates Manager	Schedule Detail Defaults	Schedule Offers Default	Schedul Hourly (	e Offers Jpdates	Schedule Selection	Hourly Updates	ARD By Portfolio	XML Download									
ARI	ARD By Portfolio																			
Select I	Date and Portfolio	«	ARD By Portfolio I	or AAA on 24-Au	ıg-2014															
	Dahar an an a		Ard/Schedule																	
	Date: 24-Aug-2014	ASSET NAME		01 / 13	02/14	03 / 15	04 / 16	05 / 17	06 / 18	07 / 19	08/20	09/21	10 / 22	11/23	12/24					
Por	tfolio: AAA	*	(DFLPRICE)		0@	0@	0@	0@	0@	0@	0@	0@	0@	0@	0@	0@				
					\$20.08	\$18.18	\$18.32	\$17.15	\$19.12	\$19.83	\$22.25	\$22.37	\$22.51	\$25.51	\$28.33	\$31.47				
	Totals shown on				0@	0@	0@	0@	0@	0@	0@	0@	0@	0@	0@	0@				
	last rows of the				\$32.23	\$36.89	\$39.30	\$42.08	\$41.64	\$40.54	\$35.98	\$34.03	\$31.91	\$23.94	\$22.44	\$21.31				
			Total Portfolio MW		01 / 13	02/14	03 / 15	04/16	05 / 17	06 / 18	07 / 19	08/20	09/21	10 / 22	11/23	12 / 24				
	display				0	0	0	0	0	0	0	0	0	0	0	0				
					0	0	0	0	0	0	0	0	0	0	0	0				
																	Refresh			
Messag	es																*			

The format of this display is shown below:

The following ARD information is displayed for each ARD asset included in the selected ARD portfolio:

- **ARD/Schedule** the name of the ARD and of the schedule on which it was committed. If the ARD was not committed, "No Schedule Committed" is shown instead of a schedule name.
- **MW** @ **Price** the MW amount that ARD is committed to consume and the \$/MWH DA LMP at the ARD Pnode for each hour of the day.

## View DA Commitment for each ARD in Portfolio

To view the commitment in the Day-Ahead market of the ARDs listed in your portfolios and the Day-Ahead LMPs at their Phodes:

- 1. In the ARD Navigation sub tabs, click the **ARD by Portfolio** tab.
  - The ARD by Portfolio display is shown in the display pane.
- 2. In the Filters pane:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
    - The display reflects the selected market day's day-ahead commitment and LMPs for each of the ARDs listed in the selected portfolio. If the Day-Ahead market has not yet been cleared for the selected day, the following text is shown in the display title bar:

"The day ahead market results are not available ....".

# ARD A/S By Portfolio Display

This this an informational read-only display providing the ARD Ancillary Service Results cleared in the Day-Ahead market.

Using this display, you may view the cleared Ancillary Service (A/S) MW results in the Day-Ahead market for each ARD in the selected portfolio. If the ARD does not clear any Ancillary Services for the day, then "(No Cleared A/S MW)" appears below the ARD's name. MW values for a 24-hour period is shown on two lines: the top line details the hours ending 01 through 12; the second line details hours ending 13 through 24. The last section of the display is labeled Total Portfolio MW and shows the total MW amount for each hour committed in the Day-Ahead market by all the ARDs in the portfolio. Information on the display is shown only after the Day-Ahead market has been cleared.

																			eMa	arket User	Inter	face
IS	🕕 🛛 new e	england										Market	Status: CLO	JSED Versi	on: 6.1.0-SN	APSHOT(2) Certifica	02409302 te User: e	112) mktsuperuser	512		14-0ct-2	024 19:28:43
	<b>N</b>											ReadO	ly Particip	ant: ISO	New England	Inc		*	Use	emktsuperuser512		*
Public G	eneration De	emand AR	D Regulati	on I	DRR ESF																	
Private Messages	ARD Default Parameters	Portfolio Manager	Ramp Rate Default	Ram Hou	ip Rate rly Updates	Schedule Manager	Schedule Detail Defaults	Schedule Offers Defaul	Schedule Hourly Up	Offers S dates A	chedule DA /S Offers	Schedule Selection	Hourly Updates	ARD By Portfolio	A/S By Portfolio	A/S Ben Data	chmark	A/S Benchmar Data Overrides	k XML Dowr	nload		
Ancilla	ary Servi	ce By F	Portfolio																			
Select Date	e and Portfolio			~	Ancillary	Services By	Portfolio for Tes	t1 on 17-Aug-	024													
Date	17-000-2024				Name																	
Portfolio	: Tect1			-	1000		100.0	01/	13 02/14	03 / 15	04 / 16	05 / 17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24			
T OF CEONO	. Testi						T	MSR 32	125.3	125.3												
							T	MOR	120.0	120.0												
									196.7	194.7												
								01/	13 02/14	03 / 15	04 / 16	05 / 17	06 / 18	07 / 19	08/20	09/21	10/22	11 / 23	12/24			
					(No Cleare	ed A/S MW)	T	MSR														
							T	MOR														
					Total Portf	olio MW		01/	13 02 / 14	03 / 15	04 / 16	05 / 17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24			
							T	MSR 0	0	0	0	0	0	0	0	0	0	0	0			
							-	324	125.3	125.3	0	0	0	0	0	0	0	0	0			
								MOR 0	196.7	194.7	0	0	0	0	0	0	0	0	0			

Subsequent to selecting a day cleared in the Day-Ahead market and a user defined Portfolio, the following ARD information is displayed for each asset included as part of the ARD portfolio:

- **Name** the name of the ARD clearing one or more Ancillary Services in any hour of the selected market day. ARDs that do not clear Ancillary Services for the day indicate "(No Cleared A/S MW)".
- **TMSR** The Ten-Minute Spinning Reserve provided by the asset for the case interval.
- **TMOR** The Thirty Minute Operating Reserve provided by the asset for the case interval.

Display Notes:

• Non-zero MW values show as blanks for clarity.

- The results include each ARD in the selected portfolio regardless of the asset having Ancillary Service values for the selected cleared market day.
- The user must have a read-write or read-only role for ARDs to view the display's data content.
- If the Day-Ahead market is not yet for the selected day, the following text appears in the display title bar:

"The day ahead market results are not available ...".

• Press the refresh button at the display's bottom right corner to acquire the most recent data.

# ARD A/S Benchmark Results Display

This is an informational read-only display providing the Ancillary Service Benchmark Calculation Results for the selected ARD.

ISO new england							Market Stati ReadOnly	us: CLOSED Participant: ISO	Certificate User: New England Inc	emarket User Interface           Version: 6.0.0(202409122244)           emktsuperuser512         12-Sep-2024 20:19:55           V         ter:         emktsuperuser512         12
Public Generation Demand ARD Regulation D	ORR ESF									
Private ARD Default Portfolio Ramp Rate Ram Messages Parameters Manager Default Hour	p Rate Schedule rly Updates Manager	Schedule Schedule Offers Default	Schedule Offers Schedule DA Hourly Updates A/S Offers	A Schedule H Selection U	ourly ARD By odates Portfolio	A/S By Portfolio	A/S Benchmark Data	A/S Benchmark Data Overrides	XML Download	
ARD Ancillary Service Benchmar	k Calculation	Results								
Select Date and ARD	ARD Ancillary Service	Benchmark Calculation Results	for	on	21-Aug-2024					
	Hour	Values from la	st calculation: 23-Aug-2024 10:45							
Date: 21-Aug-2024		For Conduct Test	For Benchmark Level							
Portfolio: Test-ARD		Expected Closeout	Expected Closeout E	Benchmark Level						
ARD:	01	3.52	3.52	3.52						
	02	3.37	3.37	3.37						
	03	3.32	3.32	3.32						
	04	3.35	3.35	3.35						
	05	3.52	3.52	3.52						
	07	4.00	4.00	4.08						
	08	5.10	5.10	5.10						
	09	4.84	4.84	4.84						
	10	4.44	4.44	4 44						
	11	4.13	4.13	4.13						
	12	3.93	3.93	3.93						
	13	3.83	3.83	3.83						
	14	3.84	3.84	3.84						
	15	3.95	3.95	3.95						
	16	4.28	4.28	4.28						
	17	4.78	4.78	4.78						
	18	5.34	5.34	5.34						
	19	5.82	5.82	5.82						
	20	5.74	5.74	5.74						
	21	5.47	5.47	5.47						
	22	5.08	5.08	5.08						
	23	4.49	4.49	4.49						
	24	4.00	4.00	4.00						
										Refresh
Messages										*

The format of the display is shown below:

The date time of last calculation is shown on the top of the data grid. The Benchmark Calculation Results render when user selects a Date, Portfolio and ARD. The fields on this display are:

- Hour Hour ending values.
- Expected Closeout for Conduct Test.

- Expected Closeout for Benchmark Level.
- Benchmark Level.

## **ARD A/S Benchmark Data Overrides Display**

This display is used to view and modify the participant A/S Benchmark hourly input override data for an ARD.

<b>A</b>										eMarket	User Inter	face
ISO new england							Market St	atus: CLOSED		Version: 6.0.0(20	2409122244)	
								Participant: ISO	New England Inc	User:	emktsuperuser512	×
Public Generation Demand ARD Regulation	DRR ESF											
Private ARD Default Portfolio Ramp Rate Ram Messages Parameters Manager Default Hor	mp Rate Schedule urly Updates Manager	Schedule Schedule Detail Defaults Offers Default	Schedule Offers Sch Hourly Updates A/S	edule DA Schedule F S Offers Selection U	ourly ARD By pdates Portfolio	A/S By Portfolio	A/S Benchmark Data	A/S Benchmark Data Overrides	XML Download			
Ancillary Service Benchmark Da	ta Overrides											
Select Date and ARD	Ancillary Service Ben	ichmark Data Overrides for 🔚 🖩	CONTRACTOR OF STREET, ST	on 10-Jul-2024								
Date: 10 Jul 2024	Hour	IMM Overrides	Participant C	Overrides								
Detfelier Tost		Expected Closeout	Expected Closeout	ISO-NE Approved								
Portrollo: Test1	01		6.00	Rejected								
ARD:	02		6.00	Rejected								
	03		6.00	Rejected								
	04		6.00	Rejected								
	06		6.00	Rejected								
	07		6.00	Rejected								
	08		6.00	Rejected								
	09		6.00	Rejected								
	10		6.00	Rejected								
	11		6.00	Rejected								
	12		6.00	Rejected								
	13		6.00	Rejected								
	14		6.00	Rejected								
	15		6.00	Rejected								
	16		6.00	Rejected								
	17		6.00	Rejected								
	18		6.00	Rejected								
	19		6.00	Rejected								
	20		6.00	Approved								
	27	50.00	6.00	Rejected								
	23	55.00	6.00	Approved								
	24		6.00	Rejected								
												Refresh
Messages												8

The format of the display is shown below:

The Benchmark Overrides render when user select a Date, Portfolio and ARD. The fields on this display are:

- **Hour** Hour ending values. This is a read-only field.
- Expected Closeout from IMM Overrides. This is a read-only field.
- **Expected Closeout** for Participant Overrides.
- **ISO-NE Approval** for Participant Overrides. This is a read-only field.

### **Data Validation Rules**

After clicking the **Update** button, eMarket makes the following checks:

- Market is open.
- DA market has not been approved.

 The input Expected Closeout value must be positive or zero; i.e. Expected Closeout ≥ 0, and Expected Closeout <= LPCloseoutLimit.

The ISO-NE Approved field shows "Pending" after successful update of the Expected Closeout

#### Modify A/S Benchmark Overrides

- 1. In the ARD Navigation sub tabs, click the **A/S Benchmark Overrides** tab.
- 2. In the Filters pane:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired ARD from the **ARD** filter.

The display reflects the hourly participant overrides for the selected ARD.

- 3. Enter override values.
- 4. Click the Update button to save the data.

Delete an hour's input by setting all the user editable input values to NULL.

# XML Download for ARD Display

The XML Download display is accessible through the ARD Navigation sub tab. This display enables you to download pre-defined ARD specific XML report files of data that you maintain in the ISO-NE Market System, including results from the cleared Day-Ahead market. It also provides you the means to upload data in XML formatted data files into the ISO-NE Market System to be used to clear the Day-Ahead and Real-Time markets. The format of the XML files can be found in the **eMarket Data Exchange Specification**, which is found on the <u>ISO New</u> <u>England website</u> among the documents listed on the Participate > Support > Upload and Download File Format Protocols page.



The following XML reports of ARD data are available for downloading:

- Asset-Related Demand
- Asset-Related Demand Ramp Rates
- Asset-Related Demand Ramp Rate Hourly Updates
- ARD Schedules
- ARD Schedule Details
- ARD Schedule Offers
- ARD Schedule Offers Hourly (Updates)
- ARD Schedule Selection
- Asset-Related Demand Hourly Updates
- Asset-Related Demand Result
- Schedule Day-Ahead Ancillary Service Offers
- Asset-Related Demand Day-Ahead Ancillary Service Result In Portfolio
- Asset-Related Demand Day-ahead Ancillary Service Benchmark Calculation Results
- Asset-Related Demand Day-ahead Ancillary Service Benchmark Data Overrides

All but the Asset-Related Demand Result report returns an XML formatted report for the selected date and for every ARD that belongs to you as Lead Participant. Asset-Related Demand Result report returns information for all the unique ARDs listed in all of the user's portfolios. See §0 for details on uploading and downloading files. The following sections provide samples of the downloaded reports.

#### Asset-Related Demand XML Report

This report contains the information that is shown on the ARD Default Parameters display for every ARD that belongs to you as Lead Participant. The following is a sample of the report. <?xml version="1.0" encoding="UTF-8" standalone="yes"?> <GetARDResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages"> <ARD day="2014-08-24" ID="12345"> <ARDLongName>MY LOAD</ARDLongName> <ARDShortName>MYLD1</ARDShortName> <AssetType>Pump</AssetType> <AssetNumber>12345</AssetNumber> <Claim10Settings claim10Capable="true"> <Claim10>0</Claim10> <Claim10Cap xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> </Claim10Settings> <Claim30Settings claim30Capable="true"> <Claim30>0</Claim30> <Claim30Cap xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> </Claim30Settings> <DayAheadRequired>false</DayAheadRequired> <DefaultStatus>Economic</DefaultStatus> <Dispatchable>true</Dispatchable> <DispatchZone>West MA</DispatchZone> <LeadParticipantID>88888</LeadParticipantID> <LeadParticipantName>IAM PARTICIPANT</LeadParticipantName> <NodeID>99999</NodeID> <NodeName>ANODE</NodeName> <RampRateCap>11</RampRateCap> <RampRateDefault>9999</RampRateDefault> </ARD> <ARD day="2014-08-24" ID="55555"> <ARDLongName>MY LOAD 2</ARDLongName> <ARDShortName>MYLD2</ARDShortName> <AssetType>Pump</AssetType> <AssetNumber>555555</AssetNumber> <Claim10Settings claim10Capable="true"> <Claim10>0</Claim10> <Claim10Cap xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> </Claim10Settings> <Claim30Settings claim30Capable="true"> <Claim30>0</Claim30> <Claim30Cap xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> </Claim30Settings> <DayAheadRequired>false</DayAheadRequired> <DefaultStatus>Economic</DefaultStatus> <Dispatchable>true</Dispatchable> <DispatchZone>West MA</DispatchZone> <LeadParticipantID>99999</LeadParticipantID> <LeadParticipantName> IAM PARTICIPANT 2</LeadParticipantName> <NodeID>55555</NodeID> <NodeName>ANODE2</NodeName> <RampRateCap xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <RampRateDefault>9999</RampRateDefault> </ARD> </GetARDResponse>

#### Asset-Related Demand Ramp Rates XML Report

This report contains the information that is shown on the ARD Ramp Rates display for every ARD that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetARDRampRateResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
 <ARDRampRate day="2014-08-24" ID="55555">
   <RampRateCap>11</RampRateCap>
   <RampRateCurve>
     <RampRatePoint rate="1" MW="10"/>
   </RampRateCurve>
   <ShortName>ARDUX</ShortName>
  </ARDRampRate>
  <ARDRampRate day="2014-08-24" ID="666666">
   <RampRateCurve>
     <RampRatePoint rate="30" MW="25"/>
   </RampRateCurve>
   <ShortName>ARDUY</ShortName>
  </ARDRampRate>
</GetARDRampRateResponse>
```

### Asset-Related Demand Ramp Rate Hourly Updates XML Report

This report contains the information that is shown on the ARD Ramp Rate Hourly Updates display for every ARD that belongs to you as Lead Participant, and for which hourly updates exist. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetARDRampRateHourlyResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
 <ARDRampRateHourly day="2014-08-24" ID="55555">
   <HourlvProfile>
     <HourlyValues time="2014-08-24T00:00:00-04:00">
       <RampRateCurve>
         <RampRatePoint rate="10" MW="10"/>
         <RampRatePoint rate="1" MW="13"/>
       </RampRateCurve>
     </HourlyValues>
     <HourlyValues time="2014-08-24T01:00:00-04:00">
       <RampRateCurve>
         <RampRatePoint rate="8" MW="5"/>
         <RampRatePoint rate="12" MW="10"/>
         <RampRatePoint rate="10" MW="12"/>
         <RampRatePoint rate="1" MW="13"/>
       </RampRateCurve>
     </HourlyValues>
     <HourlyValues time="2014-08-24T22:00:00-04:00">
       <RampRateCurve>
         <RampRatePoint rate="10" MW="10"/>
         <RampRatePoint rate="1" MW="13"/>
       </RampRateCurve>
     </HourlyValues>
     <HourlyValues time="2014-08-24T23:00:00-04:00">
       <RampRateCurve>
         <RampRatePoint rate="8" MW="5"/>
```

```
<RampRatePoint rate="12" MW="10"/>
         <RampRatePoint rate="10" MW="12"/>
         <RampRatePoint rate="1" MW="13"/>
       </RampRateCurve>
     </HourlyValues>
   </HourlyProfile>
   <ShortName>ARPXP</ShortName>
 </ARDRampRateHourly>
 <ARDRampRateHourly day="2014-08-24" ID="44444">
   <HourlyProfile>
     <HourlyValues time="2014-08-24T00:00:00-04:00">
       <RampRateCurve>
         <RampRatePoint rate="27" MW="240"/>
         <RampRatePoint rate="29" MW="245"/>
         <RampRatePoint rate="30" MW="250"/>
       </RampRateCurve>
     </HourlyValues>
     <HourlyValues time="2014-08-24T01:00:00-04:00">
       <RampRateCurve>
         <RampRatePoint rate="27" MW="240"/>
         <RampRatePoint rate="29" MW="245"/>
         <RampRatePoint rate="30" MW="250"/>
       </RampRateCurve>
     </HourlyValues>
     <HourlyValues time="2014-08-24T22:00:00-04:00">
       <RampRateCurve>
         <RampRatePoint rate="27" MW="240"/>
         <RampRatePoint rate="28" MW="245"/>
         <RampRatePoint rate="29" MW="246"/>
         <RampRatePoint rate="29.5" MW="247"/>
         <RampRatePoint rate="30" MW="248"/>
         <RampRatePoint rate="31" MW="249"/>
         <RampRatePoint rate="30" MW="250"/>
       </RampRateCurve>
     </HourlyValues>
     <HourlyValues time="2014-08-24T23:00:00-04:00">
       <RampRateCurve>
         <RampRatePoint rate="27" MW="240"/>
         <RampRatePoint rate="28" MW="245"/>
         <RampRatePoint rate="29" MW="246"/>
         <RampRatePoint rate="29.5" MW="247"/>
         <RampRatePoint rate="30" MW="248"/>
         <RampRatePoint rate="31" MW="249"/>
         <RampRatePoint rate="30" MW="250"/>
       </RampRateCurve>
     </HourlyValues>
   </HourlyProfile>
   <ShortName>ARPVP</ShortName>
 </ARDRampRateHourly>
</GetARDRampRateHourlyResponse>
```

### Asset-Related Demand Schedules XML Report

This report contains the information that is shown on the ARD Schedule Manager display for all schedules of every ARD that belongs to you as Lead Participant. The following is a sample of the report.

<?xml version="1.0" encoding="UTF-8" standalone="yes"?> <GetARDScheduleResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages"> <ARDSchedule schedID="5555500"> <ARDID>55555</ARDID> <ARDShortName>ARDXP</ARDShortName> <SchedLongName>DFLPRICE</SchedLongName> <SchedShortName>DFLPRICE</SchedShortName> <SchedType>Price</SchedType> <SchedTypeID>0</SchedTypeID> </ARDSchedule> <ARDSchedule schedID="5555599"> <ARDID>55555</ARDID> <ARDShortName>ARDXP</ARDShortName> <SchedLongName>DFLCOST</SchedLongName> <SchedShortName>DFLCOST</SchedShortName> <SchedType>Cost</SchedType> <SchedTypeID>99</SchedTypeID> </ARDSchedule> <ARDSchedule schedID="66666600"> <ARDID>66666</ARDID> <ARDShortName>ARDVP</ARDShortName> <SchedLongName>DFLPRICE</SchedLongName> <SchedShortName>DFLPRICE</SchedShortName> <SchedType>Price</SchedType> <SchedTypeID>0</SchedTypeID> </ARDSchedule> <ARDSchedule schedID="66666612"> <ardid>66666</ardid> <ARDShortName>ARDVP</ARDShortName> <SchedLongName>ARDVP Price</SchedLongName> <SchedShortName>ARDVP1</SchedShortName> <SchedType>Price</SchedType> <SchedTypeID>12</SchedTypeID> </ARDSchedule> <ARDSchedule schedID="66666699"> <ardid>66666</ardid> <ARDShortName>ARDVP</ARDShortName> <SchedLongName>DFLCOST</SchedLongName> <SchedShortName>DFLCOST</SchedShortName> <SchedType>Cost</SchedType> <SchedTypeID>99</SchedTypeID> </ARDSchedule> </GetARDScheduleResponse>

#### Asset-Related Demand Schedule Details XML Report

This report contains the information that is shown on the ARD Schedule Detail display for all schedules of every ARD that belongs to you as Lead Participant. The following is a sample of the report.

<?xml version="1.0" encoding="UTF-8" standalone="yes"?> <GetARDScheduleDetailResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages"> <ARDScheduleDetail day="2014-08-24" ID="5555500"> <MarketType>Both</MarketType> <MaxConsumption>295</MaxConsumption> <MinConsumption>240</MinConsumption> <MaxDailyConsumption>5760</MaxDailyConsumption> <MaxDailyAwardLimit>5860</MaxDailyAwardLimit> <MaxDailyStarts>4</MaxDailyStarts> <MinDownTime>1.00</MinDownTime> <MinRunTime>1.00</MinRunTime> <ScheduleAvailable>true</ScheduleAvailable> <ShortName>DFLPRICE</ShortName> </ARDScheduleDetail> <ARDScheduleDetail day="2014-08-24" ID="5555599"> <MarketType>Both</MarketType> <MaxConsumption xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MinConsumption xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MaxDailyConsumption>5760</MaxDailyConsumption> <MaxDailyAwardLimit xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MaxDailyStarts>4</MaxDailyStarts> <MinDownTime>1.00</MinDownTime> <MinRunTime>1.00</MinRunTime> <ScheduleAvailable>true</ScheduleAvailable> <ShortName>DFLCOST</ShortName> </ARDScheduleDetail> <ARDScheduleDetail day="2014-08-24" ID="66666600"> <MarketType>Both</MarketType> <MaxConsumption>295</MaxConsumption> <MinConsumption>240</MinConsumption> <MaxDailyConsumption xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MaxDailyAwardLimit xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MaxDailyStarts xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MinDownTime>1.00</MinDownTime> <MinRunTime>1.00</MinRunTime> <ScheduleAvailable>true</ScheduleAvailable> <ShortName>DFLPRICE</ShortName> </ARDScheduleDetail> <ARDScheduleDetail day="2014-08-24" ID="66666699"> <MarketType>Both</MarketType> <MaxConsumption>0</MaxConsumption> <MinConsumption>0</MinConsumption> <MaxDailyConsumption xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MaxDailyStarts xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/> <MinDownTime>1.00</MinDownTime> <MinRunTime>1.00</MinRunTime> <ScheduleAvailable>true</ScheduleAvailable> <ShortName>DFLCOST</ShortName> </ARDScheduleDetail>

<sup>&</sup>lt;/GetARDScheduleDetailResponse>

### Asset-Related Demand Schedule Offers XML Report

This report contains the information that is shown on the ARD Schedule Offers display for all schedules of every ARD that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetARDScheduleBidResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <ARDScheduleBid day="2014-08-24" ID="3333300">
    <PriceCurve>
      <PricePoint price="20" MW="200"/>
    </PriceCurve>
    <UseOfferSlope>false</UseOfferSlope>
    <ShortName>DFLPRICE</ShortName>
  </ARDScheduleBid>
  <ARDScheduleBid day="2014-08-24" ID="3333399">
    <PriceCurve>
      <PricePoint price="21.5" MW="295"/>
    </PriceCurve>
    <UseOfferSlope>true</UseOfferSlope>
    <ShortName>DFLCOST</ShortName>
  </ARDScheduleBid>
  <ARDScheduleBid day="2014-08-24" ID="4444400">
    <PriceCurve>
      <PricePoint price="23" MW="295"/>
    </PriceCurve>
    <UseOfferSlope>false</UseOfferSlope>
    <ShortName>DFLPRICE</ShortName>
  </ARDScheduleBid>
  <ARDScheduleBid day="2014-08-24" ID="4444499">
    <PriceCurve>
      <PricePoint price="15" MW="295"/>
    </PriceCurve>
    <UseOfferSlope>false</UseOfferSlope>
    <ShortName>DFLCOST</ShortName>
  </ARDScheduleBid>
  <ARDScheduleBid day="2014-08-24" ID="5555512">
    <PriceCurve>
      <PricePoint price="6" MW="6"/>
      <PricePoint price="5.99" MW="13"/>
    </PriceCurve>
    <UseOfferSlope>false</UseOfferSlope>
    <ShortName>RR-P_12</ShortName>
  </ARDScheduleBid>
  <ARDScheduleBid day="2014-08-24" ID="5555599">
    <PriceCurve>
      <PricePoint price="61" MW="6"/>
      <PricePoint price="59" MW="13"/>
    </PriceCurve>
    <UseOfferSlope>false</UseOfferSlope>
    <ShortName>DFLCOST</ShortName>
  </ARDScheduleBid>
</GetARDScheduleBidResponse>
```

#### Asset-Related Demand Schedule Offers Hourly Updates XML Report

This report contains the information that is shown on the ARD Schedule Offers Hourly Updates display for every ARD that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetARDScheduleBidHourlyResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <ARDScheduleBidHourly day="2014-08-24" ID="5555500">
    <HourlyProfile>
      <HourlyValues time="2014-08-24T00:00:00-04:00">
        <PriceCurve>
          <PricePoint price="45.45" MW="240"/>
          <PricePoint price="40.4" MW="255"/>
          <PricePoint price="35.35" MW="270"/>
          <PricePoint price="30.3" MW="280"/>
          <PricePoint price="25" MW="295"/>
        </PriceCurve>
        <UseOfferSlope>false</UseOfferSlope>
      </HourlyValues>
      <HourlyValues time="2014-08-24T01:00:00-04:00">
        <PriceCurve>
          <PricePoint price="50.45" MW="241"/>
          <PricePoint price="45.4" MW="256"/>
          <PricePoint price="40.35" MW="271"/>
          <PricePoint price="35.3" MW="281"/>
          <PricePoint price="30" MW="296"/>
        </PriceCurve>
        <UseOfferSlope>false</UseOfferSlope>
      </HourlyValues>
      <HourlyValues time="2014-08-24T22:00:00-04:00">
        <PriceCurve>
          <PricePoint price="45.45" MW="240"/>
          <PricePoint price="40.4" MW="255"/>
          <PricePoint price="35.35" MW="270"/>
          <PricePoint price="30.3" MW="280"/>
          <PricePoint price="25" MW="295"/>
        </PriceCurve>
        <UseOfferSlope>false</UseOfferSlope>
      </HourlyValues>
      <HourlyValues time="2014-08-24T23:00:00-04:00">
        <PriceCurve>
          <PricePoint price="50.45" MW="241"/>
          <PricePoint price="45.4" MW="256"/>
          <PricePoint price="40.35" MW="271"/>
          <PricePoint price="35.3" MW="281"/>
          <PricePoint price="30" MW="296"/>
        </PriceCurve>
        <UseOfferSlope>false</UseOfferSlope>
      </HourlyValues>
    </HourlyProfile>
    <ShortName>DFLPRICE</ShortName>
  </ARDScheduleBidHourly>
  <ARDScheduleBidHourly day="2014-08-24" ID="66666612">
    <HourlyProfile>
      <HourlyValues time="2014-08-24T00:00:00-04:00">
```

```
<PriceCurve>
        <PricePoint price="16" MW="1"/>
        <PricePoint price="14" MW="2"/>
        <PricePoint price="12" MW="3"/>
        <PricePoint price="10" MW="4"/>
        <PricePoint price="8" MW="5"/>
        <PricePoint price="6" MW="6"/>
        <PricePoint price="4" MW="7"/>
        <PricePoint price="2" MW="9"/>
        <PricePoint price="0" MW="12"/>
        <PricePoint price="-10" MW="16"/>
      </PriceCurve>
      <UseOfferSlope>true</UseOfferSlope>
    </HourlyValues>
    <HourlyValues time="2014-08-24T01:00:00-04:00">
      <PriceCurve>
        <PricePoint price="16" MW="1"/>
        <PricePoint price="14" MW="2"/>
        <PricePoint price="12" MW="3"/>
        <PricePoint price="10" MW="4"/>
        <PricePoint price="8" MW="5"/>
        <PricePoint price="6" MW="6"/>
        <PricePoint price="4" MW="7"/>
        <PricePoint price="2" MW="9"/>
        <PricePoint price="0" MW="12"/>
        <PricePoint price="-10" MW="16"/>
      </PriceCurve>
      <UseOfferSlope>true</UseOfferSlope>
    </HourlyValues>
    <HourlyValues time="2014-08-24T23:00:00-04:00">
      <PriceCurve>
        <PricePoint price="16" MW="1"/>
        <PricePoint price="15" MW="2"/>
        <PricePoint price="12" MW="5"/>
        <PricePoint price="5" MW="10"/>
        <PricePoint price="0" MW="15"/>
        <PricePoint price="-15" MW="20"/>
      </PriceCurve>
      <UseOfferSlope>true</UseOfferSlope>
    </HourlyValues>
  </HourlyProfile>
  <ShortName>DFLPRICE</ShortName>
</ARDScheduleBidHourly>
```

</GetARDScheduleBidHourlyResponse>

### Asset-Related Demand Schedule Selection XML Report

This report contains the information that is shown on the ARD Schedule Selection display for all schedules of every ARD that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetARDScheduleSelectionResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <ARDScheduleSelection day="2014-08-24">
    <ARDSchedule ID="2222200">
      <Available>true</Available>
      <ShortName>DFLPRICE</ShortName>
    </ARDSchedule>
    <ARDSchedule ID="2222299">
      <Available>true</Available>
      <ShortName>DFLCOST</ShortName>
    </ARDSchedule>
    <ARDSchedule ID="3333300">
      <Available>true</Available>
      <ShortName>DFLPRICE</ShortName>
    </ARDSchedule>
    <ARDSchedule ID="3333399">
      <Available>true</Available>
      <ShortName>DFLCOST</ShortName>
    </ARDSchedule>
  </ARDScheduleSelection>
</GetARDScheduleSelectionResponse>
```

### Asset-Related Demand Hourly Updates XML Report

This report contains the information that is shown on the ARD Hourly Updates display for every ARD that belongs to you as Lead Participant, and for which hourly updates exist. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetARDHourlyResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <ARDHourly day="2014-08-24" ID="33333">
    <HourlyProfile>
      <HourlyValues time="2014-08-24T00:00:00-04:00">
       <MaxConsumption>0</MaxConsumption>
       <MinConsumption>0</MinConsumption>
       <ResourceStatus>Economic</ResourceStatus>
        <Claim10 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
       <Claim30 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
      </HourlvValues>
      <HourlyValues time="2014-08-24T01:00:00-04:00">
        <MaxConsumption>0</MaxConsumption>
        <MinConsumption>0</MinConsumption>
        <ResourceStatus>Economic</ResourceStatus>
       <Claim10 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
        <Claim30 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
      </HourlyValues>
      <HourlyValues time="2014-08-24T22:00:00-04:00">
       <MaxConsumption>0</MaxConsumption>
        <MinConsumption>0</MinConsumption>
        <ResourceStatus>Economic</ResourceStatus>
```

```
<Claim10 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
     <Claim30 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    </HourlyValues>
    <HourlyValues time="2014-08-24T23:00:00-04:00">
      <MaxConsumption>0</MaxConsumption>
      <MinConsumption>0</MinConsumption>
      <ResourceStatus>Economic</ResourceStatus>
      <Claim10 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
     <Claim30 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    </HourlyValues>
  </HourlyProfile>
  <ShortName>ARDXP</ShortName>
</ARDHourly>
<ARDHourly day="2014-08-24" ID="44444">
  <HourlyProfile>
    <HourlyValues time="2014-08-24T00:00:00-04:00">
      <MaxConsumption>0</MaxConsumption>
      <MinConsumption>0</MinConsumption>
      <ResourceStatus>Economic</ResourceStatus>
     <Claim10 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
      <Claim30 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    </HourlyValues>
    <HourlyValues time="2014-08-24T01:00:00-04:00">
      <MaxConsumption>288</MaxConsumption>
     <MinConsumption>280</MinConsumption>
     <ResourceStatus>Economic</ResourceStatus>
      <Claim10 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
      <Claim30 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    </HourlyValues>
    <HourlyValues time="2014-08-24T23:00:00-04:00">
     <MaxConsumption>0</MaxConsumption>
     <MinConsumption>0</MinConsumption>
      <ResourceStatus>Economic</ResourceStatus>
      <Claim10 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
      <Claim30 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    </HourlyValues>
  </HourlyProfile>
  <ShortName>ARDVP</ShortName>
</ARDHourly>
```

</GetARDHourlyResponse>

#### Asset-Related Demand Results XML Report

This report contains the same information that is shown on the ARD by Portfolio display. The report contains information only after the Day-Ahead market has been cleared and the time for the opening of the Re-Offer Period of the selected day has passed. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetARDByParticipantResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <ARDBvParticipant day="2014-08-24" ID="44444">
    <ARDShortName>ARDXP</ARDShortName>
    <ARDScheduleID>4444400</ARDScheduleID>
    <ARDScheduleShortName>DFLPRICE</ARDScheduleShortName>
    <HourlyProfile>
      <HourlyValues time="2014-08-24T00:00:00-04:00" MW="0" price="36.2"/>
      <HourlvValues time="2014-08-24T01:00:00-04:00" MW="0" price="34.71"/>
      <HourlyValues time="2014-08-24T02:00:00-04:00" MW="0" price="33.81"/>
      <HourlyValues time="2014-08-24T03:00:00-04:00" MW="0" price="32.68"/>
      <HourlyValues time="2014-08-24T04:00:00-04:00" MW="0" price="33.83"/>
      <HourlyValues time="2014-08-24T05:00:00-04:00" MW="0" price="34.61"/>
      <HourlyValues time="2014-08-24T06:00:00-04:00" MW="0" price="38.54"/>
      <HourlyValues time="2014-08-24T07:00:00-04:00" MW="0" price="41.6"/>
      <HourlyValues time="2014-08-24T08:00:00-04:00" MW="0" price="41.61"/>
      <HourlyValues time="2014-08-24T09:00:00-04:00" MW="0" price="43.22"/>
      <HourlyValues time="2014-08-24T10:00:00-04:00" MW="0" price="51"/>
      <HourlyValues time="2014-08-24T11:00:00-04:00" MW="0" price="49.75"/>
      <HourlyValues time="2014-08-24T12:00:00-04:00" MW="0" price="52.61"/>
      <HourlyValues time="2014-08-24T13:00:00-04:00" MW="0" price="55.27"/>
      <HourlyValues time="2014-08-24T14:00:00-04:00" MW="0" price="57.03"/>
      <HourlyValues time="2014-08-24T15:00:00-04:00" MW="0" price="57.14"/>
      <HourlyValues time="2014-08-24T16:00:00-04:00" MW="0" price="57.18"/>
      <HourlyValues time="2014-08-24T17:00:00-04:00" MW="0" price="55.1"/>
      <HourlyValues time="2014-08-24T18:00:00-04:00" MW="0" price="52.06"/>
      <HourlyValues time="2014-08-24T19:00:00-04:00" MW="0" price="48.8"/>
      <HourlyValues time="2014-08-24T20:00:00-04:00" MW="0" price="51.63"/>
      <HourlyValues time="2014-08-24T21:00:00-04:00" MW="0" price="42.16"/>
      <HourlyValues time="2014-08-24T22:00:00-04:00" MW="0" price="40.7"/>
      <HourlyValues time="2014-08-24T23:00:00-04:00" MW="0" price="40.36"/>
    </HourlyProfile>
  </ARDByParticipant>
  <ARDBvParticipant day="2014-08-24" ID="55555">
    <ARDShortName>ARDVP</ARDShortName>
    <ARDScheduleID>5555500</ARDScheduleID>
    <ARDScheduleShortName>DFLPRICE</ARDScheduleShortName>
    <HourlvProfile>
      <HourlyValues time="2014-08-24T00:00:00-04:00" MW="0" price="36.2"/>
      <HourlyValues time="2014-08-24T01:00:00-04:00" MW="288" price="34.71"/>
      <HourlyValues time="2014-08-24T02:00:00-04:00" MW="288" price="33.81"/>
      <HourlyValues time="2014-08-24T03:00:00-04:00" MW="288" price="32.68"/>
      <HourlyValues time="2014-08-24T04:00:00-04:00" MW="286" price="33.83"/>
      <HourlyValues time="2014-08-24T05:00:00-04:00" MW="286" price="34.61"/>
      <HourlyValues time="2014-08-24T06:00:00-04:00" MW="0" price="38.54"/>
      <HourlvValues time="2014-08-24T07:00:00-04:00" MW="0" price="41.6"/>
      <HourlyValues time="2014-08-24T08:00:00-04:00" MW="0" price="41.61"/>
      <HourlyValues time="2014-08-24T09:00:00-04:00" MW="0" price="43.22"/>
      <HourlyValues time="2014-08-24T10:00:00-04:00" MW="0" price="51"/>
      <HourlyValues time="2014-08-24T11:00:00-04:00" MW="0" price="49.75"/>
      <HourlyValues time="2014-08-24T12:00:00-04:00" MW="0" price="52.61"/>
```

<HourlyValues time="2014-08-24T13:00:00-04:00" MW="0" price="55.27"/>
<HourlyValues time="2014-08-24T14:00:00-04:00" MW="0" price="57.03"/>
<HourlyValues time="2014-08-24T15:00:00-04:00" MW="0" price="57.14"/>
<HourlyValues time="2014-08-24T16:00:00-04:00" MW="0" price="57.18"/>
<HourlyValues time="2014-08-24T16:00:00-04:00" MW="0" price="55.1"/>
<HourlyValues time="2014-08-24T18:00:00-04:00" MW="0" price="55.1"/>
<HourlyValues time="2014-08-24T19:00:00-04:00" MW="0" price="52.06"/>
<HourlyValues time="2014-08-24T19:00:00-04:00" MW="0" price="16.63"/>
<HourlyValues time="2014-08-24T21:00:00-04:00" MW="0" price="16.63"/>
<HourlyValues time="2014-08-24T22:00:00-04:00" MW="0" price="40.7"/>
<HourlyValues time="2014-08-24T23:00:00-04:00" MW="0" price="40.36"/>
<HourlyValues time="2014-08-24T23:00:00-04:00" MW="0" price="40.36"/></HourlyValues time="2014-08-24T23:00:00-04:00" MW="0" price="40.36"/>

</GetARDByParticipantResponse>

#### Schedule Day-Ahead Ancillary Service Offers

This report contains the same information provided by the ARD Schedule DA A/S Offers display. The following is a sample of the GetARDASScheduleOfferHourlyResponse XML response report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetARDASScheduleOfferHourlyResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
   <ARDASScheduleOfferHourly day="2024-02-08" ID="1176500">
     <ShortName>DFLPRICE</ShortName>
     <DayAheadSchedule>true</DayAheadSchedule>
     <MaxDailyAwardLimit xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
     <HourlvProfile>
        <HourlyValues time="2024-02-08T00:00:00-05:00"> <MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47/TmorPrice> <Avail> true</Avail> /HourlyValues>
         <HourlyValues time="2024-02-08T01:00:00-05:00"> <MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlyValues>
        <HourlyValues time="2024-02-08T02:00:00-05:00"> <MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlyValues>
        <HourlyValues time="2024-02-08T03:00:00-05:00"> <MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlyValues>
        <HourlyValues time="2024-02-08T04:00:00-05:00"> <MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlyValues>
        <HourlyValues time="2024-02-08T05:00:00-05:00"> <MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> 
        <HourlyValues time="2024-02-08T06:00:00-05:00"><MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlyValues>
        <HourlyValues time="2024-02-08T07:00:00-05:00"> <MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlyValues>
        <HourlyValues time="2024-02-08T08:00:00-05:00"><MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlyValues>
        <HourlyValues time="2024-02-08T09:00:00-05:00"><MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlyValues>
         <HourlyValues time="2024-02-08T10:00:00-05:00"> <MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail>true</Avail> </HourlyValues>
        <HourlyValues time="2024-02-08T11:00:00-05:00"><MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlyValues>
        <HourlWalues time="2024-02-08T12:00:00-05:00"> <MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlWalues>
        <HourlyUalues time="2024-02-08T13:00:00-05:00"> <MUW>330</MUV> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail>true</Avail> </HourlyUalue>
         <HourlyValues time="2024-02-08T14:00:00-05:00"> <MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlyValues>
        <HourlyValues time="2024-02-08T15:00:00-05:00"> <MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmsrPrice> <Avail> true</Avail> </HourlyValues>
        <HourlyValues time="2024-02-08T16:00:00-05:00"> <MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlyValues>
<HourlyValues time="2024-02-08T17:00:00-05:00"> <MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlyValues>
        <HourlyValues time="2024-02-08T18:00:00-05:00"><MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlyValues>
        <HourlyValues time="2024-02-08T19:00:00-05:00"> <MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlyValues>
        <HourlyValues time="2024-02-08T20:00:00-05:00"><MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlyValues>
        <HourlyValues time="2024-02-08T21:00:00-05:00"> <MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</TmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmorPrice>7.47</tmo
        <HourlyUalues time="2024-02-08T22:00:00-05:00"> //WW>330//MW> TmsrPrice>14.47/TmsrPrice>/TmorPrice>/AutilyUalues>
         <HourlyValues time="2024-02-08T23:00:00-05:00"> <MW>330</MW> <TmsrPrice>14.47</TmsrPrice> <TmorPrice>7.47</TmorPrice> <Avail> true</Avail> </HourlyValues>
     </HourlyProfile>
   </ARDASScheduleOfferHourlys
</GetARDASScheduleOfferHourlyResponse>
```

### **Day-Ahead Ancillary Services Result**

This report contains the same information that provided by the ARD Ancillary Service (A/S) Portfolio display. The following is a sample of the GetARDASByParticipantResponse XML response report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetARDASByParticipantResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
 <ARDASByParticipant day="2024-08-17" ID="9999">
   <ARDShortName>ABCD</ARDShortName>
   <ARDScheduleID>999900</ARDScheduleID>
   <HourlvProfile>
     <HourlyValues time="2024-08-17T00:00:00-04:00">
       <tmsrMW>0</tmsrMW>
       <tmorMW>0</tmorMW>
     </HourlyValues>
     <HourlyValues time="2024-08-17T12:00:00-04:00">
       <tmsrMW>324</tmsrMW>
       <tmorMW>0</tmorMW>
     </HourlvValues>
     <HourlyValues time="2024-08-17T13:00:00-04:00">
       <tmsrMW>125.3</tmsrMW>
       <tmorMW>196.7</tmorMW>
     </HourlyValues>
     <HourlyValues time="2024-08-17T14:00:00-04:00">
       <tmsrMW>125.3</tmsrMW>
       <tmorMW>194.7</tmorMW>
```

```
</HourlyProfile>
 </ARDASByParticipant>
 <ARDASByParticipant day="2024-08-17" ID="9998">
   <ARDShortName>DEFG</ARDShortName>
   <ARDScheduleID>999800</ARDScheduleID>
   <ARDScheduleShortName>No Cleared A/S MW</ARDScheduleShortName>
   <HourlyProfile>
     <HourlyValues time="2024-08-17T00:00:00-04:00">
       <tmsrMW>0</tmsrMW>
       <tmorMW>0</tmorMW>
     </HourlyValues>
     <HourlyValues time="2024-08-17T01:00:00-04:00">
       <tmsrMW>0</tmsrMW>
       <tmorMW>0</tmorMW>
     </HourlyValues>
   </HourlyProfile>
 </ARDASByParticipant>
</GetARDASByParticipantResponse>
```

#### Asset-related Demand Day-Ahead Ancillary Service Benchmark **Calculation Results**

This report contains the same information that is provided by the ARD Ancillary Service (A/S) Benchmark Results display. The following is a sample of the GetARDASBenchmarkResponse XML response report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetARDASBenchmarkResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <ARDASBenchmark day="2024-06-06" ID="999">
   <HourlyProfile>
     <HourlvValues time="2024-06-06T00:00:00-04:00">
       <BenchmarkLevel>3.52</BenchmarkLevel>
       <BmCloseout>3.52</BmCloseout>
       <CtCloseout>3.52</CtCloseout>
     </HourlyValues>
   </HourlyProfile>
   <ShortName>ABC</ShortName>
   <ComputeTime>2024-06-05T01:13:52-04:00</ComputeTime>
  </ARDASBenchmark>
</GetARDASBenchmarkResponse>
```

#### Asset-Related Demand Day-Ahead Ancillary Service Benchmark Data **Overrides**

This report contains the same information that is provided by the ARD Ancillary Service (A/S) Benchmark Overrides display. The following is a sample of the GetARDASBenchmarkOverrideResponse XML response report.

<?xml version="1.0" encoding="UTF-8" standalone="yes"?>

<GetARDASBenchmarkOverrideResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">

<HourlyProfile>
<HourlyValues time="2024-06-06T00:00:00-04:00">
<ImmCloseout xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
<Closeout>0.11</Closeout>
<CloseoutStatus>Pending</CloseoutStatus>"/>
</HourlyValues>
...

</HourlyProfile> <ShortName>ABC</ShortName> </ARDASBenchmarkOverride> </GetARDASBenchmarkOverrideResponse>
# 8. Public Tab

The Public Tab selection provides all market system users' access to displays showing general information from the cleared Day-Ahead Market for a selected market day. Selecting the Public tab will show all of the display sub tabs shown below.



The information that is shown on these public displays is available only after the Day-Ahead Market for the selected day is cleared. On each of the public displays, information for a 24-hour period is shown on two lines as shown below: the top line shows data for hours ending 01 through 12; the second line shows data for hours ending 13 through 24.

Day-Ahead Demand	01/13	02/14	03/15	04/16	05/17	06/18	07 / 19	08 / 20	09/21	10/22	11 / 23	12/24
	10347	9869	10078	9963	10085	10145	10408	11277	12153	12535	12635	12403
	12248	12082	11772	11622	11651	11831	12034	12335	12734	12129	11309	10331

# System Summary Display

The System Summary display shows the hourly values of the following:

- Day-Ahead Demand the total demand (net of all the demand bids) cleared in the Day-Ahead Market.
- Day-Ahead Load Forecast the ISO forecasted system load.
- Day-Ahead Operating Reserve Objectives the system operating reserve requirements cleared in the Day-Ahead Market
- Day-Ahead 10-Min Total Reserve Requirement the 10-minute total reserve requirement in MW.
- Day-Ahead 10-Min Spinning Reserve Requirement the 10-minute spin reserve requirement in MW.
- Cleared Energy Imbalance Reserve the cleared energy imbalance reserve in MW.

ISO new england								Markel ReadC	t Status: CL Only Partici	.OSED pant: ISO	Certi New Engla	ficate User: nd Inc	emarket User Interface           Version: 6.0.0(202409122244)           remktsuperuser512         12-Sep-2024 20:34:31           V         temktsuperuser512         12
Public         Generation         Demand         ARD         Regulation         DRR         ESF           Public         System         Prices         A/S         Strike         Binding         Reactive         Net Tie         XML													
Messages Summary Prices Prices Constraints Interface Limits Schedules Dow	mload												
System Summary													
Select Date System Summary for 10-Jul-2024													
Date: 10-Jul-2024													
Day-Ahead Demand	10012	02714	037 15	04716	05/1/	06718	10254	08720	09721	10722	11/23	12724	
	8189	8080	8080	8412	9418	10698	11441	11579	11762	11271	10656	9965	
Day-Ahead Load Forecast	01/13	02/14	03/15	04/16	05/17	06 / 18	07/19	08/20	09/21	10/22	11/23	12/24	
	9670	9290	9070	9060	9330	10100	11300	11990	11950	11740	11390	11010	
	10750	10560	10400	10670	11220	12210	12760	12990	13050	12320	11250	10290	
Day-Ahead Operating Reserve Objective	01/13	02/14	03/15	04 / 16	05/17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24	
	2281	2282	2282	2281	2281	2281	2281	2282	2282	2281	2281	2281	
Day Aband 10 Min Total Paranas Paguirament	2282	2282	2282	2282	2281	2282	2281	2281	2281	2281	2282	2282	
Овучиная техний тоши кезенте кершениени	1500	1501	1501	1500	1500	1500	1500	1501	1501	1500	1500	1500	
	1501	1501	1501	1501	1500	1501	1500	1500	1500	1500	1501	1501	
Day-Ahead 10-Min Spin Reserve Requirement	01/13	02/14	03 / 15	04 / 16	05/17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24	
	375	375	375	375	375	375	375	375	375	375	375	375	
	375	375	375	375	375	375	375	375	375	375	375	375	
Cleared Energy Imbalance Reserve	01/13	02/14	03/15	04 / 16	05/17	06 / 18	07/19	08/20	09/21	10/22	11/23	12/24	
	0	0	0	0	0	154	929	1520	1864	2898	2967	2828	
	2401	2370	2210	2155	1091	1304	11/6	1200	1139	510	43/	15/	
													Refresh
Messages													â

# **Prices Display**

This display shows the Day-Ahead Locational Marginal Prices (LMPs) at every pricing location (Pnode) that were calculated by the clearing of the Day-Ahead Market for every hour of the market day.

ISO new england							Market Sta	tus: CLOSEE	»		Certi	eMa Version: 2 ficate User	.0.1(20140722: Superuser	ser Inte	rface
put -							ReadOnly	Participant:	ISO Ne	w England I	nc		Y Us	er: Superuser	*
Public Generation Demand ARD Regulation															
Public         System         Prices         Binding         Reactive           Messages         Summary         Constraints         Interface Lie	mits Schedules Download														
Day Ahead Prices															
Select Date and Portfolio	Day Ahead Prices by Portfo	lio .ALL PNC	DES for 24	1-Aug-2014											
Date: 24.4up.2014	.H.INTERNAL_HUB	01 / 13 20.04	02 / 14 18.21	03 / 15 18.21	04 / 16 17.04	05 / 17	06 / 18 19.86	07 / 19 22.46	08 / 20 22.57	09/21 22.62	10 / 22 25.59	11/23 28.44	12 / 24 31.49		<u> </u>
Portfolio: ALL PAIODES	I.HQHIGATE120.2	32.14 01 / 13	36.71 02 / 14	39.18 03 / 15	42.01 04 / 16	41.50 05 / 17	40.38	35.87 07 / 19	33.92 08 / 20	31.87 09/21	23.98 10 / 22	22.58 11 / 23	21.43 12 / 24		
ALLENVOLD		18.45 29.30	17.08 33.51	18.56 35.48	17.35 34.29	19.57 38.08	18.40 37.22	20.56 33.30	20.67 31.51	20.76 29.79	23.59 22.19	26.61 20.60	28.76 19.65		
	.I.HQ_P1_P2345.5	01 / 13 19.76	02 / 14 18.00	03 / 15	04 / 16 16,78	05 / 17	06 / 18 19,59	07 / 19 22.25	08 / 20 22.25	09/21 22.25	10 / 22 25.17	11/23 28.02	12 / 24 30.96		
	INRTHPORT138.5	31.57	36.07	38.45	40.52	40.82	39.75 06 / 18	35.29	33.34 08.7.20	31.35	23.61	22.25	21.12		
		20.00	18.15	18.33	17.15	19.13	19.78	22.19	22.30	22.41	25.36	28.15	31.23	_	
	IROSETON 345 1	01/13	02 / 14	03 / 16	41.76 04 / 16	05 / 17	06 / 18	07 / 19	08/20	09/21	10 / 22	11/23	12/24		
		19.55 31.49	18.20 36.05	18.48 38.40	17.29 40.25	19.39 40.82	19.68 39.76	21.89 35.32	21.93 33.34	21.99 31.34	24.96 23.46	28.06 21.85	30.75 20.85		
	.I.SALBRYNB345 1	01 / 13	02 / 14	03 / 16	04/16	05 / 17	06 / 18	07 / 19	08/20	09/21	10 / 22	11/23	12 / 24		
		26.73	26.65	28.55	27.20	27.15	21.13	25.43	24.23	26.86	20.98	19.89	19.59	_	
	1.SHOREHAM135 99	20.08	18.59	18.69	17.12	19.08	19.37	22.22	21.87	22.47	24.90	28.28	31.39		
	.Z.CONNECTICUT	31.38	36.77	39.24 03 / 15	42.02 04 / 16	41.59	40.49	35.89 07 / 19	33.93 08 / 20	32.51	23.89	22.42	21.28		
		20.00	18.12	18.22	17.06	19.02	19.75	22.16	22.29	22.41	25.38	28.19	31.29	_	
	.Z.MAINE	01/13	02/14	03 / 15	04/16	05 / 17	06 / 18	07 / 19	08/20	09/21	10 / 22	11/23	12 / 24		
		19.12 30.41	17.38 34.09	35.98	36.73	38.12	18.97 36.40	33.33	31.53	21.57 30.25	24.30	27.10	29.80		
	.Z.NEMASSBOST	01 / 13	02 / 14	03 / 15	04/16	05 / 17	06 / 18 19.96	07 / 19 22.69	08/20	09/21	10 / 22 25 85	11/23 28.79	12 / 24 41.52		
	Z NEWLANDOLINE	46.71	49.46	64.99	265.09	51.73	44.16	36.25	34.23	32.20	24.21	22.77	21.58	_	
	2. NEW HAIMP SHINE	19.96	18.15	18.11	16.94	18.94	19.82	22.56	22.65	22.58	25.58	28.58	31.48		
	Z.RHODEISLAND	32.14	36.64	39.10 03 / 16	41.79 04 / 16	41.48	40.37	35.94 07 / 19	33.97 08 / 20	32.01	23.98	22.44	21.27		
		20.14	18.26 36.23	18.25	17.07 41.00	19.04 41.00	19.93 39.92	22.57	23.11	22.64 31.40	25.37 23.77	28.14	31.05	_	
	.Z.SEMASS	01/13	02/14	03 / 16	04/16	05 / 17	06 / 18	07 / 19	08/20	09/21	10 / 22	11/23	12/24		
		32.16	36.75	39.24	42.26	41.59	40.49	35.90	33.92	31.88	26.62	28.49	21.45	_	
	.Z.VERMONT	01 / 13 19.82	02 / 14 18.13	03 / 15 18.50	04/16	05 / 17 19.38	06 / 18 19.72	07 / 19 22.20	08 / 20 22.28	09/21 22.35	10 / 22 25.36	11/23 28.39	12 / 24 31.08		
	ZINCMASS	31.70	36.18	38.54	40.58	41.02	40.00	35.69	33.78	31.86	23.81	22.21	21.05	_	
		20.11	18.28	18.31	17.14	19.12	19.95	22.52	22.62	22.66	25.64	28.52	31.79		
	AR.BEARSWMP13.8BSW1P	32.04	37.09 02 / 14	39.85 03 / 15	46.90 04 / 16	41.84	40.58 06 / 18	35,98	34.03	31.97	24.04	22.61	21.40		
		20.09 32.17	18.64 36.74	19.26 39.23	18.05 41.76	20.08 41.50	20.37 40.39	22.37 35.88	22.43 33.97	22.55 31.86	25.55 23.92	28.31 22.42	31.42 21.35		
	AR.BEARSWMP13.8BSW2P	01/13	02 / 14	03/15	04/16	05 / 17	06 / 18	07 / 19	08/20	09/21	10 / 22	11/23	12/24		
		20.09	98.74	20.22	/14 78	/11.50	/0.20	05.00	22.45	04 OR	23.00	20.31	24.26		
															Refresh
Messages															8

# Day Ahead Ancillary Service (A/S) Prices Display

This "Public" display provides system level Day-Ahead Ancillary Service (A/S) prices for each hour cleared in the Day-Ahead Market for the selected market day.

- **Hour** Hour ending values are shown in the first column for each hour in the day.
- **TMSR** The Ten-Minute Spinning Reserve clearing price.
- **TMNSR** The Ten-Minute Non-Spinning Reserve clearing price.
- **TMOR** The Thirty Minute Operating Reserve clearing price.
- **FER** The Forecast Energy Requirement "FER" clearing price.

ISO	new	englan	nd												Þ	1arket Stati	us: CLOSEI	D	Certificate User:	eMarket User Interface Version: 6.0.0(202409122244) : emktsuperuser512 12-Sep-2024 20:36	:55
															F	ReadOnly F	Participant:	ISO Net	w England Inc	Vuser: emktsuperuser512	~
Public Generat	ation [	Demand	ARD	Regulatio	n DRR	ESF															
Public Syste Messages Sumi	tem nmary	Prices	A/S Prices	Strike Prices	Binding Constrain	ts I	Reactive nterface Limits	Net Tie Schedules	XML Down	nload											
Day Ahea	ad An	cillar	y Ser	vice I	Prices																
Select Date					And	illary	Service Prices	on 10-Jul-2	024												
Date: 10-J	Jul-2024					ir Isr		01 / 13 19.58 19.55 01 / 13	02/14 20.53 19.52 02/14	03 / 1 19.57 19.53 03 / 1	5 04 / 16 7 19.57 8 19.67 5 04 / 16	05 / 17 19.63 19.69 05 / 17	06 / 18 29.54 19.66 06 / 18	07 / 19 140.77 137.80 07 / 19	08 / 20 141.45 136.78 08 / 20	09/21 29.93 135.63 09/21	10/22 27.65 20.46	11/23 27.50 19.63 11/23	12/24 26.63 19.56 12/24		
								14.62	14.50	14.48	14.48	14.49	14.50	135.77	136.44	22.71	22.71	22.40	21.74		
					TMC	D		14.64	14.63	14.62	2 14.57	14.58	14.54	132.74	131.81	130.58	14.63	14.51	14.49		
								9.53	9.51	9.47	9.47	9.50	9.51	130.66	131.34	17.70	17.61	17.37	16.63		
								9.53	9.52	9.51	9.54	9.56	9.53	127.64	126.71	125.49	9.53	9.50	9.47		
					FER			0.00	0.00	0.00	5 04716	0.00	7 42	128.68	129.35	15 72	107 22	15 41	12724	• • • • • • • • • • • • • • • • • • •	
								7.57	7.56	7.55	7.58	7.59	7.55	125.66	124.72	123.49	7.55	7.45	7.42		
																				Refresh	
Messages																					

## **Strike Prices Display**

This "Public" display provides all eMarket user's access to view the Day-Ahead Strike Prices and Expected Closeouts for a selected market day in the past and current day. Next day's DA version is available as soon as it's uploaded into MDB.

- **Hour** Hour ending values are shown in the first column for each hour in the day.
- Strike Price The strike price.

IS	ine	w englai	nd												M	larket Stati ReadOnly 1	us: CLOSE Participant	D ISO Nev	Certificate User v England Inc	eMarke Version: 6.0.0 : emktsuperuser512	t User I 202409122244) emktsuperusers	nterface
Public	Generation	Demand	ARD	Regulat	tion	DRR	ESF															
Public Messages	System Summary	Prices	A/S Prices	Strike Prices	Bin Cor	iding nstraints	Reactive Interface Limits	Net Tie Schedules	XML Down	load												
Strik	e Prices																					
Select Da	te				~	Strike	Prices on 10-Jul-	2024														
Da	te: 10-Jul-20	124				Strike P	rice ed Closeout	01/13 33.00 33.00 01/13	02/14 33.00 33.00 02/14	03 / 15 33.00 33.00 03 / 15	04 / 16 33.00 33.00 04 / 16	05 / 17 33.00 33.00 05 / 17	06 / 18 33.00 33.00 06 / 18	07 / 19 33.00 33.00 07 / 19	08/20 33.00 33.00 08/20	09/21 33.00 33.00 09/21	10 / 22 33.00 33.00 10 / 22	11/23 33.00 33.00 11/23	12/24 33.00 33.00 12/24			
								3.52	3.37 3.84	3.32 3.95	3.35 4.28	3.52 4.78	4.08 5.34	4.90 5.82	5.10 5.74	4.84 5.47	4.44 50.00	4.13 55.00	3.93 4.00			
																						Refresh
Message																						8

• Expected Closeout – The Expected Closeout price.

# **Binding Constraints Display**

This display shows all the transmission constraints that were applied and binding in the clearing of the Day-Ahead Market.

ISO new england	ł								Mark	et Status:	CLOSED		c	eM Version: ertificate Us	arke 2.0.1(201- er: Superu	<b>t Use</b> 407221119) ser	<b>r Inter</b> 23-Aug-20:	face
÷.,									Rea	dOnly Part	icipant: I	50 New Engl	and Inc			💙 User:	Superuser	*
Public Generation Demand AF	RD Regulat	ion																
Public System Prices Bin Messages Summary Cer	nding onstraints	Reactive Interface Limi	Net Tie Schedules	XML Download														
Binding Constraints																		
Select Date		<b>«</b>	Binding Constra	aints on 24-Au	ug-2014													
			Day Ahead Lim	it for BSTN or	n 24-Aug-20	14												
Date: 24-Aug-2014			Contingency															
			Interface		01/13	02 / 14	03 / 15	04 / 16	05 / 17	06 / 18	07 / 19	08/20	09/21	10 / 22	11 / 23	12/24		
																х		
					х	X	×	x	×	X								
			Day Ahead Lim	it for Node_N	orthport_Exp	ort on 24-/	Aug-2014											
			Contingency															
			Generic Constra	sint	01/13	02 / 14	03 / 15	04 / 16	05 / 17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24		
									×									
			Day Ahead Lim	it for Node S	horeham Fy	oort on 24-i	Aug-2014		~									
			Contingency	actor nouc_o	lor chan_ch													
			Generic Constra	int	01/13	02 / 14	03 / 15	04 / 16	05 / 17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24		
					х	×	х	×	×	×	×	×	×	×	×	х		
					х	×	х	х	х	×	×	х	х	х	х	х		
			Day Ahead Lim	it for ORR-SO	on 24-Aug-	2014												
			Contingency															
			Interface		01/13	02 / 14	03 / 15	04 / 16	05 / 17	06 / 18	07 / 19	08/20	09/21	10 / 22	11/23	12/24		
																×		
					X	X	X	X	X	×	×	X	X					
			Day Ahead Lim	it for RI-IMP	on 24-Aug-2	2014												
			Contingency		04.743	02744	02/45	04748	05.747	08.749	07.440	09.700	00.7.24	40.722	44.7.22	427.24		
			intenace		01713	02714	03715	04716	00/1/	00718	07719	08720 X	09721	101 22	117 23	127 24		
												~						
																		Defeat
																		Kettesh
Messages																		*

# **Reactive Interface Limits Display**

This display shows the MW flow on each of the system interfaces along with the MW flow limit on the interface for each hour of the market day in the Day-Ahead Market clearing solution.

ISO new england						Marke	et Status: C	LOSED		Ce	eM Version: rtificate Use	<b>arkei</b> 2.0.1(2014 ar: Superus	<b>Use</b> 107221119) 1er	<b>r Interface</b>
P.						Read	Only Partic	ipant: IS	50 New Engla	nd Inc			User:	Superuser 💙
Public Generation Demand ARD Regulation														
Public         System         Prices         Binding         Reactive           Messages         Summary         Constraints         Interface Li	Net Tie Schedules	XML Download												
Reactive Interface Limits														
Select Date	Reactive Interfac	e Limits on 24-Aug-201	4											
	BH+KRE Interfac	e on 24-Aug-2014												<u> </u>
Date: 24-Aug-2014	Туре													
	Operating Limit	01 / 13	02 / 14	03 / 15	04/16	05 / 17	06 / 18	07 / 19	08/20	09/21	10 / 22	11/23	12/24	
		99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	
		99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	
	Actual Flow	01 / 13	02 / 14	03 / 15	04716	05 / 17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24	
		326	314	319	323	323	333	406	386	538	618	607	629	
		627	607	610	634	607	547	621	617	610	573	407	409	
	BH-EXP Interface	e on 24-Aug-2014												
	Туре													
	Operating Limit	01 / 13	02 / 14	03 / 15	04/16	05 / 17	06 / 18	07 / 19	08/20	09/21	10 / 22	11/23	12/24	
		99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	
		99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	
	Actual Flow	01 / 13	02 / 14	03 / 15	04/16	05 / 17	06 / 18	07 / 19	08/20	09/21	10 / 22	11/23	12/24	
		219	207	210	209	205	211	284	263	416	495	485	502	
		515	509	509	522	626	458	493	496	530	475	260	261	
	BRAY-2 Interface	e on 24-Aug-2014												
	Туре													
	Operating Limit	01 / 13	02 / 14	03 / 15	04/16	05 / 17	06 / 18	07 / 19	08/20	09/21	10 / 22	11/23	12/24	
		99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	
		99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	99999	
	Actual Flow	01/13	02 / 14	03 / 15	04/16	06 / 17	06 / 18	07 / 19	08/20	09/21	10 / 22	11/23	12/24	
		298	298	298	298	298	298	298	385	383	422	450	459	
		465	465	463	461	463	465	467	472	474	388	385	298	-
														Refresh
Messages														

# Net Tie Schedules Display

This display shows the scheduled MW flow on each of the ISO New England interfaces with its neighboring control areas as calculated in the clearing of the Day-Ahead Market.

ISO new england						Marke	et Status: C	CLOSED		Ce	eM Version: rtificate Use	<b>arkei</b> 2.0.1(2014 ar: Superus	t <b>Üse</b> 107221119) 1er	r Interface
1						Read	Only Partic	cipant: ]	ISO New Engla	nd Inc			Vser:	Superuser 💙
Public Generation Demand ARD Regulation														
Public         System         Prices         Binding         Reactive           Messages         Summary         Constraints         Interface Lim	its Net Tie XML Schedules Download													
Net Tie Schedules														
Select Date	Net Tie Schedules on 24-Au	g-2014												
Datas of the optic	Area													
Date: 24-Aug-2014	.I.HQHIGATE120.2	01 / 13	02 / 14	03 / 15	04/16	05 / 17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24	
		193	175	0	0	0	191	193	218	218	218	218	218	
		218	218	218	218	218	218	218	218	218	218	218	193	
	.I.HQ_P1_P2346.6	01 / 13	02 / 14	03 / 15	04/16	05 / 17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24	
		1290	11/2	1230	1230	1230	1290	1646	1417.1	1037.7	1545	1040	1040	
	.I.NRTHPORT138 5	01 / 13	02/14	03 / 15	04/16	05 / 17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24	
		0	0	0	0	0	0	-50	-75	-60	-25	0	-25	
		-75	-80	-155	-127	-200	-175	- 165	-155	-150	-75	-75	-75	
	J.ROSETON 345 1	01 / 13	02 / 14	03 / 15	04/16	05 / 17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24	
		143	293	243	236	253	194	119	202	152	205.7	302	268.7	
		284	213	246	296	296	289	383	333	284	233	229	91	
	.I.SALBRYNB345 1	01 / 13	02 / 14	03 / 15	04/16	05 / 17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24	
		440	440	439	414	365	510	362	634	589	565	567	571	
		573	593	590	566	593	671	579	583	590	591	591	321	
	.I.SHOREHAM138 99	01 / 13	02 / 14	03 / 15	04/16	05 / 17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12/24	
		-330	-330	-330	-330	-330	-330	-330	-330	-330	-330	-330	-330	
	Total MW	01/13	02/14	03 / 15	04 / 18	05 / 17	06 / 18	07 / 19	1 08 / 20	09/21	10 / 22	11 / 23	12/24	
		1742	1750	1588	1556	1524	1861	1798	2066.1	2116.7	2178.7	2302	2247.7	
		2215	2159	2114	2168	2122	2218	2230	2194	2157	2182	1903.9	1096	
														Refresh
Messages														*

## Public XML Download Display

The XML Download Display is used to view the following public XML reports of data from the clearing of the Day-Ahead Market:

- Day-Ahead System Summary
- Day-Ahead Prices
- Day-Ahead Ancillary Service Prices
- Day-Ahead Binding Constraints
- Day-Ahead Reactive Limits
- Day-Ahead Net Tie Schedules
- Day-Ahead Ancillary Service Strike Prices

The reports are available for download after the Day-Ahead Market results are posted and the Re-Offer Period for the Real-Time Market opens. The format of the XML files can be found in the *eMarket Data Exchange Specification*, which is found on the *ISO New England website* among the documents listed on the Participate > Support > Upload and Download File Format Protocols page.

ISO new england		Market Status: CLOSED Certificate User: en	eMarket User Interface Version: 6.0.0(202409122244) htsuperuser512 12-Sep-2024 20:39:29
Public         Generation         Demand         ARD         Regulation           Public         System         Prices         A/S         Strike         Bin           Messages         System         Prices         A/S         Prices         Bin           XML         Download         A/S         Prices         A/S         Prices         Bin	DRR ESF ding Reactive Net Tie XHL Interface Limits Schedules Download	Partopanti 150 men engelu anc	Cast clinksuperise 7/1
Select Date Control of the Control o	XIIL Download on 10-3d-2024 Day-Ahead System Summary Day-Ahead Ancillary Service Prices Day-Ahead Binding Constraints Day-Ahead Reactive Limits Day-Ahead Net Tie Schedules Day-Ahead Ancillary Service Strike Prices	Upload XHL SOAP Request File:	

See <u>Section</u> 4 for details on uploading and downloading files. The following sections provide samples of the downloaded reports.

### DA System Summary XML Report

This report contains the information that you see on the System Summary display. The following is a sample of the report.

```
<SystemSummary day="2024-02-08">

<AreaSummary name="NEPEX">

<HourlyValues time="2024-02-08T00:00:00-05:00">

<DemandBidMW>12629</DemandBidMW>

<DemandForecastMW>14650</DemandForecastMW>

<Reserve>2271</Reserve>

<TmtrReq>1499</TmtrReq>
```

```
<TmsrReq>375</TmsrReq>
       <EirMW>1827</EirMW>
     </HourlvValues>
     <HourlyValues time="2024-02-08T01:00:00-05:00">
       <DemandBidMW>12539</DemandBidMW>
       <DemandForecastMW>13870</DemandForecastMW>
       <Reserve>2271</Reserve>
       <TmtrReg>1499</TmtrReg>
       <TmsrReq>375</TmsrReq>
       <EirMW>1135</EirMW>
     </HourlyValues>
     <HourlyValues time="2024-02-08T02:00:00-05:00">
       <DemandBidMW>12198</DemandBidMW>
       <DemandForecastMW>13380</DemandForecastMW>
       <Reserve>2271</Reserve>
       <TmtrReq>1499</TmtrReq>
       <TmsrReq>375</TmsrReq>
       <EirMW>992</EirMW>
     </HourlyValues>
   </AreaSummarv>
 </SystemSummary>
</GetSystemSummaryResponse>
```

#### **DA Prices XML Report**

This is a large report. It contains the information that you see on the Prices display, specifically the hourly DA nodal LMPs at every public pricing node (Pnode) in the data model. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes" ?>
- <GetPricesResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
   - <Prices day="2014-08-24">
      - <NodePrices ID="4000" name=".H.INTERNAL_HUB">
           <HourlyPrice time="2014-08-24T00:00:00-04:00" price="21.61" />
           <HourlyPrice time="2014-08-24T01:00:00-04:00" price="19.11" />
           <HourlyPrice time="2014-08-24T23:00:00-04:00" price="23.67" />
       </NodePrices>
       - <NodePrices ID="4001" name=".Z.MAINE">
           <HourlyPrice time="2014-08-24T00:00:00-04:00" price="21.02" />
           <HourlyPrice time="2014-08-24T01:00:00-04:00" price="18.67" />
           <HourlyPrice time="2014-08-24T23:00:00-04:00" price="23.17" />
        </NodePrices>
       - <NodePrices ID="39004" name="LD.VT YK 115">
           <HourlyPrice time="2014-08-24T00:00:00-04:00" price="21.46" />
           <HourlyPrice time="2014-08-24T22:00:00-04:00" price="23.08" />
           <HourlyPrice time="2014-08-24T23:00:00-04:00" price="23.23" />
        </NodePrices>
```

```
</Prices>
</GetPricesResponse>
```

### **DA Ancillary Service Prices XML Report**

This report contains the same information that provided by the Public A/S Prices display. The following is a sample of the GetASPricesResponseXML response report.

```
<?xml version="1.0" encoding="UTF-8" standalone="ves"?>
<GetASPricesResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <ASPrices day="2024-02-08">
   <HourlyPrice time="2024-02-08T00:00:00-05:00">
      <TmsrPrice>19.53</TmsrPrice>
      <TmnsrPrice>14.49</TmnsrPrice>
      <TmorPrice>9.49</TmorPrice>
      <FerPrice>7.47</FerPrice>
    </HourlyPrice>
    <HourlyPrice time="2024-02-08T01:00:00-05:00">
      <TmsrPrice>19.41</TmsrPrice>
      <TmnsrPrice>14.48</TmnsrPrice>
      <TmorPrice>9.48</TmorPrice>
      <FerPrice>7.43</FerPrice>
    </HourlyPrice>
    <HourlyPrice time="2024-02-08T02:00:00-05:00">
      <TmsrPrice>19.41</TmsrPrice>
      <TmnsrPrice>14.48</TmnsrPrice>
      <TmorPrice>9.47</TmorPrice>
      <FerPrice>7.42</FerPrice>
    </HourlyPrice>
  </ASPrices>
</GetASPricesResponse>
```

## **DA Binding Constraints XML Report**

This report contains the information that you see on the Binding Constraints display. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes" ?>
_<GetBindingLimitsResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
   - <BindingLimits day="2014-08-24">
      - <BindingLimit>
           <BranchName>CONVERTRK42-3 A LN</BranchName>
           <ContingencyName>Actual</ContingencyName>
         - <HoursImpacted>
              <Hour>2014-08-24T00:00:00-04:00</Hour>
              <Hour>2014-08-24T03:00:00-04:00</Hour>
              <Hour>2014-08-24T05:00:00-04:00</Hour>
              <Hour>2014-08-24T06:00:00-04:00</Hour>
              <Hour>2014-08-24T23:00:00-04:00</Hour>
           </HoursImpacted>
       </BindingLimit>
      - <BindingLimit>
           <BranchName>CONVERTR_K42-3_A_LN</BranchName>
           <ContingencyName>Actual</ContingencyName>
         - <HoursImpacted>
              <Hour>2014-08-24T01:00:00-04:00</Hour>
```

```
<Hour>2014-08-24T02:00:00-04:00</Hour>
</HoursImpacted>
</BindingLimit>
</GetBindingLimitsResponse>
```

## **DA Reactive Limits XML Report**

This report contains the information that you see on the Reactive Interface Limits display. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes" ?>
- <GetInterfaceLimitsResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
   - <InterfaceLimits day="2014-08-24">
       - <InterfaceLimit>
           <Name>BSTN</Name>
          - <HourlyProfile>
               <HourlyValues time="2014-08-24T00:00:00-04:00" flow="1509" limit="99999" />
               <HourlyValues time="2014-08-24T01:00:00-04:00" flow="1571" limit="99999" />
               <HourlyValues time="2014-08-24T02:00:00-04:00" flow="1520" limit="99999" />
              <HourlyValues time="2014-08-24T22:00:00-04:00" flow="1528" limit="99999" />
              <HourlyValues time="2014-08-24T23:00:00-04:00" flow="1341" limit="99999" />
           </HourlyProfile>
       </InterfaceLimit>
      - <InterfaceLimit>
           <Name>MENH</Name>
          - <HourlyProfile>
               <HourlyValues time="2014-08-24T00:00:00-04:00" flow="13" limit="99999" />
               <HourlyValues time="2014-08-24T01:00:00-04:00" flow="-41" limit="999999" />
               <HourlyValues time="2014-08-24T22:00:00-04:00" flow="-96" limit="99999" />
               <HourlyValues time="2014-08-24T23:00:00-04:00" flow="-26" limit="99999" />
           </HourlyProfile>
       </InterfaceLimit>
      - <InterfaceLimit>
           <Name>MYS8-9</Name>
          - <HourlvProfile>
              <HourlyValues time="2014-08-24T00:00:00-04:00" flow="1297" limit="10000" />
               <HourlyValues time="2014-08-24T01:00:00-04:00" flow="986" limit="10000" />
               <HourlyValues time="2014-08-24T22:00:00-04:00" flow="1774" limit="10000" />
               <HourlyValues time="2014-08-24T23:00:00-04:00" flow="1780" limit="10000" />
           </HourlyProfile>
       </InterfaceLimit>
      - <InterfaceLimit>
           <Name>NE_E-W</Name>
          - <HourlyProfile>
               <HourlyValues time="2014-08-24T00:00:00-04:00" flow="757" limit="99999" />
               <HourlyValues time="2014-08-24T01:00:00-04:00" flow="557" limit="99999" />
               <HourlyValues time="2014-08-24T22:00:00-04:00" flow="-136" limit="99999" />
               <HourlyValues time="2014-08-24T23:00:00-04:00" flow="125" limit="99999" />
           </HourlyProfile>
       </InterfaceLimit>
```

#### **DA Net Tie Schedules XML Report**

This report contains the information that you see on the Net Tie Schedules display. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes" ?>
- <GetNetTieSchedulesResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
   - <NetTieSchedules day="2014-08-24">
      - <NetTieSchedule area=".I.HQHIGATE120 2">
           <HourlyValue time="2014-08-24T00:00:00-04:00" MW="248" />
           <HourlyValue time="2014-08-24T01:00:00-04:00" MW="248" />
           <HourlyValue time="2014-08-24T22:00:00-04:00" MW="218" />
           <HourlyValue time="2014-08-24T23:00:00-04:00" MW="248" />
       </NetTieSchedule>
      - <NetTieSchedule area=".I.HQ_P1_P2345 5">
           <HourlyValue time="2014-08-24T00:00:00-04:00" MW="1023" />
           <HourlyValue time="2014-08-24T01:00:00-04:00" MW="1023" />
           <HourlyValue time="2014-08-24T22:00:00-04:00" MW="0" />
           <HourlyValue time="2014-08-24T23:00:00-04:00" MW="0" />
       </NetTieSchedule>
      - <NetTieSchedule area=".I.NRTHPORT138 5">
           <HourlyValue time="2014-08-24T00:00:00-04:00" MW="-100" />
           <HourlyValue time="2014-08-24T01:00:00-04:00" MW="-100" />
           <HourlyValue time="2014-08-24T22:00:00-04:00" MW="-185" />
           <HourlyValue time="2014-08-24T23:00:00-04:00" MW="-100" />
       </NetTieSchedule>
      - <NetTieSchedule area=".I.ROSETON 345 1">
           <HourlyValue time="2014-08-24T00:00:00-04:00" MW="-23" />
           <HourlyValue time="2014-08-24T01:00:00-04:00" MW="44" />
           <HourlyValue time="2014-08-24T22:00:00-04:00" MW="278" />
           <HourlyValue time="2014-08-24T23:00:00-04:00" MW="181" />
       </NetTieSchedule>
      - <NetTieSchedule area=".I.SALBRYNB345 1">
           <HourlyValue time="2014-08-24T00:00:00-04:00" MW="293" />
           <HourlyValue time="2014-08-24T01:00:00-04:00" MW="202" />
```

```
<HourlyValue time="2014-08-24T22:00:00-04:00" MW="293" />
<HourlyValue time="2014-08-24T23:00:00-04:00" MW="293" />
</NetTieSchedule>
</NetTieSchedule area=".I.SHOREHAM138 99">
<HourlyValue time="2014-08-24T00:00:00-04:00" MW="-330" />
<HourlyValue time="2014-08-24T01:00:00-04:00" MW="-330" />
<HourlyValue time="2014-08-24T22:00:00-04:00" MW="-330" />
<HourlyValue time="2014-08-24T23:00:00-04:00" MW="-330" />
</NetTieSchedule>
</NetTie
```

#### **DA Ancillary Service Strike Prices XML Report**

This report contains the same information that provided by the Public Strike Prices display. The following is a sample of the GetStrikePricesResponse XML response report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetStrikePricesResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <StrikePrices day="2024-02-08">
    <HourlyPrice time="2024-02-08T00:00:00-05:00">
      <StrikePrice>19.53</StrikePrice>
      <ExpectedCloseout>9.49</ExpectedCloseout>
    </HourlyPrice>
    <HourlyPrice time="2024-02-08T01:00:00-05:00">
      <StrikePrice >19.41</ StrikePrice >
      < ExpectedCloseout >14.48</ExpectedCloseout >
    </HourlyPrice>
    <HourlyPrice time="2024-02-08T02:00:00-05:00">
      <StrikePrice >19.41</StrikePrice >
      <ExpectedCloseout >14.48</ExpectedCloseout >
    </HourlyPrice>
  </StrikePrices>
</GetStrikePricesResponse>
```

# 9. Demand Response Resource (DRR) Tab

To access the DRR Tab, you must be a registered user with a DRR Read/Write or Read-Only role. When you have this access, you will be able to select the DRR tab and all its sub tabs.

 Public
 Generation
 Demand
 ARD
 Regulation
 DRR

 Private
 DRR Default
 Portfolio
 Schedule
 Schedule
 Schedule
 Schedule
 Manager
 Default
 Portfolio
 Schedule
 Schedule
 Schedule
 Schedule
 Manager
 Default
 Portfolio
 Default
 Portfolio
 Default
 Default
 Portfolio
 Download

# **DRR Offer Concepts**

When submitting data, it is important to understand the hierarchy of the DRR offer data and the implications of data overrides. Figure 11 below shows the hierarchy of the DRR displays used to submit data, where the same offer data parameter appears in different displays, and the data from which display has precedence over (overrides) the others for the same parameter. [**Note**: only the data elements subject to overrides are shown.]

The DRR Default Parameters display is at the root of the hierarchy. The DRR record itself is initially defined by ISO New England with default offer data when the asset is instantiated in the Market system. Participants must update some data values, like the DRR's default dispatch availability status and ramp rate using the display. For DRRs capable of providing off-line reserves, the default Claim10 and Claim30 values must be updated on this display.

To participate in the energy market, a Participant must define at least one schedule for the DRR using the Schedule Manager display and all of the related data. The schedule defines a container for which detail offer data must be submitted.

Managing DRR schedules is accomplished by performing the following general steps:

- Create or modify a schedule using the Schedule Manager display
- Create or modify schedule-specific default data, which include MW operating limits, Startup time, Notification time, Min Reduction Time, Min Time Between Reductions, and market participation (Day-Ahead or Real-Time) using the Schedule Detail Defaults display.
- Create or modify schedule-offer default data (Interruption Cost and Incremental Energy Offers [Price/MW pairs] using the Schedule Offers Default display.
- Identify the schedule or schedules to be used in the clearing of the Day-Ahead and Real-Time (Balancing) markets using the Schedule Selection display.





The other displays allow for overriding schedule based default data or a DRR's default dispatch availability status data. Offer data in other displays which are higher in the hierarchy are overridden by the presence of data in the hourly override displays:

- The limits on the DRR Hourly Updates display (Min Reduction and Max Reduction) override for specified hours of the day the corresponding limit values defined in the Schedule Detail Defaults display for all schedules.
- The dispatch availability status (Available, Unavailable) on the Hourly Updates display overrides for specified hours of the day the default dispatch availability status (Default Status) defined on the DRR Default Parameters display. For DRRs capable of providing off-line reserves, the display can be used to override for specific hours of the day the default Claim10 and Claim30 values defined on the DRR Default Parameters display.
- The Interruption cost and the incremental energy offers (Price/MW pairs) shown on the Schedule Offers Hourly Updates display override for specified hours of the day the default values defined in the Schedule Offers Default display for the corresponding schedule.
- The Startup and Notification times shown on the Schedule Times Hourly Updates display override for specified hours of the day the default values defined in the Schedule Detail Defaults display for the corresponding schedule.

# DRR Portfolio Manager Display

A DRR portfolio is a collection of DRRs that is defined by each individual DRR user. The user assigns a unique name to each portfolio when it is created. Once a portfolio is created, the user assigns it one or more DRRs. A DRR can be assigned to more than one portfolio.

Data is filtered by DRR portfolios on the following displays:

- DRR Default Parameters
- Schedule Manager
- Schedule Detail Defaults
- Schedule Offers Default
- Schedule Offers Hourly Updates
- Schedule Times Hourly Updates
- Schedule Selection
- DRR Hourly Updates
- DRR by Portfolio

**Note**: A DRR that is not associated with a portfolio cannot be selected in the tooltray filters of these displays.

See §0 Manage Portfolios for more information on the purpose of portfolios and details on using this display.

## **DRR Default Parameters Display**

The DRR Default Parameters display allows you to view DRR ownership information and to update a DRR's default ramp rate, dispatch status, and its offline reserve claim capability values. Offer information is defined on a DRR basis, as well as on schedule basis.

ISO New England requires that the Participant submit to the ISO, DRR specific information about a DRR. This information is used to create the initial DRR record in the market system database and must be submitted in writing to ISO-NE and verified by ISO-NE before the Participant submits offers. (For more information on the data required, see **ISO New England Manual for Market Operations Manual 11**, which is found on the <u>ISO New England website</u> among the documents listed on the Participate > Rules and Procedures > Manuals page.

When the DRR-specific information is received, the ISO creates the necessary records in the market system database. Some of this information is shown on the DRR Default Parameters display, and users cannot modify this information using the display. As shown below, only the fields with white background in the DRR Details section are modifiable.

		DF	R Market Status:	OPEN(01)			el	Market Us	er Inter 81808)	face
<b>SU</b> new england						Certi	ficate User:	Superuser	11-Dec-2	2017 14:20:50
pur-			Pa	rticipant:	ISO New Er	gland Inc		Vser: Supe	ruser	*
Public Generation Demand ARD Regulation [	DRR									
Private DRR Default Portfolio Schedule Sche	dule Schedule	Schedule Offers	Schedule Times	Schedule	Hourly	DRR By	XML			
Messages Parameters Manager Manager Deta	al Defaults Offers Default	Houriy Updates	Houriy Updates	Selection	Updates	Portfolio	Download			
DRR Daily Default Parameters										
Select Date and DRR	DRR Details for DRR 99999	( 99999) ) on 12-	Dec-2017							
Date: 12-Dec-2017										
Portfolio: DRR A	DR Resource ID:	99999				Lead Pa	articipant ID:	99999		
DBR: Long Name	DRR Short Name:	Short Name				Lead Partic	tipant Name:	Participant Name		
and any rand	DRR Long Name:	Long Name				DA Schedu	ule Required:	No		
	Location:	Location								
	Ramp Rate (MW/Min):	1.0				De	afault Status:	<ul> <li>Available</li> </ul>		
	Ramp Rate Cap:	UD						🔾 Unavailable		
	Claim 10 Capable:	Yes								
	Claim 10 (MW):	1.0								
	Claim 10 Cap:	UD								
	Claim 30 Capable:	Yes								
	Claim 30 (MW):	2.0								
	Claim 30 Cap:	UD								
									Update	Refresh
Messages										

The format of the DRR Default Parameters display is shown below:

The fields on this display are:

- **DR Resource ID** the ISO-NE generated unique identifier for the market asset. This is the preferred reference number used in doing business with the Customer Service Department.
- **DRR Short Name** the abbreviated name of the DRR.
- DRR Long Name the full name or description of the DRR. This label is shown on other DRR displays and in the DRR filter of all DRR displays.
- Location the pnode associated with the DRR.
- Ramp Rate (MW/Min) the number of MW per minute with which the DRR can respond to dispatch signals when it is on-line. This value is used in the calculation of spinning reserves unless it is overridden by an override for an hour defined on the DRR Hourly Updates display.
- Ramp Rate Cap the DRR's demonstrated ramp rate Capability value that was established during the last audit conducted by ISO New England. The offered value will be capped (constrained) to this value if it is defined. If the demonstrated capability value is undefined, it will be shown as "UD".
- Claim 10 Capable indicates if the DRR is registered as capable of producing Ten Minute Non-Spinning Reserve from an offline state.
- Claim 10 (MW) the number of MW with which a resource can respond within 10 minutes from an offline state. Used in the calculation of Ten Minute Non Spinning Reserves.
- **Claim 10 Cap** the DRR's demonstrated Claim 10 Capability value that was established during the last audit conducted by ISO New England. The offered value will be capped (constrained) to this value if it is defined. If the demonstrated capability value is undefined or the DRR is not Claim 10 Capable, it will be shown as "UD".
- **Claim 30 Capable** indicates if the DRR is registered as capable of producing Thirty Minute Reserve from an offline state
- Claim 30 (MW) the number of MW with which a resource can respond within 30 minutes from an offline state. Used in the calculation of Thirty Minute (non-spinning) Reserves.
- **Claim 30 Cap** the DRR's demonstrated Claim 30 Capability value that was established during the last audit conducted by ISO New England. The offered value will be capped (constrained) to this value if it is defined. If the demonstrated capability value is

undefined or the DRR is not Claim 30 Capable, it will be shown as "UD".

- Lead Participant ID the ISO-NE assigned unique identifier of the Market Participant whose users are responsible for submitting the operating information of the DRR using the eMarket application.
- Lead Participant Name the full name of the Market Participant whose users are responsible for submitting the operating information of the DRR using the eMarket application.
- **DA Schedule Required** indicates if the DRR is classified as a capacity resource and therefore required to submit offers in the DA market
- **Default Status (Available/Unavailable)** the default dispatch availability status of the DRR0 ≤ Ramp Rate
- A warning will be issued if the Ramp Rate exceeds Ramp Rate Cap when the demonstrated capability is defined (not "UD")
- A warning will be returned if the DRR is Claim 10 capable and any of the following conditions exist
  - Claim 10 = 0 or NULL
  - Claim 10 > Claim 10 Cap when the demonstrated capability is defined (not "UD") – meaning that the Claim 10 Cap value will be used instead of the offered value
- A warning will be returned if the DRR is Claim 30 capable and any of the following conditions exist
  - Claim 30 = 0 or NULL
  - Claim 30 > Claim 30 Cap when the demonstrated capability is defined (not "UD") – meaning that the Claim 30 Cap value will be used instead of the offered value
  - Claim 30 < Claim 10 meaning that the Claim 10 value will be used instead of the offered Claim 30 value.

### **View Specific DRR Information**

- 1. In the DRR Navigation sub tabs, click the DRR Default Parameters tab.
  - The DRR Default Parameters display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired DRR from the **DRR** filter.
    - The default DRR data for the selected date and selected DRR is shown in the DRR Default Parameters display.

## Modify DRR Default Claim 10/30 and Ramp Rate

A DRR's Claim 10/30 values and its default ramp rate data are specified at the DRR level. To define this data:

- 1. View the desired DRR's information as described in §0.
- 2. Enter all of the following DRR-specific information:
  - a. Ramp Rate (MW/Min)
  - b. Claim 10 (MW) if Claim 10 Capable
  - c. Claim 30 (MW) if Claim 30 Capable

#### Modify DRR Default Status

- 1. View the desired DRR's information as described in §0.
- 2. Select one of the following radio buttons:
  - a. Available
  - b. Unavailable
- 3. Click the **Update** button to save the selection.

## **DRR Schedule Manager Display**

Schedule Manager enables users to view, create, and update schedules. The format of this display is shown below.

ISO new england					9	DRR Market Statu Pi	s: CLOSED	ISO New Fr	Cert	el N ificate User: S	ersion: 5 Superuse	(et Us .0.0(2017091)	er Ir <sup>81808)</sup> 1	1-Dec-2017 15:13:43
Public Generation Demand ARD Regulation Private DRR Default Portfolio Mascaage Margade	n D Sched	RR Jule	Schedule	Schedule	Offers	Schedule Times	Schedule	Hourly	DRR By Portfolio	XML				
Schedule Manager	Uetan	Cabadad	Manage for Dr		contol	rioury opuates	Selection	opuates	PORTUNIO	Download				
Portfolio: DRR_A DRR: Long Name	* *	Schedule DFLPRIC PRICE2	e Name 2E	(K 00010 (	Descri DFLPI PRICE	ption RICE 22			Sch 1 (F 2 (F	nedule Type Price)	× ×			
Messanes									New	Del	ete		Upda	ate Refresh

The fields on this display are:

- Schedule Name a short name for the schedule, defined by the Participant. This label appears in the Schedule filter on the DRR displays.
- **Description** a brief description of the schedule, defined by the Participant. This label appears in the DRR by Portfolio display, which shows the DAM results for DRRs by generation portfolio.

- **Schedule Type** identifies the number and type of the schedule:
  - **0 94** price-based schedules

### Create a New Schedule

Users can define more than one price-based schedule for a DRR. To assist in creating multiple schedules for DRR, the Schedule Manager display allows you to provide a schedule name and description for each DRR schedule. To create a new schedule:

- 1. In the DRR Navigation sub tabs, click the **Schedule Manager** tab.
  - The Schedule Manager display is shown in the display pane.
- 2. In the Filters pane:
  - a. Select the desired portfolio from the **Portfolio** filter.
  - b. Select the desired DRR from the **DRR** filter.
  - Existing schedules for the selected DRR are listed in the Schedule Manager pane.
- 3. Click the **New** button.
- 4. Type the following information in the new row:
  - a. Schedule Name
  - b. Description
- 5. From the **Schedule Type** drop-down menu, select a schedule type that has not been used in other schedules for this DRR.
- 6. Click the **Update** button to save the data.

#### Modify a Schedule's Name and/or Description

After a schedule is created and saved to the database, you cannot modify the Schedule Type field. Only the schedule's name and description can be changed.

To modify an existing schedule's names:

- 1. In the DRR Navigation sub tabs, click the **Schedule Manager** tab.
  - The Schedule Manager display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired portfolio from the **Portfolio** filter.
  - b. Select the desired DRR from the **DRR** filter.
    - The existing schedules for the selected DRR are listed.
- 3. Modify either or both of the following in any of the listed schedules:
  - a. Schedule Name
  - b. Description
- 4. Click the **Update** button to save the data.

## Delete a Schedule

- 1. In the DRR Navigation sub tabs, click the **Schedule Manager** tab.
  - The Schedule Manager display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired portfolio from the **Portfolio** filter.
  - b. Select the desired DRR from the **DRR** filter.
    - The existing schedules for the selected DRR are listed.
- 3. Select a cell in the row of the schedule that you want to delete.
- 4. Click the **Delete** button. If the schedule is not flagged available in any of the market days for the period that market information is preserved in the market database, it is deleted; otherwise you will get an error message.

# DRR Schedule Detail Defaults Display

The Schedule Detail Defaults display is used to view and manage a DRR's default market offer parameters. The format of the display is shown below.

ISO new england					DRR	Market Status: OP Parti	EN(01)	Certificate Use	eMarker Version: 6.0.0( r: emktsuperuser512	User Intel 202409122244) 16-Sep- 16-Sep-	rface 2024 19:08:36
Public Generation Demand ARD Regulation DRR	ESF	, in the second s									
Private DRR Default Portfolio Schedule Messages Parameters Manager Manager Detail Defa	aults Offers Default Hourly Updates	Schedule Times Schedule DA Hourly Updates A/S Offers	Schedule Hourly Selection Updates	DRR By Portfolio	A/S By Portfolio	A/S Benchmark Data	A/S Benchmark Data Overrides	XML Download			
Schedule Detail Defaults											
Select Date, DRR and Schedule Sch	hedule Details for	in the second second sec	Price-based) on 1	7-Sep-2024	•						
Deficiency of the second secon	Schedule Available: No Day Ahead Market: 2 Real Time Market: 2 Fast Start (10 min): No Fast Start (30 min): No		Ma Max Daily En Max Daily Award Min Time Be M DR Resource DR Resource	x Daily Start lergy (for D Limit (for D tween Redu n Reduction n Reduction Notification urce Startup	s (for DA): A in MWh): A in MWh): ctions (hr): Time (hr): Time (hr): Time (hr):	10 25.0 10.0 1.0 2.0 3.0			Min Reduction: 5.0 Max Reduction: 10.0		
										Update	Refresh

The fields on this display are:

- Schedule Available indicates whether the schedule is to be used. This is managed on the Schedule Selection display.
- **Day Ahead Market** this check box indicates whether the schedule is enabled for Day-Ahead market use.
- **Real Time Market** this check box indicates whether the schedule is enabled for Real-Time market use.
- **Fast Start (10 min)** if the DRR is Claim 10 capable<sup>28</sup>, this indicates whether the entered parameters qualify the DRR for 10-min fast startup operation and therefore make it eligible for off-line non-spinning reserves.
- **Fast Start (30 min)** if the DRR is Claim 30 capable<sup>28</sup>, this indicates whether the entered parameters qualify the DRR for 30-min fast startup operation and therefore make it eligible for off-line non-spinning reserves.
- **Max Daily Starts** the maximum number of times that the DRR can be started in one operating day under **normal** operating conditions. This field is only used for the Day-Ahead market. A blank field means the value is unlimited.
- **Max Daily Energy** the maximum amount of energy that the DRR can reduce in one operating day. A blank field means the value is unlimited.

<sup>&</sup>lt;sup>28</sup> The indication of whether the DRR is Claim 10 or Claim 30 Capable can be seen on the DRR Default Parameters display (§0)

- **Max Daily Award Limit** expressed in MWh, this is the limit on the total energy, Operating Reserves and EIR for a day in the DAM.
- Min Time Between Reductions the minimum time (in hours) that the DRR owner requires between the time the DRR is released for shutdown by the ISO and the time the DRR is scheduled to be released for dispatch to the ISO.
- Min Reduction Time the minimum time (in hours) that the DRR must remain online after it has been scheduled to reach its Minimum Reduction Limit before it can be released for shutdown from its Minimum Reduction Limit.
- **DR Resource Notification Time** the notification time (in hours) needed for the DRR to begin reducing; the time is measured from the time the startup dispatch instruction is received from the ISO.
- **DR Resource Startup Time** the time (in hours) for the DRR to startup after the notification time elapses.
- **Min Reduction** the lowest MW level at which the DRR can be economically dispatched.
- **Max Reduction** the highest MW level at which the DRR can be economically dispatched.

#### Data Validation Rules

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

- Data is entered for each of the following values, i.e., non-blank values appear in the data entry cells:
- Min Time Between Reductions and Min Reduction Time
- Startup and Notification times
- Min Reduction and Max Reduction

Only Max Daily Starts, Max Daily Energy the Max Daily Award Limit may be blank (unspecified).

- Min Reduction > 0 if Max Reduction > 0
- Min Reduction ≤ Max Reduction
- Startup Time  $\geq 0$
- Notification Time  $\geq 0$
- Min Time Between Reductions  $\geq 0$
- Min Time Between Reduction ≤ number of consecutive unavailable hours in Hourly Updates if hourly updates exist for the schedule market day.

- $24 \ge Min Reduction Time \ge 0$
- Max Daily Energy must be blank to specify an unlimited capacity or a value greater than zero if you want to the Day-Ahead market to limit the energy allocated. If a non-blank value is entered, then Max Daily Energy should be greater than or equal to Min Reduction x Min Reduction Time; a warning message will be reported if it is not.
- **Max Daily Award Limit** error: eMarket rejects submittals when both of the following are true:
  - Max Daily Award Limit is entered (not blank) AND
  - Max Daily Award Limit is less than or equal to zero.
- **Max Daily Award Limit** warning message: the system issues a submittal warning both of the following are true:
  - Max Daily Award Limit is not blank AND
  - Max Daily Award Limit is less than offered Minimum Reduction multiplied by Minimum Reduction Time (hrs).
- **Max Daily Award Limit** warning message: the system issues a submittal warning all of the following are true:
  - Max Daily Award Limit (MWh) is not blank AND
  - Max Daily Energy (MWh) is not blank AND
  - Max Daily Award Limit is less than Max Daily Energy.
- For Claim 10 capable DRRs, a warning will be returned when the sum of notification and startup time exceeds the Claim 10 criteria, i.e., ≥ 10min because time values make the DRR ineligible for off-line reserve capability.
- For Claim 30 capable DRRs, a warning will be returned when the sum of notification and startup time exceeds the Claim 30 criteria, i.e., ≥ 30min because time values make the DRR ineligible for off-line reserve capability.
- For Claim 10 capable DRRs and Claim 30 capable DRRs, a warning will be returned when Min Reduction Time > 1 or Min Time Between Reductions > 1 because time values greater than 1 hour make the DRR ineligible for off-line reserve capability.

#### View Schedule Detail Defaults

To view the default values of a DRR schedule:

- 1. In the DRR Navigation sub tabs, click the **Schedule Detail Defaults** tab.
  - The Schedule Detail Defaults display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired DRR from the **DRR** filter.

- d. Select the desired schedule from the **Schedule** filter.
  - The display shows the selected schedule's default detail information.

## Modify Schedule Constraint Data

Constraint data includes Minimum Time Between Reductions, Minimum Reduction Time, Maximum Daily Starts, Maximum Daily Energy and Maximum Daily Award Limit. To modify schedule constraints:

- 1. View the DRR's schedule details (§0).
- 2. Enter the desired changes for any or all of the following offer parameters:
  - a. Minimum Time Between Reduction (hours)
  - b. Minimum Reduction Time (hours)
  - c. Maximum Daily Starts
  - d. Maximum Daily Energy (MWh)
  - e. Maximum Daily Award Limit (MWh).
- 3. Click the **Update** button to save the data.

#### Modify Schedule Operating Limits

- 1. View the DRR's schedule details (§0).
- 2. Enter the desired changes for any or all of the following operating limits:
  - a. Min Reduction (MW)
  - b. Max Reduction (MW)
- 3. Click the **Update** button to save the data.

# DRR Schedule Offers Daily Default Display

The purpose of this display is to provide viewing and updating capabilities of the DRR daily default interruption cost and incremental energy offers. Incremental energy offers consist of price/MW pairs, also referred to as schedule offer segments. Schedule offer segments specify a MW amount and the price per MWh for reduction from the previous segment's MW amount up to this segment's MW amount. Up to 10 segments can be defined for each schedule.

Offers in MW are cumulative. For example,

- To offer the first block of 15 MW of reduction at \$10.00, you enter an offer segment of 15 MW @ \$10.00
- To offer the next block of 20 MW of reduction at \$30.00, you enter an offer segment of 35 MW @ \$30.00

And so on. You can enter the segment offers in any order of MW values; eMarket will organize the segments and display them in increasing MW value order. The price value of each segment must however be greater than the price of the previous segment after the segments are sorted in increasing MW value order. In

other words, the offer segments must be monotonically increasing in MW and price value.

The slope from zero to the first MW point (which can be zero) is equal to zero; that is to say that the price/MWh is fixed and equal to the price of the first segment.

The last MW point should be greater than or equal to the Maximum Reduction Limit. If it is not, the offer curve is extended using the last segment.

This was illustrated in Figure 2. Only block interpolation of offer values applies to DRRs as, contrary to offers for Units, Use Offer Slope cannot be set to True for DRRs.

DRRs are eligible to change segment offer Price/MW pairs and Interruption Cost offers after the close of the DA market during the daily Re-Offer period.

Public Ge	neration Default	mand ARI Portfolio Manager	D Regulat Schedule	ion D Schedu	RR	Schedule Offers Default	Schedule Bourdy Li	Offers	Schedule Tim	tus: CLOSED Participant:	ISO New Eng	Certii gland Inc	eN Vi īcate User: S	farket ersion: 5.0.0(2 uperuser User:	User . 01709181808) Superuser	Interface 11-Dec-2017 16:04:06
Sched	ule Offer	rs Daily	Defau	lt «	Schedu	le Offer for DRR 6	0810 (608	10) - DF	LPRICE (6081	001 Price-bas	ed) on 12-De	ec-2017				
Date: Portfolio: DRR: Schedule:	12-Dec-2017 DRR_A Long Name DFLPRICE						DRTP (\$): n Cost (\$): MW 1.0 40.0 40.0	16.00	Price 17.00 21.00 34.00							Refresh
Messages																۲

The format of the Schedule Offers Default display is shown below.

The updateable fields on this display are:

- Interruption Cost the interruption cost of the DRR.
- **MW** the MW DRR output associated with this segment. The last MW point should be greater than or equal to the Maximum Reduction MW.
- **Price** the \$/MWh price offered for this segment.

### Data Validation Rules

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

- A non-blank value is entered for the Interruption Cost.
- Interruption Cost  $\geq 0$
- At least one non blank Price/MW pair value is entered
- MW quantity must be strictly positive or zero; i.e.  $MW \ge 0$
- Price of Incremental Energy Offers must be less than or equal to the Energy Offer Cap price and greater than or equal to the Demand Reduction Threshold Price (DRTP); i.e. DRTP ≤ Price ≤ Energy Offer Cap price<sup>29</sup>.
- Offers must be monotonically increasing. The price value for each segment must be greater than the one of the previous segment after the segments are ordered by increasing MW value<sup>30</sup>.

**Note**: If for a DRR there are no price/MW pair values specified in the Schedule Offers Default display, and no hourly overrides of price/MW have been specified in Schedule Offers Hourly Updates, then the DRTP value will be used in the clearing process as the default price for this DRR.

#### **Modify Schedule Offers**

- 1. In the DRR Navigation sub tabs, click the **Schedule Offers Default** tab.
  - The Schedule Offers Daily Default display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired DRR from the **DRR** filter.
  - d. Select the desired schedule from the **Schedule** filter.
    - The display reflects the selected schedule's offer data for the selected date.

<sup>&</sup>lt;sup>29</sup> Energy Offer Cap price is defined in Market Rule 1, section I.2.2. DRTP is defined in Market Rule 1, section III.1.10.1A.

<sup>&</sup>lt;sup>30</sup> The same price for successive segments is allowed; however it doesn't really make sense when considering Participant offers because the two segments are equivalent to a single segment with a MW value equal to that of the second segment.

- 3. Enter or modify the values on the display. To delete an incremental energy offer segment, simply blank each value on the row where the segment is shown.
- 4. Click the **Update** button to save the data.

## DRR Schedule Offers Hourly Updates Display

This display provides capability for viewing, entering and modifying hourly updates to a DRR schedule's default offers for interruption cost and incremental energy price/MW pairs for a future market day. Schedule offers cannot be modified for the current market day. Refer to §0 Schedule Offers Daily Default Display for a description of these schedule offer parameters and how incremental energy offers must be structured. There are multiple tabs on this display:

- The "DEF" tab shows the default offers for the selected market day. These were entered and are shown on the Schedule Offers Default display. They cannot be changed using the Schedule Offers Hourly Updates display.
- There is one tab for each hour of the market day. Each tab is labeled with the hour-ending value of the market hour. There is an extra tab labeled "02\*" for the extra hour on the Fall Daylight Saving Time transition day. On the Spring Daylight Saving Time transition day, the tab labeled "03" will not be shown.

eMarket User Interface DRR Market Status: OPEN(01) Version: 5.0.0(201709181808) ISO new england Certificate User: Superuser 11-Dec-2017 16:34:27 Participant: Participant Name Vuser: Superuser Generation Demand ARD Regulation DRR Public es DRR Default Portfolio Schedule Schedule Schedule Offers Parameters Manager Manager Detail Defaults Offers Default Hourly Updates Schedule Times Hourly Updates Schedule Hourly DRR By XML Selection Updates Portfolio Download Schedule Offers Hourly Updates Select Date, DRR and Schedule 🥳 Schedule Offer for DRR 10 ( 10) - DFLPRICE ( 1001 Price-based) on 12-Dec-2017 BEF 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 Date: 12-Dec-2017 Portfolio: DRR\_A ~ DRR: Long Name DRTP (\$): 16.00 Schedule: DFLPRICE Interruption Cost (\$): 0.00 MW Price Uncapped Price 1.5 800.00 3.0 1000.00 1450.00 Copy From: Default ~ Copy To: Through: × Сору Update Refresh Message

The format of the Schedule Offers Hourly Updates display is shown below.

The horizontal bar above the HE label indicates that hourly updates have been submitted and saved for the hour (HE 01 - 06 and 11 - 24 in the example above).

The Copy From/Copy To/Through selections allow you to copy hourly offers from Default or from a selected hour to another hour or to a range of hours. It is designed to minimize the amount of data entry that you are required to perform, especially when there are blocks of hours where the override values are to be the same.

For instance, to copy hourly offers from hour 06 to hours 09 - 10, the following data would be selected in the drop-down lists:

ISO new england		DRR Market Status: OPEN(	eM (01) Ve Certificat	eMarket User Interface Version: 5.0.0(201709181808) Certificate User: 11-Dec-2017 16:46:11					
		Participa	ant: Participant Name	Vser: Superuser V					
Public Generation Demand ARD Regulation	DRR								
Private DRR Default Portfolio Schedule Scher Messages Parameters Manager Manager Detai	lule Schedule Schedule Offers Defaults Offers Default Hourly Updates	Schedule Times Schedule He Hourly Updates Selection Up	lourly DRR By XML Ipdates Portfolio Download						
Schedule Offers Hourly Updates									
Select Date, DRR and Schedule	Schedule Offer for DRR 10 ( 10) - D	FLPRICE ( 1001 Price-based) or	on 12-Dec-2017						
Date: 12-Dec-2017	DEF 01 02 03 04 05 06	07 08 09 10 11	<u>12</u> <u>13</u> <u>14</u> <u>15</u> <u>16</u> <u>1</u>	7 18 19 20 21 22 23 24					
Portfolio: DRR_A									
DRR: Long Name	DRTP (\$): 16.00	1							
Schedule: DFLPRICE	Interruption Cost (\$): 0.00								
	MW	Price Uncapped Price							
	1.5	800.00		~					
	3.0	1000.00 1450.00							
Copy From: 06									
Copy To: 09 V Through: 10 V									
Comi									
сору									
				~					
			Delet	e Update Refresh					
Messages				8					

When the **Copy** button is clicked, the data are copied to the selected target hours and the displays shows updates for these hours as unsaved data, i.e. their corresponding tabs displayed in red:

ISO new england		DRR Market Status: OPEN(01)					eMarket User Interface Version: 5.0.0(201709181808) Certificate User: Superuser 11-Dec-2017 16:51:58						
				Partic	apant: Pa	articipant Na	ame		▼ 0:	ser: Su	uperuser		× 1
Public Generation Demand ARD Regulation I	DRR												
Private DRR Default Portfolio Schedule Sched Manager Manager Detail	ule Schedule Schedule Offers Defaults	dule Offers ly Updates	Schedule Times Hourly Updates	Schedule Selection	Hourly Updates	DRR By Portfolio	XML Download						
Schedule Offers Hourly Updates													
Select Date, DRR and Schedule	Schedule Offer for DRR 10	( 10) - DFL	PRICE ( 1001										
Date: 12-Dec-2017	DEF 01 02 03 04	05 06	07 08 09	10 11	12	13 14	15 16	17 18	19 20	21	22 23	24	
Portfolio: DRR_A													
DRR: Long Name	DRTF	(\$): 16.00											
Schedule: DFLPRICE	Interruption Cost	t (\$): 0.00											
	MW		Price Unc	apped Price									
	1.5		800.00										
	3.0		1000.00	1450.00	)								
Copy From: 06													
Copy To: 🗸 Through: 🗸													
Сору													
													~
							Dela				Indate	Refree	eb.
							Dele				phone	Renes	

At this point, you can click the **Update** button to save the changes, or you can navigate to the modified tabs and make additional changes before clicking **Update**.

When entering new overrides, you can minimize the amount of data entry by first copying the schedule's default values to the first hour of the range that you want to override and then edit the values for that hour.

ISO	new england						DR	R Market Si	tatus: CLOSED Ver	sion: 5.0.0(201709	<b>eMari</b> 181812)/ Server: Q Certificate Use	Ket User ] AEMKT2/ Database: R r: Superuser	Interface
	#***								Participant:	Verso Ener	gy Services LLC	✓ User:	Superuser 👻
Public	Generation	Demand		ARD	Regulation	DRR							
Private Messages	DRR Default Portfolio Parameters Manager			Schedule Manager	Schedule Detail Defaults		ault Hourly	ule Offers Updates	Schedule Times Hourly Updates	Schedule Selection	Hourly Updates	DRR By Portfolio	XML Download
Schedu	le Offers Hourl	y Update	3										
Select Date, D	RR and Schedule		Sch	Schedule Offer for Verso Androscoggin G1 Inc DG (9338393) - DFLPRICE (933839301 Price-based) on 10-Oct-2017									
Date: 12-Dec-2017				EF 01 02 03	04 05 06	07 08	09 10 11	12 13	14 15 16	17 18 19 2	0 21 22 23	24	
Portfolio:	DRR_A	~											
DRR:	Long Name	~		DPTD (6): DE 00									
Schedule:	DFLPRICE	~		Interruptio	n Cost (\$): 222.00								
					MW	Price	Uncapped Price						
					1.5	800.00							
					3.0	1000.00	1450.00						
Copy From	n: Default	~											
Copy To	: V Through												
		Carry											
		Сору											
													Refresh

Furthermore, if there are updates for an hour (whether saved in the database or entered on the screen) that can be changed for the selected market day, a **Delete** button is provided on the display. Selecting the button sets all the data entry fields to blank without saving the entered data. You must click the **Update** button to actually delete the hourly updates and save the change. That way, you can delete the updates to multiple hours with one **Update** selection. For instance, the deletion of hourly updates for hours 11 - 13 can be achieved by clicking the **Delete** button on each corresponding tab.

At this point, the changes are made only in the display. Use the **Update** button to save changes.

The **Copy** functionality may also be used to remove hourly updates for a range of hours. In this case, the "Copy From" hour will be an hour with no hourly updates, and "Copy To" hours will be the hours for which hourly updates need to be removed.

#### **Data Validation Rules**

When you click the **Update** button, eMarket makes the following checks for each market hour where data has been entered to ensure that the entered data is valid:

- At least one non-blank Price/MW pair value is entered except when you are deleting all overrides for the selected market hour.
- Interruption Cost  $\geq 0$

- MW quantity must be strictly positive or zero; i.e.  $MW \ge 0$
- Price of Incremental Energy Offers must be greater than or equal to the Demand Reduction Threshold Price (DRTP); i.e. Price ≥ DRTP <sup>31</sup>.
- Price of Incremental Energy Offers may exceed \$1000. A warning message will be displayed if the offered price is soft "soft-capped" to \$1000. The soft-capped price is displayed in the Price column while the the offereed price is shown in the Uncapped Price column. The soft-capped price may be raised later by the verification process. For rules about soft-capping, refer to chapter 12 Energy Offer Caps.
- Incremental Energy Offers must be monotonically increasing. The price value for each segment must be greater than or equal to the one of the previous segment after the segments are ordered by increasing MW value<sup>32</sup>.
- The market hour for which updates are being submitted must be a future day hour. In other words, the selected market day date must be tomorrow or a later date.

**Note**: If for a DRR there are no price/MW pair values specified in the Schedule Offers Default display, and no hourly overrides of price/MW have been specified in Schedule Offers Hourly Updates, then the DRTP value will be used in the clearing process as the default price for this DRR.

### **Override Schedule Offers for One or More Hours of a Market Day**

- 1. In the DRR Navigation sub tabs, click the **Schedule Offers Hourly Updates** tab.
  - The "DEF" Schedule Offers Hourly Updates display is shown in the display pane.
- 2. In the Filters pane:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired DRR from the **DRR** filter.
  - d. Select the desired schedule from the **Schedule** filter.
    - The "DEF" display tab reflects the selected schedule's default offer data for the selected date.
- 3. To update the overrides of individual hours:

<sup>&</sup>lt;sup>31</sup> DRTP is defined in Market Rule 1, section III.1.10.1A

<sup>&</sup>lt;sup>32</sup> The same price for successive segments is allowed; however it doesn't really make sense when considering Participant offers because the two segments are equivalent to a single segment with a MW value equal to that of the second segment.

- a. Select the display tab of the hour for which you want to enter new hourly overrides of the schedule offers or modify any existing hourly overrides.
- b. Enter the override value for each of the schedule offers or modify the existing values.
- c. Repeat steps a and b for each hour that you want to enter new overrides or modify the existing ones.
- d. Click the **Update** button to save the data.
- 4. To update the overrides for a range of hours use the "Copy From" tool in the tooltray.
  - a. First, create the offer hourly updates for one hour.
  - b. Then copy this hour's values to the various ranges (one or more) of hours where you want this set of overrides to apply. Optionally, instead of creating data for the "Copy From" hour, you can select "Default" to copy daily offers to the selected ranges of hours.
  - c. You can repeat this process (steps a and b) for other ranges of hours where you want to enter different sets of overrides.
  - d. If necessary, modify the offer hourly updates for selected hours.
  - e. When you have finished entering/modifying the hourly overrides to the schedule offer, click the **Update** button to save the data.

## Remove/Delete Hourly Updates to Schedule Offers

- 1. In the DRR Navigation sub tabs, click the **Schedule Offers Hourly Updates** tab.
  - The "DEF" Schedule Offers Hourly Updates display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired DRR from the **DRR** filter.
  - d. Select the desired schedule from the **Schedule** filter.
    - The "DEF" display tab reflects the selected schedule's default offer data for the selected date.
    - A horizontal bar appears above the hour-ending value of the display tabs where there are overrides/updates in place.

To remove/delete the overrides of individual hours:

- e. Select the display tab of the hour for which you want to remove the hourly overrides. If you are allowed to remove the overrides for the selected hour, a **Delete** button will be shown in the lower display toolbar.
- f. Click on the **Delete** button. All of the data entry fields on the display are set to blank.
- g. Repeat steps a and b for each hour that you want to remove the overrides.

- h. Click the **Update** button to save the changes.
- 3. To remove/delete the overrides for a range of hours use the "Copy From" tool in the tooltray.
  - a. Pick the display tab of the first hour in a range of hours where you want to delete the overrides; click the **Delete** button to set all data entry fields to blank. You don't need to save ("Update") this data entry.
  - b. Copy the selected hour's values to the various ranges (one or more) of hours where you want to remove the overrides. *Note*: if there is an hour with no overrides in the selected market day, you can skip step a and copy this hour to the various ranges (one or more) of hours where you want to remove the overrides.
  - c. Repeat this process (steps a and b) for other ranges of hours where you want to also remove the overrides.
  - d. When you have finished, click the **Update** button to save the changes.
## DRR Schedule Times Hourly Updates Display

This display provides capability for viewing, entering, and modifying hourly updates to a DRR schedule default Notification and Startup times. Refer to §0 Schedule Detail Defaults Display for a description of the schedule default daily parameters and the impact of these parameters on the DRR's eligibility for offline reserve designations.

In the upper section, the display shows the default daily values:

- Notification and Startup Times
- The DRR's default eligibility to be treated as a 10-minute and 30minute Fast Start resource; i.e. its eligibility to receive 10-minute and 30-minute off-line (Non-Spin) reserve designations
- The DRR's default Minimum Reduction Time (MRT) and Minimum Time Between Reductions (MTBR) that were entered on the Schedule Detail Defaults display

In the lower section, called Override Hourly Values, the display shows:

- Hourly override values for Notification and Startup Times
- The DRR's hourly eligibility to be treated as a 10-minute and 30minute Fast Start resource; i.e. its eligibility to receive 10-minute and 30-minute off-line (Non-Spin) reserve designations

To be treated as a 10-minute resource, the DRR must be designated as Claim10 capable. Similarly, to be treated as a 30-minute resource, the DRR must be designated as Claim 30 capable. These two capability flags are asset registration parameters and they are shown on the DRR Default Parameters display (§0). In addition, each eligibility is a function of the DRR's Notification Time + Startup Time along with its Minimum Reduction Time and Minimum Time Between Reductions. That is why the information is shown both at the schedule default level and for each hour of the operating day where the hourly time values override the default values and can be different for each hour of the operating day. Thus a DRR can be eligible based on the schedule's default offer parameters but not eligible for a particular hour of the operating day because of the hourly overrides of either Notification or Startup Times.

The format of the display is shown below.

ISO new england			DRR Market S	Status: OPEN(01)	Ce	eMarke Version: 5.0. rtificate User: Su	et User 1(20171116231 Iperuser	9) 21-Dec-201	ace
				Participant:	Participant Name		Y User:	Superuser	~
Public Generation Demand ARD Regulation D	RR								
Private DRR Default Portfolio Schedule Schedu Messages Parameters Manager Manager Detail	Je Schedule Defaults Offers Default	Schedule Offers Hourly Updates	Schedule Ti Hourly Upd	imes Schedule ates Selection	Hourly DRR By Updates Portfolio	XML Download			
Schedule Startup and Notification	Time Hourly	Updates							
Select Date, DRR and Schedule									
Date: 22-Dec-2017	Default Values for DRR	10 ( 10) -	DFLPRICE (	1001 Price-base	d) on 22-Dec-2017				۲
Portfolio: DRR A		Notification	Startup	Fast Start (10 min)	Fast Start (30 min)	MRT	MTBR		
		0.4	0.01	No	Yes	0.1	1		
Checkler an appendix									
Schedule: DFLPRICE	Override Hourly Values	for DRR 10 (	(60810) - DFLP	RICE ( 1001 Pri	ice-based) on 22-Dec	-2017			
	Hour	Notification	Startup	Fast Start (10 min)	Fast Start (30 min)				
	Y Y Copy								
	01	0.5	0.5	No	No				
	02	0.5	0.5	No	No				
	03	0.1	0.3	No	Yes				
	04	0.1	0.05	Yes	i Yes				
	08								
	07								~
								Update	Refresh
Messages									۲

The Default Values section is provided as a reference to show the default schedule offers for the chosen day which are being overridden by the hourly update values entered in the lower section. Only the Notification Time and Startup Time in the Hourly Values section are enterable. The other information shown in this section is derived from the entered values as explained above, and is for reference only.

#### **Data Validation Rules**

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

- Data is entered for each of the parameter values for an hour, i.e. non-blank values appear in all the data entry cells, if any one of the cells contains a non-blank value. In other words, when you want to override one time value of an hour, you must enter values for all the other time parameters even if they are the same as the default values. When all data entry cells for an hour are set to blank, it means that the override for the hour is to be removed/deleted.
- Startup Time ≥ 0
- Notification Time  $\geq 0$

#### Override/Remove Startup and Notification Times for One or More Hours of a Market Day

- 1. In the DRR Navigation sub tabs, click the **Schedule Times Hourly Updates** tab.
  - The Schedule Startup and Notification Time Hourly Updates display is shown in the display pane.

#### In the Filters pane:

- a. Select the desired date from the **Date** filter.
- b. Select the desired portfolio from the **Portfolio** filter.
- c. Select the desired DRR from the **DRR** filter.
- d. Select the desired schedule from the **Schedule** filter.
  - The display reflects the hourly overrides for the selected DRR schedule.

To update the overrides for individual hours:

- e. Enter override values for each time parameter in the hours that you wish. Enter blanks if you want to remove an override. Remember that you must enter values for all time parameters.
- f. Click the **Update** button to save the data.
- 2. To update the overrides for a range of hours using the first row in the grid:
  - a. Enter override values for each time parameter in the top row. Enter blanks in each field of the top row if you want to remove overrides.
  - b. Specify the range of hours to override by selecting the "From" (left dropdown selector) and "To" (right drop-down selector) hours in the top row



- c. Click the **Copy** button; this will copy the data that you entered in the top row to each row for the hours in the range that you selected.
- d. Repeat steps a through c for other range of hours as desired.
- e. Click the **Update** button to save the changes.

# DRR Schedule DA A/S Offers Display

For DRRs, participants use this hourly interface to submit Ancillary Service "A/S" offers for the Day-Ahead market. Note: The DA A/S Offers are only given on an hourly basis. The hourly granularity requires that the user engage a conscious effort to submit A/S offers for the hours they wish to participate. Since there no daily corollary, the user **cannot** rely on an automatic carry forward such as is common with other energy offers.

ISO new england									Market	Status: OPEN Participi	(01) int: ISO N	Certificate User ew England Inc	eMarket User In Version: 6.0.0(202409122244) r: emktsuperuser512 Vuser: emktsuperuser512	<b>terfa</b>
ublic Generation Demand A	RD Regulati	on DRR ES	F											
rivate DRR Default Portfolio	Schedule	Schedule Datail Defaults	Schedule	Schedule Offers	Schedule Times	Schedule DA	Schedule Hourly	DRR By	A/S By A/S Be	chmark A/	S Benchmark	XML		
essages Parameters Parager	manager	Detail Defaults	Offers Default	Hourry Opdates	Hourry Opdates	A/S Ollers	Selection Opdates	Portiolio	Portiolio Data		ita Overnues	Download		
Schedule Day-Ahead	d Ancilla	ry Service	Offers											
elect Date, DRR and Schedule		~												
			N.	lax Daily Award Li	mit: 55.0	Day A	head Schedule: Yes							
Date: 17-Sep-2024														
Portfolio: All_DRRs		~												
DRR:		~	Hour	ly Offer Valuess f	or it is a set of the	) - DFLPRICE	on 17-Sep	-2024						
Schedule: DFLPRICE		~	Hour		MW	TMSR \$	TMNSR \$	TMOR S	EIR	S Avail				
				Y Copy										
			01		0.1	19.53	8 14.50	9	.49	.54	/			
			02		0.1	19.53	14.50		.49	.54	/			
			03	L	0.1	19.53	14.50		.49	.54	/			
			04		0.1	19.53	14.50		.49	.54	/			
			05	L	0.1	19.53	14.50		49	.54				
			00		0.1	19.00	14.00	*	40	.04				
			08	L	0.	19.00	14.50		40	54 0				
			09	_	0.	19.5	14.50		49	.54	7			
			10		0.1	19.53	14.50		49	.54	/]			
			11	[	0.1	19.53	14.50	9	49	.54	1			
			12	_	0.1	19.53	14.50	9	49	.54	/			
			13	Ē	0.1	19.53	14.50	9	49	.54	/			
			14		0.1	19.53	14.56	6	.49	.54	/			
			15		0.1	19.53	14.50	9	.49	.54	/			
			16		0.1	19.53	14.58	6	49	.54	/			
			17		0.1	19.53	14.56	8	.49	.54	/			
			40		0.1	10.63	14.60	0	40	64 0	1			

There are two read-only information fields:

- Max Daily Award Limit: A read only daily reference value entered via the DRR => Schedule Offers Default display. This is the limit on the total energy, Operating Reserves and EIR for the day in the Day-Ahead market. Please see related data validation rules.
- **Day Ahead Schedule:** A read only daily reference value. Value is "Yes" for an available schedule that is enabled for use in clearing the Day-Ahead market.

**Data Entry Pane**: Similar to the DRR Hourly Updates Display, the A/S Offers input section shows each hour of the day and fields to enter the user's A/S offers.

- **Hour** Hour ending values are shown in the first column for each hour in the day. The row for hour ending 03 is not shown for the Spring Daylight Saving Time transition day. Similarly, the value on the row of the repeating hour ending 02 of the Fall Daylight Saving Time transition day is marked with an asterisk (\*).
- **MW** maximum total for TMSR, TMSR, TMOR, and EIR awards

- TMSR \$ DA Ancillary Service Offer for TMSR (\$)
- TMNSR \$ DA Ancillary Service Offer for TMNSR (\$)
- TMOR \$ DA Ancillary Service Offer for TMOR (\$)
- **EIR \$** DA Ancillary Service Offer for EIR (\$)
- **Aval** Informational read-only check box indicating the asset's effective availability is ither Economic or Must run for the hour.

### Data Validation Rules

If a value is entered for an hour in any of these columns, values must also be entered in every other column even if they are copies from a prior hour. Setting all of the values to blank (NULL) acts to remove the offer in that market hour. The top row of the grid provides a means to enter or clear inputs for a range of hours. For example, to remove all the A/S offers for every hour of the day, select 01 for the "From" hour (left drop-down selector) and 24 for the "To" hour (right drop-down selector) in the Hour drop-down selection lists, select the "Copy" button and then select "Update". Note: you cannot use the top row to selectively update the inputs in one column for a range of hours while retaining the input values in other columns.

- The asset must belong to the user's selected portfolio and the asset must have a price schedule. Note that there no restriction to keep the user from entering A/S offers on a Real-Time Market only schedule. These inputs do not apply in the Real-Time market and thus ignored in market clearing.
- The eMarket user cannot modify Cost schedules.
- An hourly input requires values for all fields: MW, TMSR, TMNSR, TMOR and EIR.
- The MW input field must be numeric and have size and precision: 5,1.
- The "Price" input fields (TMSR, TMNSR, TMOR and EIR) must be numeric and have size and precision: 4,2.
- DA A/S Hourly Offer Prices >= 0. The system rejects values less than zero for any/all of the price inputs for: TMSR, TMNSR, TMOR and EIR.
- DA A/S Max MW >= DA A/S Hourly MW > 0. The system rejects MW submittals if either of the following are true for the input hour: MW is less than or equal to zero or MW is greater than the Maximum DA/AS Offer MW (2000).
- The DA A/S Hourly Offer Prices <= DA A/S Max Offer. eMarket rejects submittal if any of the A/S price values (TMSR, TMNSR, TMOR and EIR) are greater than "Maximum DA/AS Offer Price" (2600).

### Modify DA A/S offers

1. In the DRR Navigation sub tabs, click the **Schedule DA A/S Offers** tab. The Schedule DA A/S Offers display is shown in the display pane.

- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired DRR from the **DRR** filter.
  - d. Select the desired schedule from the **Schedule** filter. The display reflects the selected schedule's offer data for the selected date.
- 3. Enter or modify the values on the display. To delete the offer for an hour, simply blank each value on the row where the hour is shown.
- 4. Click the **Update** button to save the data.

### **DRR Schedule Selection Display**

This display is used to make schedules available for a given day and market. The format of the display is shown below.

ISO new england			l c	DRR Market Status	: OPEN(01)	Ce	eMarket Version: 5.0.1(20 rtificate User: Superu	<b>User</b> . 1711162319) ser	Interfa	ace
E.				F	articipant:	Participant Name		Vuser: S	uperuser	*
Public Generation Demand ARD	Regulation D	RR								
Private DRR Default Portfolio Messages Parameters Manager	Schedule Schedu Manager Detail	ule Schedule Defaults Offers Default	Schedule Offers Hourly Updates	Schedule Times Hourly Updates	Schedule Selection	Hourly DRR By Updates Portfolio	XML Download			
Schedule Selection										
Select Date and Portfolio	~	Schedules for Portfoli	o DRR_B on 22-Dec	-2017						
Date: 22.Dec.2017		DRR	Schei	dule ID Type		Schedule	Day Ahead	Real Time	Available	
Date: 22-Det-2017		DRR 10	10	001 Price		DFLPRICE	х	х		
Portfolio: DRR_B	*	DRR 10	10	002 Price		PRICE2	х			
		DRR 10	10	004 Price		PRICE4		×		
		DRR 11	1	101 Price		DFLPRICE	×	х		
		DRR 22	2:	201 Price		DFLPRICE	x	x		
									Update	Refresh
Messages										*

The fields on this display are:

- **DRR** the name of the DRR. All DRRs listed in the selected portfolio along with each of their schedules are shown on this display.
- **Schedule ID** the unique identifier of the schedule; it is the concatenation of the unique DRR identifier and the schedule type number.
- **Type** the type of schedule: Price
- Schedule the name of the schedule as it was entered on Schedule Manager display
- **Day Ahead** an X-mark indicates that the schedule is enabled to be used in the clearing of the Day-Ahead market if the schedule is flagged as available.

- **Real Time** an X-mark indicates that the schedule is enabled to be used in the clearing of the Real-Time market if the schedule is flagged as available.
- **Available** a checkmark indicates that the schedule is to be use in the clearing of the selected market on the selected operating day.

#### Select Schedule for an Operating Day and Market

The DRR Schedule Selection operation is for modifying the availability of a schedule for a specific day.

**Note**: One and only one price-based schedule that is enabled for the Real-Time market must be available for any given market day.

To change the availability of schedules:

- 1. In the DRR Navigation sub tabs, click the **Schedule Selection** tab.
  - The Schedule Selection display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
    - The schedules for all DRRs in the chosen portfolio are displayed.
- 3. Toggle the **Available** checkboxes as desired.
- 4. Click the **Update** button to save your modifications.

**Note**: To change the market to which a schedule applies, you must use the Schedule Detail Defaults display.

# DRR Hourly Updates Display

This display is used to view and modify the hourly overrides of a DRR's MW limits, default dispatch availability status and its off-line reserve capabilities for a specified market day. Changes made to the DRR data using the DRR Hourly Updates display supersede all schedule limits (Schedule Detail Defaults display) and default DRR parameters (DRR Default Parameters Display). When the market is open for the next day, all the rows are updateable. During the Intraday Re-Offer, only the current and future hours are available for updates. *This is the only DRR display enabled for submittal of hourly updates during the RT Intraday Re-Offer period*.

ISO new england					Df	R Market Sta	tus: OPEN(01)		el V Certific	Market /ersion: 5.0.1(2 ate User: Supe	201711162319 ruser	Interfac	:12:49
							Participant:	Participant N	Name		Vser:	Superuser	~
Public Generation Demand ARD Regulation I	DRR												
Private DRR Default Portfolio Schedule Sched Parameters Manager Detail	lule Schedule Defaults Offers Default	Schedule Hourly Up	Offers Scheo dates Hourt	tule Times Scher y Updates Selec	tion Hourly	DRR By Portfolio	XML Download						
DRR Hourly Updates													
Select Date and DRR 《													
Date: 23-Dec-2017	Default Values for DR	R 10(	10) on 23-De	c-2017									*
Detfolia: DDD D	Schedule M	tin Red M	ax Red Type	Day Ahead	Real Time	Available		Claim10	Claim30	Ramp Rate	Default Ch		
Portiolio: DRK_B	PRICE4	0.1	20.0 Price		×	V	Capable	Yes	Yes		Delault Sta		
DRR: DRR 10	PRICE2	0.1	45.0 Price	x		V	Default	11	27	5		<ul> <li>Available</li> </ul>	
							Cap		40				
	Override Hourby Value	er for DPP	10 ( 10)	on 23-Dec-2017									_
	Hour	Min Red	Max Red	Claim10	Claim30	Ramp Rate	Available						
	Y Y Copy			1									
	01	11.0	38.0	20.0	38.0	5.0							
	02	11.0	38.0	20.0	38.0	5.0	m						^
	03	11.0	38.0	20.0	38.0	5.0							
	04	11.0	38.0	20.0	38.0	5.0							
	05	11.0	38.0	20.0	38.0	5.0							
	06	11.0	38.0	20.0	38.0	5.0							
	07	5.0	45.0	11.0	45.0	6.0							
	08	5.0	45.0	11.0	45.0	6.0	V						V
	09	5.0	45.0	11.0	45.0	6.0	1						
												Update Refr	esh
Messages													*

The format of this display is shown below.

The Default Values section is provided as a reference to show the limit values in the available schedules and the default parameters for the selected market day. These values may be overridden in the Hourly Overrides section. The Default Values section contains the following information:

- Schedule The name of the schedule
- Min Red The Minimum Reduction limit specified in the schedule detail
- Max Red The Maximum Reduction limit specified in the schedule detail
- **Type** The schedule type: Price
- Day Ahead/Real Time The market type
- Claim 10 and Claim 30 Capable Indicate whether the DRR is registered as capable (Yes/No) of providing 10 and 30 minute non-spinning reserves from an offline state.

- Claim 10 and Claim 30 Default The daily default off-line 10 and 30 minute off-line reserve capability for the market day as submitted using the DRR Default Parameters display.
- Claim 10 and Claim 30 Cap The demonstrated claim capabilities that were established during the last audit conducted by ISO New England.
- **Default Status (Available/Unavailable)** The dispatch availability status (Default Status) specified on the DRR Default Parameters display.

The Default Values section may be collapsed using the double up-arrow icon at the extreme right of the section title bar in order to show more rows in the hourly section. The collapsed section can be expanded again to see the default values using the double down-arrow icon at the extreme right of the collapsed section title bar.

ISC	new england							D	IR Market Stat	us: OPEN(01) Participant:	eMarket User Interface User Superuser 22-Dec-2017 12:26:22 Participant Name V User: Superuser V
Public Ge	neration Demand ARD Regulation	on D	RR								
Private Messages	DRR Default Portfolio Schedule Parameters Manager Manager	Schedu Detail I	le Defaults	Schedule Offers Default	Schedule Hourly Up	Offers Sche dates Hour	dule Times Sci ly Updates Sei	hedule Hourly lection Update	DRR By Portfolio	XML Download	
DRR H	lourly Updates						18743				
Select Date	and DRR	~									
Date:	23-Dec-2017	3	Default	Values for DR	R 10(	10) on 23-D	ec-2017				
Portfolio:	DRR B	~	Override	e Hourly Value	s for DRR	10 ( 10)	on 23-Dec-2017	6			
DRR:	DBR10	~	Hour		Min Red	Max Red	Claim10	Claim30	Ramp Rate	Available	
0.00	biotto		~	💙 Сору						0	
			01		11.0	38.0	20.0	38.0	5.0	10	
			02		11.0	38.0	20.0	38.0	5.0		
			03		11.0	38.0	20.0	38.0	5.0	0	
			04		11.0	38.0	20.0	39.0	5.0		
			05		11.0	38.0	20.0	38.0	5.0	V	
			06		11.0	38.0	20.0	38.0	5.0	7	
			07		5.0	45.0	11.0	45.0	6.0		
			08		5.0	45.0	11.0	45.0	6.0	V	
			09		5.0	45.0	11.0	45.0	6.0	1	
			10		5.0	45.0	11.0	45.0	6.0	V	
			11		5.0	45.0	11.0	45.0	0.0	V	
			12		5.0	45.0	11.0	45.0	6.0	V	
			13		5.0	45.0	11.0	45.0	6.0	V	
			14								Undata Bafrash
											Upuale
Messages											1

The Override Hourly Values section shows each hour of the day and fields to enter overrides. When the fields are blank and the check box is not specified, it means that there is no override of the schedule or default values for that hour.

- **Hour** Hour ending values are shown in the first column for each hour in the day. The row for hour ending 03 is not shown for the Spring Daylight Saving Time transition day. Similarly, the value on the row of the repeating hour ending 02 of the Fall Daylight Saving Time transition day is marked with an asterisk (\*).
- **Min Red** Column to enter overrides of the Minimum Reduction limit for any hour of the day.
- **Max Red** Column to enter overrides of the Maximum Reduction limit for any hour of the day.

- **Claim 10** Column to enter overrides of the Claim 10 capability for any hour of the day if the DRR is Claim 10 capable. If the DRR is not Claim 10 capable, there will be no data entry cells in this column.
- **Claim 30** Column to enter overrides of the Claim 30 capability for any hour of the day if the DRR is Claim 30 capable. If the DRR is not Claim 30 capable, there will be no data entry cells in this column.
- Ramp Rate Rate at which the DRR can move (MW/minute).

The following override values of the Default Status are specified on the Hourly Updates display:

• Available – When checked, it indicates that the DRR is available for economic commitment and dispatch for that hour of the operating day. When blank, it indicates that the DRR is not available. If empty (green background inside the checkbox), it means that no status override exists for that hour.

If a value is entered for an hour in any of the columns, values must also be entered in every other column even if they are copies of the default values. Setting the entire row values to blank (NULL) means that the corresponding values defined in the Schedule Detail data of the schedules that are flagged as available for the market day are to be used for that market hour; i.e. it is equivalent to removing the override of the values for that market hour. Setting the off-line reserve claim values to blank (NULL) means that the corresponding values defined in the DRR Default Parameters data for the market day are to be used for that market hour. Similarly, clearing of the Available flag means that the DRR's default status defined in the DRR Default Parameters data for the market day is to be used for that market hour.

The top row of the grid provides you with the means to enter or clear overrides for a range of hours. If you do use the top row, you need to **remember that leaving all data entry fields on this row blank means that you want to remove the overrides for all hours in the range selected**. For example, if you want to remove all overrides for every hour of the day, select 01 for the "From" hour (left drop-down selector) and 24 for the "To" hour (right drop-down selector) in the Hour drop-down selection lists, select the "Copy" button and then click **Update**. Since you did not enter anything in the limit fields or select any of the dispatch availability override flags, all overrides are removed. **You cannot use the top row to selectively update the overrides in one column for a range of hours while retaining the override values in the other columns**.

#### Validation rules

When you click the **Update** button, eMarket makes the following checks to ensure that the entered data is valid:

- Min Reduction ≤ Max Reduction. The data submitted is rejected if this rule is violated.
- When a DRR is declared unavailable for an hour (through the combination of the DRR's default status for the day and the hourly overrides of the status), it should not be declared available until its Min Time Between Reductions is elapsed. Therefore, if the DRR is set to Unavailable for any hour, it **should** be set for a consecutive number of hours sufficient to cover its Min Time Between Reductions. A warning will be returned if the rule is violated.
- A warning will be returned if the DRR is Claim 10 capable, a Claim 10 override is entered and any of the following conditions exist
  - Claim 10 = 0
  - Claim 10 > Claim 10 Cap meaning that the Claim 10 Cap value will be used instead of the offered value
- A warning will be returned if the DRR is Claim 30 capable, a Claim 30 override is entered and any of the following conditions exist
  - Claim 30 = 0
  - Claim 30 > Claim 30 Cap meaning that the Claim 30 Cap value will be used instead of the offered value
  - Claim 30 < Claim 10 meaning that the Claim 10 value will be used instead of the offered Claim 30 value.

#### **Override MW Operating Limits for a Day and Hour**

As discussed in §0 DRR Schedule Detail Defaults Display, you define on this display a DRR's MW operating limits under the selected schedule. These limit values are shown in the Defaults section for each schedule that you've created for the DRR. If you want to profile the DRR's MW operating limits on an hourly basis, irrespective of which schedule is designated as available for a given market, you override the schedule values using the DRR Hourly Updates display as follows:

- 1. In the DRR Navigation sub tabs, click the **Hourly Updates** tab.
  - The DRR Hourly Updates display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired DRR from the **DRR** filter.

- The display reflects the hourly overrides for the selected DRR.
- 3. To update the overrides for individual hours:
  - a. Enter override values for all of the limits in the hours that you wish. You must also enter DRR dispatch availability status overrides. If the DRR is Claim 10 or Claim 30 capable, you must also enter Claim 10 and Claim 30 override values. If you want to remove an override, you must enter blanks in every data entry cells and deselect all status overrides.
  - b. Click the **Update** button to save the data.
- 4. To update the overrides for a range of hours
  - a. Enter override values for all of the limits in the top row. You must also enter DRR dispatch availability status overrides. If the DRR is Claim 10 or Claim 30 capable, you must also enter Claim 10 and Claim 30 override values. If you want to remove overrides, leave all the data entry cells on the first row blank and the status overrides deselected.
  - b. In the Hour column, select a "From" hour (left drop-down selector) and a "To" hour (right drop-down selector) and then select the **Copy** button. This will copy the data entered in the top row to every row for the range of hours selected.
  - c. Repeat steps a and b if you want to enter/remove overrides for other ranges of hours.
  - d. Click the **Update** button to save the data for the selected hours.

#### Override the Status of a DRR for a Day and Hour

As discussed in §0 DRR Default Parameters Display, you define on this display a DRR's default dispatch availability status (Default Status) for an entire market day. This status is shown in the Defaults section. If you want to profile the DRR's dispatch availability status on an hourly basis, you override this default status using the DRR Hourly Updates display.

- 1. In the DRR Navigation sub tabs, click the Hourly Updates tab.
  - The DRR Hourly Updates display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
  - c. Select the desired DRR from the **DRR** filter.
    - The display reflects the hourly overrides for the selected DRR.
- 3. To update the overrides for individual hours:
  - a. Select the Available status checkbox for the hours that you want to override the default status to available. You must also enter override values for all the limits even if they are copies of the default values. If the DRR is Claim 10 or Claim 30 capable, you must also enter Claim 10 and Claim 30 override values. If you want to remove an override, set the Available

checkbox to its default value (not checked with green background) and enter blanks in all other data entry cells.

b. Click the **Update** button to save the data.

To update the overrides for a range of hours

- c. Select the status override value in the first row. You must also enter override values for all the limits even if they are copies of the default values. If the DRR is Claim 10 or Claim 30 capable, you must also enter Claim 10 and Claim 30 override values. If you want to remove overrides, leave all the data entry cells on the first row blank and the status overrides deselected.
- d. In the Hour column, select a "From" hour (left drop-down selector) and a "To" hour (right drop-down selector) and then select the **Copy** button. This will copy the data entered in the top row to every row for the range of hours selected.
- e. Repeat steps a and b if you want to enter/remove overrides for other ranges of hours.
- f. Click the **Update** button to save the data for the selected hours.

## DRR by Portfolio Display

You can view the cleared results of the Day-Ahead Market for each DRR listed in a selected portfolio using the **DRR by Portfolio** display. The schedule name in this display is the name of the schedule used when committing the DRR, i.e. the schedule that was designated to be available for the Day-Ahead market on the selected day. The other information is the MW amount that the DRR is committed to provide, along with the Locational Marginal Price (LMP) at the DRR's pnode for each hour of the market day.

If a DRR was not committed for any hour of the day, its name will not be listed in the DRR By Portfolio display. The display will be empty if none of the DRRs in the selected portfolio has been committed for any hour of the selected day.

For committed DRRs, information for a 24-hour period is shown on two lines: the top line details the hours ending 01 through 12; the second line details hours ending 13 through 24. The last row of the display is labeled **Total Portfolio MW** and shows the total MW amount for each hour committed in the Day-Ahead market by all the DRRs in your portfolio. Information on the display is shown only after the Day-Ahead market has been cleared.

ISO new england								DR	R Market S	tatus: CLOSE			eM Ve Certificat	larke	et Use 1(201711162 peruser	<b>er Inte</b> <sup>2319)</sup> 26-Dec	<i>rface</i> -2017 12:06:50
1.00									ReadOnly	Participant	: Parti	cipant Nam	ie		Y Use	Superuser	*
Public Generation Demand ARD Regul	ation D	RR															
Private DRR Default Portfolio Schedule Manager	Sched Detail	ule Defaults	Schedule Offers Default	Schedule Offe Hourly Update	rs Sche s Hou	edule Times rly Updates	Schedule Selection	Hourly Updates	DRR By Portfolio	Download	d l						
DRR By Portfolio																	
Select Date and Portfolio	~	DRR By	Portfolio for DR	R_B on 19-De	-2017												
Date: 19-Dec-2017		Name															
Portfolio: DRR B	~	DRR	11	01 / 13	02/14	03/15	04 / 16	05 / 17	06 / 18	07 / 19	08/20	09/21	10/22	11/23	12 / 24		
Lungs		(DFLPR	(IGE)								37.5@ \$58.44	37.5(2)	37.5(2)				
					37.5Ø	25@	37.5@				37.5@	37.50	37.500				
					\$51.58	\$49.64	\$54.16				\$59.68	\$67.71	\$57.73				
		DRR	12	01 / 13	02/14	03/15	<i>J</i> 16	05 / 17	06 / 18	07 / 19	08 / 20	09/21	10/22	11/23	12/24		
		(DFLPR	ICE)								30@		30@		30@		
											\$58.52		\$64.33		\$56.12		
									30@		30@						
		-							\$95.71		\$63.14						
		Total Po	MW GIOTIN	01/13	02714	03/15	04716	05717	06718	07719	67.5	27.5	67.5	117/23	127/24		
					37.5	25	37.5		30		67.5	37.5	37.5		50		
						20	-1.0										
																	Refresh
Messages																	*

The format of this display is shown below.

The following generation information is displayed for each DRR included in the selected generation portfolio:

- **DRR/Schedule** the name of the DRR and of the schedule on which it was committed.
- **MW** @ **Price** the MW amount that DRR is committed to provide and the \$/MWh DA LMP at the resource Pnode for each hour of the day.

• **Total Portfolio MW** – the total amount of MWh committed for all the DRRs of the selected portfolio for each hour of the day.

### View DA Commitment for each DRR in Portfolio

To view the commitment in the Day-Ahead market of the DRRs listed in your portfolios and the Day-Ahead LMPs at their resource Pnodes:

- 1. In the DRR Navigation sub tabs, click the DRR by Portfolio tab
  - The DRR by Portfolio display is shown in the display pane.
- 2. In the **Filters pane**:
  - a. Select the desired date from the **Date** filter.
  - b. Select the desired portfolio from the **Portfolio** filter.
    - The display reflects the selected market day's day-ahead commitment and LMPs for each of the DRRs listed in the selected portfolio. If the Day-Ahead market has not yet been cleared for the selected day, or none of the DRRs in the selected portfolio has been committed, the following text is shown in the display title bar: "The day ahead market results are not available ..."

# DRR A/S By Portfolio Display

This this an informational read-only display providing the DRR Ancillary Service Results cleared in the Day-Ahead market.

Using this display, you may view the cleared Ancillary Service (A/S) MW results in the Day-Ahead market for each DRR in the selected portfolio. If the DRR does not clear any Ancillary Services for the day, then "(No Cleared A/S MW)" appears below the DRR's name. MWs for a 24-hour period display on two lines: the top line details the hours ending 01 through 12; the second line details hours ending 13 through 24. The last section of the display, labeled **Total Portfolio MW**, shows the total MW amount for each hour committed in the Day-Ahead market by all the DRRs in the portfolio. Information on the display is shown only after the Day-Ahead market has been cleared.

												м	arket Stati	15: CLOSE	D Version	n: 6.1.0-SNAPSI	101(2024093021	(	eMa	rket Useı	- Inte	rface
IS	inew e	england														Ci	artificate User: en	ktsuperuser5			14-0ct-	2024 20:54:11
	. Internet											R	eadOnly I	Participant	ISO N	ew England Inc		*	User	emktsuperuser512		*
Public	Generation De	emand AR	D Regulat	tion C	ORR ES	SF																
Private Messages	DRR Default Parameters	Portfolio Manager	Schedule Manager	Sched Detail	ule Defaults	Schedule Offers Default	Schedule Offers Hourly Updates	Schedule Hourly U	Times pdates	Schedule DA A/S Offers	Schedule Selection	Hourh Updat	y DRR tes Port	By A/S folio Po	S By rtfolio	A/S Benchmark Data	A/S Benchmark Data Overrides	XML Download				
Ancil	lary Servi	ces By	Portfol	lio																		
Select Da	te and Portfolio			~	Ancillar	ry Services By Po	ortfolio for Test o	n 17-Aug-2	024													
Da	to: 17 Aug 202			_	Name																	
Dentfol	.e. 17-Aug-2024	•			200			01 / 13	02/14	03 / 15	04/16 (	15 / 17	06 / 18	07 / 19	08/20	09/21	10/22 11/23	12/24				
Portrol	io: Test			~	(No Cle	ared A/S MW)	TMSR															
							TMNSP															
							TMOR															
							EIR															
					_					00.145				07.1.10			10.100 11.100	10.101				
					10100		TMSP	01713	02714	03715	04716 (	5/1/	06/18	07719	08720	09721	10/22 11/23	12724				
							THEOR															
							TMNSR	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3 0.3	0.3				
								0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3 0.3	0.3				
							TMOR	0.1					0.1	0.1								
														0.1	0.1	0.1						
							EIR															
					Total Do	ortfolio MW		01/13	02/14	03/15	04/16 (	5/17	06/19	07/19	08/20	09/21	10/22 11/22	12/24				
					Totarre		TMSR	0	0	0	0	0	0	0	0	0 0 0	0 0	0				
								0	0	0	0	0	0	0	0	0	0 0	0				
							TMNSR	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3 0.3	0.3				
								0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3 0.3	0.3				
							TMOR	0.1	0	0	0	0	0.1	0.1	0	0	0 0	0				
								0	0	0	0	0	0	0.1	0.1	0.1	0 0	0				
							EIR	0	0	0	0	0	0	0	0	0	0 0	0				
								U	U	v	0	0	v	0	0	0	0 0	0				Defeat
																						Refresh

Subsequent to selecting a day cleared in the Day-Ahead market and a user defined Portfolio, the following DRR information is displayed for each asset included as part of the DRR portfolio:

- **Name** the name of the DRR clearing one or more Ancillary Services in any hour of the selected market day. DRRs that do not clear Ancillary Services for the day indicate "(No Cleared A/S MW)".
- **TMSR** The Ten-Minute Spinning Reserve provided by the asset for the case interval.
- **TMNSR** The Ten-Minute Non-Spinning Reserve provided by the asset for the case interval.

- **TMOR** The Thirty Minute Operating Reserve provided by the asset for the case interval.
- **EIR** The Energy Imbalance Reserve awarded to the asset for the case interval.

**Display Notes:** 

- Non-zero MW values show as blanks for clarity.
- The results include each DRR in the selected portfolio regardless of the asset having Ancillary Service values for the selected cleared market day.
- The user must have a read-write or read-only role for DRRs to view the display's data content.
- If the Day-Ahead market is not yet for the selected day, the following text appears in the display title bar:

"The day ahead market results are not available ...".

• Press the refresh button at the display's bottom right corner to acquire the most recent data.

### **DRR A/S Benchmark Results Display**

This is an informational read-only display providing the Ancillary Service Benchmark Calculation Results for a selected DRR.

The format of the display is shown below.

IS	• new e	england											Market Status:	CLOSED	Certificate Us	eMa Vers er: emktsuperuse	ion: 6.0.0(2	<b>User</b>	<b>Inte</b> )) 16-Sep-:	face
													ReadOnly Part	icipant: ISO Nev	v England Inc		Y User:	emktsuperu	ser512	*
Public (	Generation De	mand ARI	D Regulati	on DRR	ESF															
Private Messages	DRR Default Parameters	Portfolio Manager	Schedule Manager	Schedule Detail Defaults	Schedule Offers Default	Schedule Offers Hourly Updates	Schedule Times Hourly Updates	Schedule DA A/S Offers	Schedule Selection	Hourly Updates	DRR By Portfolio	A/S By Portfolio	A/S Benchmark Data	A/S Benchmark Data Overrides	XML Download					
DRR	Ancillary	Service	e Bench	nmark Ca	alculation I	Results														
Select Dat	e and DRR			W DRR	Ancillary Service	Benchmark Calculat	on Results for		(	) on 16-Se	p-2024									
				Hour		v	alues from last ca	culation: 15-Sep-	024 02:20											
Dat	e: 16-Sep-2024					For Conduct Test		For Ben	hmark Level											
Portfoli	o: All_DRRs			*		Expected Close	out E	pected Closeout	E	enchmark Le	vel									
DR	R:	1000		✓ 01			3.52	3.5	2		0.0									
				02			3.37	3.3	7		0.0									
				03			3.32	3.3	2		0.0									
				04			3.35	3.3	5		0.0									
				05			3.52	3.5	2		0.0									
				06			4.08	4.0	3		0.0									
				07			4.9	4.	)		0.0									
				08			12.0	12.	)		12.0									
				09			12.0	12.	,		12.0									
				10			5.0	5.	,		5.0									
				12			2.0	2.	,		2.0									
				13			2.0	2	, 1		2.0									
				14			3.84	3.8	1		3.84									
				15			3.95	3.9	5		3.95									
				16			4.28	4.2	3		4.28									
				17			4.78	4.7	3		4.78									
				18			5.34	5.3	1		5.34									
				19			5.82	5.8	2		5.82									
				20			5.74	5.7	4		5.74									
				21			5.47	5.4	7		0.0									
				22			5.08	5.0	3		0.0									
				23			4.49	4.4	)		0.0									
				24			4.0	4.	)		0.0									
																				Refresh

The date time of last calculation is shown on the top of the data grid. The Benchmark Calculation Results render after selecting a Date, Portfolio and DRR as data filter. The fields on this display are:

- **Hour** Hour ending values.
- Expected Closeout for Conduct Test.
- Expected Closeout for Benchmark Level.
- Benchmark Level.

### DRR A/S Benchmark Data Overrides Display

This display is used to view and modify the participant A/S Benchmark hourly input override data for a DRR.

ISO new england							Market Status: Of	PEN(01)	Certificate User	eMarket User	Interface 16-Sep-2024 19:12:10
· · · · · · · · · · · · · · · · · · ·							ReadOnly Parti	cipant: ISO Nev	England Inc	User: emktsuperuse	.r512
Public Generation Demand ARD Regulation I	DRR ESF										
Private DRR Default Portfolio Schedule Sched Parameters Manager Manager Detail	dule Schedule I Defaults Offers Default	Schedule Offers Schedule Times Hourly Updates Hourly Updates	Schedule DA Si A/S Offers Si	chedule Hourly election Updates	DRR By Portfolio	A/S By Portfolio	A/S Benchmark Data	A/S Benchmark Data Overrides	XML Download		
DRR Ancillary Service Benchma	rk Calculation	Results									
Select Date and DRR	DRR Ancillary Service	Benchmark Calculation Results for	ACCOUNTS ADDRESS	and the first postman	on 17-Ser	-2024					
	Hour	Values from last ca	culation: 16-Sep-2024	02:21							
Date: 17-Sep-2024		For Conduct Test	For Benchma	ark Level							
Portfolio: All_DRRs 🗸		Expected Closeout Ex	pected Closeout	Benchmark Lev	el						
DRR:	01	3.52	3.52		0.0						<u>^</u>
	02	3.37	3.37		0.0						
	03	3.32	3.32		0.0						
	04	3.35	3.35		0.0						
	05	3.52	3.52		0.0						
	06	4.06	4.08		0.0						
	08	12.0	12.0		0.0						
	09	12.0	12.0		0.0						
	10	5.0	5.0		0.0						
	11	5.0	5.0		0.0						_
	12	2.0	2.0		0.0						
	13	2.0	2.0		0.0						
	14	3.84	3.84		0.0						
	15	3.95	3.95		0.0						
	16	4.28	4.28		0.0						-
											Refresh

The format of the display is shown below:

The Benchmark Overrides show up when user select a Date, Portfolio and DRR as data filter. The fields on this display are:

- Hour Hour ending values. This is a read-only field.
- **Expected Closeout** from IMM Overrides. This is a read-only field.
- **Expected Closeout** for Participant Overrides.
- **ISO-NE Approval** for Participant Overrides. This is a read-only field.

#### Data Validation Rules

When the **Update** button is clicked, eMarket makes the following checks to ensure that the entered data is valid:

- Market is open.
- DA market has not been approved.
- The input Expected Closeout value must be positive or zero; i.e. Expected Closeout ≥ 0, and Expected Closeout <= LPCloseoutLimit.

The ISO-NE Approved column shows "Pending" on successful update.

#### Modify A/S Benchmark Overrides

- 1. In the DRR Navigation sub tabs, click the A/S Benchmark Overrides tab.
- 2. In the Filters pane:
  - c. Select the desired date from the **Date** filter.
  - d. Select the desired portfolio from the **Portfolio** filter.
  - e. Select the desired ARD from the **DRR** filter.

The display reflects the hourly participant overrides for the selected DRR.

- 3. Enter override values.
- 4. Click the Update button to save the data.

Delete an hour's input by setting all the user editable input values to NULL.

## DRR XML Download Display

The XML Download display is accessible through the DRR tab. This display enables you to download pre-defined DRR specific XML report files of data that you maintain in the ISO-NE Market System, including results from the cleared Day-Ahead market. It also provides the means to upload data in XML formatted data files into the ISO-NE Market System to be used to clear the Day-Ahead and Real-Time markets. The format of the XML files can be found in the **eMarket Data Exchange Specification**, which is found on the <u>ISO New England</u> <u>website</u> among the documents listed on the Participate > Support > Upload and Download File Format Protocols page.

The format of the XML Download display is shown below.

ISO new england						D	RR Market Status: Pa	OPEN(01) rticipant: ISO f	Certificate U New England Inc	eMarket User Interface           Version: 6.0.0(202409122244)           ser: emkdsupenser512         16-Sep-2024 19:26:50           V User:         emkdsupenser512         Y
Public Generation Demand ARD Regulation	DRR ESF									
Private DRR Default Portfolio Schedule Sche Messages Parameters Manager Deta	dule Schedule Schedule Offers I Defaults Offers Default Hourly Updates	Schedule Times Schedule DA Hourly Updates A/S Offers	Schedule Selection	Hourly Updates	DRR By Portfolio	A/S By Portfolio	A/S Benchmark Data	A/S Benchmark Data Overrides	XML Download	
XML Download										
Select Date	XML Download on 17-Sep-2024									
Date: 17-Sep-2024	DRRs						Upload XML SOAF	Request		
	Schedules Schedule Details						File:		Browse	
	Schedule Offers							Submit		
	Schedule Selection									
	Schedule Offers Hourly Upda	tes								
	Schedule Times Hourly Upda	tes								
	Reduction by DRR									
	Schedule Day-Ahead Ancillar	y Service Offers								
	DRR Day-Ahead Ancillary Ser	Vice Result in Portfolio	Booulto							
	Day-Ahead Ancillary Service	Benchmark Data Overrid	les							

The following XML reports are available for downloading:

- DRRs
- DRR Schedules
- DRR Schedule Details
- DRR Schedule Offers
- DRR Schedule Selection
- DRR Hourly Updates
- Schedule Offers Hourly Updates
- Schedule Times Hourly Updates
- Reduction by DRR
- Schedule Day-Ahead Ancillary Service Offers
- DRR Day-Ahead Ancillary Service Result In Portfolio
- Day-Ahead Ancillary Service Benchmark Calculation Results

• Day-Ahead Ancillary Service Benchmark Data Overrides

All but the Reduction by DRR returns an XML formatted report for the selected date and every DRR that belongs to you as Lead Participant. The Reduction by DRR report returns information for all the unique DRRs listed in all of the user's portfolios.

See §0 for details on uploading and downloading files. The following sections provide samples of the downloaded reports.

#### **DRRs XML Report**

This report contains the information that is shown on the DRR Default Parameters display for every DRR that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetDRRResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <DRR day="2017-12-27" ID=" ... ">
    <CapacityResource>false</CapacityResource>
    <Claim10Settings claim10Capable="true">
      <Claim10>18</Claim10>
      <Claim10Cap xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    </Claim10Settings>
    <Claim30Settings claim30Capable="true">
      <Claim30>20</Claim30>
      <Claim30Cap xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    </Claim30Settings>
    <DefaultStatus>Available</DefaultStatus>
    <LeadParticipantID> ... </LeadParticipantID>
    <LeadParticipantName> . . . </LeadParticipantName>
    <Location> . . . </Location>
    <RampRateCap xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    <RampRateDefault>10</RampRateDefault>
    <DRRLongName> . . . </DRRLongName>
    <DRRNumber> ... 
    <DRRShortName> ... </DRRShortName>
  </DRR>
  <DRR day="2017-12-27" ID=" ... ">
    <CapacityResource>false</CapacityResource>
    <Claim10Settings claim10Capable="true">
      <Claim10>11</Claim10>
      <Claim10Cap xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    </Claim10Settings>
    <Claim30Settings claim30Capable="true">
      <Claim30>22</Claim30>
      <Claim30Cap xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    </Claim30Settings>
    <DefaultStatus>Available</DefaultStatus>
    <LeadParticipantID> ... </LeadParticipantID>
    <LeadParticipantName> . . . </LeadParticipantName>
    <Location> . . . </Location>
    <RampRateCap xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    <RampRateDefault>10</RampRateDefault>
    <DRRLongName> . . . </DRRLongName>
    <DRRNumber> ...
```

```
<DRRShortName>...</DRRShortName>
</DRR>
</GetDRRResponse>
```

#### **DRR Schedules XML Report**

This report contains the information that is shown on the DRR Schedule Manager display for all schedules of every DRR that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetDRRScheduleResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
 <DRRSchedule schedID=" ... 0701">
   <DRRID>...07</DRRID>
   <DRRShortName> ... </DRRShortName>
   <SchedLongName>DFLPRICE</SchedLongName>
   <SchedShortName>DFLPRICE</SchedShortName>
   <SchedType>Price</SchedType>
   <SchedTypeID>1</SchedTypeID>
  </DRRSchedule>
  <DRRSchedule schedID=" . . . 0702">
   <DRRID> ... 07</DRRID>
   <DRRShortName> . . . </DRRShortName>
   <SchedLongName>ALTPRICE 2</SchedLongName>
   <SchedShortName>ALTPRICE</SchedShortName>
   <SchedType>Price</SchedType>
   <SchedTypeID>2</SchedTypeID>
 </DRRSchedule>
  <DRRSchedule schedID=" ... 0801">
   <DRRID>...08</DRRID>
   <DRRShortName> . . . </DRRShortName>
   <SchedLongName>DFLPRICE</SchedLongName>
   <SchedShortName>DFLPRICE</SchedShortName>
   <SchedType>Price</SchedType>
   <SchedTypeID>1</SchedTypeID>
  </DRRSchedule>
</GetDRRScheduleResponse>
```

#### **DRR Schedule Details XML Report**

This report contains the information that is shown on the DRR Schedule Detail display for all schedules of every unique DRR that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetDRRScheduleDetailResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
<DRRScheduleDetail day="2017-12-27" ID=">...0701">
<NotifyTime>0.01</NotifyTime>
<StartupTime>0.2</StartupTime>
<MaxReduction>44</MaxReduction>
<MinReduction>1</MinReduction>
<MarketType>Both</MarketType>
<MaxDailyEnergy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
<MaxDailyAwardLimit xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
<MaxDailyStarts XmlsSchema-instance" xsi:nil="true"/>
```

```
<ShortName>DFLPRICE</ShortName>
  </DRRScheduleDetail>
  <DRRScheduleDetail day="2017-12-27" ID=">...0702">
    <NotifyTime>1</NotifyTime>
    <StartupTime>0.1</StartupTime>
    <MaxReduction>55</MaxReduction>
    <MinReduction>10</MinReduction>
    <MarketType>Both</MarketType>
    <MaxDailyEnergy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    <MaxDailyAwardLimit xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
   <MaxDailyStarts xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    <MinTimeBetweenReductions>0.5</MinTimeBetweenReductions>
    <MinReductionTime>1</MinReductionTime>
    <ScheduleAvailable>false</ScheduleAvailable>
    <ShortName>ALTPRICE</ShortName>
  </DRRScheduleDetail>
  <DRRScheduleDetail day="2017-12-27" ID="> ... 0801">
    <NotifyTime>0.1</NotifyTime>
    <StartupTime>0.01</StartupTime>
    <MaxReduction>60</MaxReduction>
    <MinReduction>5</MinReduction>
    <MarketType>Both</MarketType>
    <MaxDailyEnergy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    <MaxDailyAwardLimit xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    <MaxDailyStarts xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
    <MinTimeBetweenReductions>2</MinTimeBetweenReductions>
    <MinReductionTime>1</MinReductionTime>
    <ScheduleAvailable>true</ScheduleAvailable>
    <ShortName>DFLPRICE</ShortName>
  </DRRScheduleDetail>
</GetDRRScheduleDetailResponse>
```

### **DRR Schedule Offers XML Report**

This report contains the information that is shown on the DRR Schedule Offers display for all schedules of every DRR that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetDRRScheduleBidResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <DRRScheduleBid day="2017-12-27" ID=" ... 0701">
    <PriceCurve>
      <PricePoint price="19.5" MW="44"/>
    </PriceCurve>
    <ShortName>DFLPRICE</ShortName>
    <DRTP>16</DRTP>
    <InterruptionCost>600</InterruptionCost>
  </DRRScheduleBid>
  <DRRScheduleBid day="2017-12-27" ID=" ... 0702">
    <PriceCurve>
      <PricePoint price="19" MW="10"/>
      <PricePoint price="25" MW="55"/>
    </PriceCurve>
    <ShortName>ALTPRICE</ShortName>
    <DRTP>16</DRTP>
    <InterruptionCost>640</InterruptionCost>
  </DRRScheduleBid>
  <DRRScheduleBid day="2017-12-27" ID=" ... 0801">
```

### **DRR Schedule Selection XML Report**

This report contains the information that is shown on the DRR Schedule Selection display for all schedules of every DRR that belongs to you as Lead Participant. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetDRRScheduleSelectionResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <DRRScheduleSelection day="2017-12-27">
    <DRRSchedule ID=" ... 0701">
      <Available>true</Available>
      <ShortName>DFLPRICE</ShortName>
    </DRRSchedule>
    <DRRSchedule ID="...0702">
      <Available>false</Available>
      <ShortName>ALTPRICE</ShortName>
    </DRRSchedule>
    <DRRSchedule ID=" ... 0801">
      <Available>true</Available>
      <ShortName>DFLPRICE</ShortName>
    </DRRSchedule>
  </DRRScheduleSelection>
</GetDRRScheduleSelectionResponse>
```

#### **DRR Hourly Updates XML Report**

This report contains the information that is shown on the DRR Hourly Updates display for every DRR that belongs to you as Lead Participant, and for which hourly updates exist. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetDRRHourlyResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <DRRHourly day="2017-12-27" ID=" ... 08">
    <HourlyProfile>
      <HourlvValues time="2017-12-27T00:00:00-05:00">
        <MinReduction>1</MinReduction>
       <MaxReduction>45</MaxReduction>
       <RampRate>5</RampRate>
        <ResourceStatus>Available</ResourceStatus>
        <Claim10>9</Claim10>
        <Claim30>18</Claim30>
      </HourlyValues>
      <HourlyValues time="2017-12-27T01:00:00-05:00">
        <MinReduction>1</MinReduction>
       <MaxReduction>45</MaxReduction>
       <RampRate>5</RampRate>
        <ResourceStatus>Available</ResourceStatus>
        <Claim10>9</Claim10>
        <Claim30>18</Claim30>
      </HourlyValues>
      <HourlyValues time="2017-12-27T02:00:00-05:00">
       <MinReduction>5</MinReduction>
```

```
<MaxReduction>60</MaxReduction>
        <RampRate>10</RampRate>
        <ResourceStatus>Unavailable</ResourceStatus>
        <Claim10>11</Claim10>
        <Claim30>22</Claim30>
      </HourlyValues>
      <HourlyValues time="2017-12-27T03:00:00-05:00">
        <MinReduction>5</MinReduction>
        <MaxReduction>60</MaxReduction>
       <RampRate>10</RampRate>
        <ResourceStatus>Unavailable</ResourceStatus>
        <Claim10>11</Claim10>
        <Claim30>22</Claim30>
      </HourlyValues>
    </HourlyProfile>
    <ShortName> . . . </ShortName>
  </DRRHourly>
</GetDRRHourlyResponse>
```

#### Schedule Offers Hourly Updates XML Report

This report contains the information that is shown on the DRR Schedule Offers Hourly Updates display for every unique DRR that belongs to you as Lead Participant, and for which Schedule Offer Hourly Updates exist. Uncapped price is included in the report for price points with submitted offer price exceeding \$1000. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetDRRScheduleBidHourlyResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <DRRScheduleBidHourly day="2017-12-27" ID=" ... 01">
    <HourlyProfile>
      <HourlyValues time="2017-12-27T02:00:00-05:00">
        <PriceCurve>
          <PricePoint price="31" MW="30"/>
          <PricePoint price="56" MW="60"/>
        </PriceCurve>
        <InterruptionCost>450</InterruptionCost>
      </HourlyValues>
      <HourlyValues time="2017-12-27T03:00:00-05:00">
        <PriceCurve>
          <PricePoint price="30" MW="15"/>
          <PricePoint price="40" MW="30"/>
          <PricePoint price="56" MW="60"/>
        </PriceCurve>
        <InterruptionCost>200</InterruptionCost>
      </HourlyValues>
      <HourlyValues time="2017-12-27T04:00:00-05:00">
        <PriceCurve>
        <PricePointCapped price="800" MW="60"/>
          <PricePointCapped price="1000" MW="60" uncappedPrice="1105"/>
        </PriceCurve>
        <InterruptionCost>370</InterruptionCost>
      </HourlyValues>
    </HourlyProfile>
    <ShortName>DFLPRICE</ShortName>
  </DRRScheduleBidHourly>
</GetDRRScheduleBidHourlyResponse>
```

#### Schedule Times Hourly Updates XML Report

This report contains the information that is shown on the DRR Schedule Times Hourly Updates display for every DRR that belongs to you as Lead Participant, and for which hourly updates exist. The following is a sample of the report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetDRRScheduleTimesHourlyResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <DRRScheduleTimesHourly day="2017-12-27" ID=" ... 02">
    <HourlyProfile>
      <HourlyValues time="2017-12-27T00:00:00-05:00">
        <StartupTime>0.01</StartupTime>
        <NotifyTime>1</NotifyTime>
      </HourlyValues>
    </HourlyProfile>
    <ShortName>ALTPRICE</ShortName>
  </DRRScheduleTimesHourly>
  <DRRScheduleTimesHourly day="2017-12-27" ID=" ... 01">
    <HourlyProfile>
      <HourlyValues time="2017-12-27T00:00:00-05:00">
        <StartupTime>0.02</StartupTime>
        <NotifyTime>0.2</NotifyTime>
      </HourlyValues>
      <HourlyValues time="2017-12-27T01:00:00-05:00">
        <StartupTime>0.02</StartupTime>
        <NotifyTime>0.2</NotifyTime>
      </HourlyValues>
      <HourlyValues time="2017-12-27T02:00:00-05:00">
        <StartupTime>0.01</StartupTime>
        <NotifyTime>0.1</NotifyTime>
      </HourlyValues>
      <HourlyValues time="2017-12-27T03:00:00-05:00">
        <StartupTime>0.1</StartupTime>
        <NotifyTime>0.1</NotifyTime>
      </HourlyValues>
    </HourlyProfile>
    <ShortName>DFLPRICE</ShortName>
  </DRRScheduleTimesHourly>
</GetDRRScheduleTimesHourlyResponse>
```

#### **Reduction by DRR XML Report**

This report contains the same information that is shown on the DRR by Portfolio display. All the DRRs that belong to any of your portfolios, and which have been cleared for any hour, are listed. The report contains information only after the Day-Ahead market has been cleared. The following is a sample of the report.

```
<HourlyValues time="2017-12-12T17:00:00-05:00" MW="35" price="56.2"/>
      <HourlyValues time="2017-12-12T18:00:00-05:00" MW="35" price="46.59"/>
      <HourlyValues time="2017-12-12T21:00:00-05:00" MW="35" price="35.98"/>
      <HourlyValues time="2017-12-12T22:00:00-05:00" MW="35" price="36.52"/>
    </HourlyProfile>
  </DRRByParticipant>
  <DRRByParticipant day="2017-12-12" ID=" ... 11">
    <DRRShortName> ... </DRRShortName>
    <DRRScheduleID> . . . 1101</DRRScheduleID>
    <DRRScheduleShortName>DFLPRICE</DRRScheduleShortName>
    <HourlyProfile>
      <HourlyValues time="2017-12-12T08:00:00-05:00" MW="15" price="29.48"/>
      <HourlyValues time="2017-12-12T09:00:00-05:00" MW="15" price="32.94"/>
      <HourlyValues time="2017-12-12T13:00:00-05:00" MW="20" price="37.57"/>
      <HourlyValues time="2017-12-12T14:00:00-05:00" MW="20" price="37.67"/>
      <HourlyValues time="2017-12-12T15:00:00-05:00" MW="20" price="38.47"/>
      <HourlyValues time="2017-12-12T19:00:00-05:00" MW="35" price="41.18"/>
      <HourlyValues time="2017-12-12T20:00:00-05:00" MW="35" price="38.46"/>
      <HourlyValues time="2017-12-12T21:00:00-05:00" MW="35" price="35.55"/>
    </HourlyProfile>
  </DRRByParticipant>
  <DRRByParticipant day="2017-12-12" ID=" ... 13">
    <DRRShortName> ... </DRRShortName>
    <DRRScheduleID> ... 1301</DRRScheduleID>
    <DRRScheduleShortName>DFLPRICE</DRRScheduleShortName>
    <HourlyProfile>
      <HourlyValues time="2017-12-12T09:00:00-05:00" MW="20" price="33.61"/>
      <HourlyValues time="2017-12-12T10:00:00-05:00" MW="20" price="38.76"/>
      <HourlyValues time="2017-12-12T11:00:00-05:00" MW="20" price="33"/>
      <HourlyValues time="2017-12-12T12:00:00-05:00" MW="20" price="39.47"/>
      <HourlyValues time="2017-12-12T17:00:00-05:00" MW="25" price="56.84"/>
      <HourlyValues time="2017-12-12T18:00:00-05:00" MW="25" price="47.16"/>
      <HourlyValues time="2017-12-12T19:00:00-05:00" MW="25" price="42.2"/>
      <HourlyValues time="2017-12-12T20:00:00-05:00" MW="25" price="39.34"/>
    </HourlyProfile>
  </DRRByParticipant>
</GetDRRByParticipantResponse>
```

#### Schedule Day-Ahead Ancillary Service Offers

This report contains the same information provided by the DRR Schedule DA A/S Offers display. The following is a sample of the DRRASScheduleOfferHourly response report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetDRRASScheduleOfferHourlyResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
<DRRASScheduleOfferHourly day="2024-02-08" ID="9999901">
<ShortName>Weekday</ShortName>
<DayAheadSchedule>true</DayAheadSchedule>
<MaxDailyAwardLimit xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
<HourlyProfile>
<HourlyValues time="2024-02-08T00:00:00-05:00">
<MW>4.4</MW>
<TmsrPrice>19.55</TmsrPrice>
<TmnsrPrice>19.55</TmsrPrice>
<TmorPrice>9.43</TmorPrice>
```

```
<EirPrice>7.51</EirPrice>
     <Avail>true</Avail>
    </HourlyValues>
    <HourlyValues time="2024-02-08T01:00:00-05:00">
      <MW>4.4</MW>
     <TmsrPrice>19.55</TmsrPrice>
     <TmnsrPrice>14.53</TmnsrPrice>
     <TmorPrice>9.43</TmorPrice>
     <EirPrice>7.51</EirPrice>
      <Avail>true</Avail>
    </HourlyValues>
   <HourlyValues time="2024-02-08T02:00:00-05:00">
     <MW>4.4</MW>
     <TmsrPrice>19.55</TmsrPrice>
     <TmnsrPrice>14.53</TmnsrPrice>
      <TmorPrice>9.43</TmorPrice>
     <EirPrice>7.51</EirPrice>
      <Avail>true</Avail>
   </HourlyValues>
 </HourlyProfile>
</DRRASScheduleOfferHourly>
```

# </GetDRRASScheduleOfferHourlyResponse>

#### **Day-Ahead Ancillary Service by DRR**

This report contains the same information provided by the DRR Ancillary Service (A/S) Portfolio display.

NOTE: similar to the Reduction by DRR XML report, where a portfolio is not specified, the GetDRRASByParticipantResponse XML report produces all DRRs defined within any of the user's portfolios. For inclusion, the DRR must have MW > 0 in any of the Ancillary Service products as cleared in the Day-Ahead market result. The output results exclude DRR's with zero MW in all the A/S products for the entire day.

The following is a sample of the GetDRRASByParticipantResponse XML response report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>

<GetDRRASByParticipantResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">

<DRRASByParticipant day="2024-02-08" ID="999">

<DRRShortName>TEST</DRRShortName>

<DRRScheduleID>9901</DRRScheduleID>

<HourlyProfile>

<HourlyValues time="2024-02-08T00:00:00-05:00">

<tmsrMW>0.1</tmsrMW>

<tmnsrMW>0</tmnrMW>

<tmorMW>0</tmorMW>

<eirMW>0</tmorMW>

<hourlyValues>

<HourlyValues>

<HourlyValues>

<hourlyValues>

<hourlyValues/

<tmsrMW>0</tmsrMW>

<tmsrMW>0</tmsrMW>
```

```
<tmorMW>0</tmorMW>
<eirMW>0</eirMW>
</HourlyValues>
```

</HourlyProfile> </DRRASByParticipant> </GetDRRASByParticipantResponse>

...

#### **Day-Ahead Ancillary Service Benchmark Calculation Results**

This report contains the same information provided by the DRR DA A/S Benchmark Calculation Results display. The following is a sample of the GetDRRASBenchmarkResponse response report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetDRRASBenchmarkResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
<DRRASBenchmark day="2024-06-06" ID="9999">
<HourlyProfile>
<HourlyValues time="2024-06-06T00:00:00-04:00">
<BenchmarkLevel>3.52</BenchmarkLevel>
<BmCloseout>3.52</BmCloseout>
<CtCloseout>3.52</BmCloseout>
</HourlyValues>
...
</HourlyValues>
...
</DRRASBenchmark>
```

</GetDRRASBenchmarkResponse>

#### **Day-Ahead Ancillary Service Benchmark Data Overrides**

This report contains the same information provided by the DRR DA A/S Benchmark Overrides display. The following is a sample of the GetDRRASBenchmarkOverrideResponse response report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetDRRASBenchmarkOverrideResponse xmlns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
<DRRASBenchmarkOverride day="2024-06-06" ID="999">
<HourlyProfile>
<HourlyValues time="2024-06-06T00:00:00-04:00">
<ImmCloseout xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:nil="true"/>
<Closeout>0.11</Closeout>
<Closeout>0.11</CloseoutStatus>
e/HourlyValues>
```

... </HourlyProfile> <ShortName>ABC</ShortName> </DRRASBenchmarkOverride> </GetDRRASBenchmarkOverrideResponse>

# 10. Energy Storage Facility (ESF) Tab

Users assigned the ARD Read Only, ARD Read/Write, Generation Read Only or the Generation Read/Write roles can access the ESF tab and its subtabs.

Public G	eneration	Demand	ARD	Regulation	DRR	ESF	
ESF Daily Defaults	XML Downloa	ıd					

# ESF Daily Defaults Display

This display will allow the user to enter and view the Round Trip Efficiency (RTE) parameter and ESF details for a selected market day and selected storage facility.

The format of the display is shown below:

ISO new england		Market Status: OPEN(01)	eMarke Version: 6.0 Certificate User: emktsuperuser512	et User Interface 0(202409122244) 16-Sep-2024 19:29:50
		Participant:	ISO New England Inc 🛛 👻 Us	cr: emktsuperuser512
Public Generation Demand ARD Regulation D ESF Daily XML Devails Download ESF Daily Defaults	RA ESF			
Select Date and ESF	ESF Details for The second sec			
Date: 17-5ep-2024	ESF ID: ESF ID			
				Update Refresh

The ESF details show up when user select a Date, and ESF as data filter. The fields on this display are:

- **ESF ID**. This is a read-only field.
- ESF Short Name. This is a read-only field.
- **ESF Long Name**. This is a read-only field.
- Round Trip Efficiency (%).

#### **Data Validation Rules**

When the **Update** button is clicked, eMarket makes the following checks to ensure that the entered data is valid:

- Market is open.
- DA maket has not been approved.
- The input Round Trip Efficiency value must be positive; i.e. Round Trip Efficiency > 0, and Round Trip Efficiency < 100.

## **ESF XML** Download Display

The XML Download display is accessible through the ESF Navigation sub tab. This display enables you to download pre-defined ESF specific XML report files of data that you maintain in the ISO-NE Market System. It also provides you the means to upload data in XML formatted data files into the ISO-NE Market System. The format of the XML files can be found in the eMarket Data Exchange Specification, which is found on the ISO New England website among the documents listed on the Participate > Support > Upload and Download File Format Protocols page.

ISO new england		Market Status: OPEN(01) Certificate (	<b>eMarket User Interface</b> Version: 6.0.0(202409122244) ker: emktsuperuser512 16-Sep-2024 19:31:31
		Participant: ISO New England Inc	✓ User: emktsuperuser512 ✓
Public Generation Demand ARD Regulation DRI	R ESF		
ESF Daily XML Defaults Download			
XML Download			
Select Date 《	XML Download on 17-Sep-2024		
Date: 17-Sep-2024	ESF Daily Default Parameters	Upload XML SOAP Request	
		File: Browse	
		Submit	

#### **ESF Daily Default Parameters**

This report contains the same information provided by the ESF Daily Defaults display. The following is a sample of the

GetESFDailyDefaultResponseresponse report.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<GetESFDailyDefaultResponse xmIns="http://www.markets.iso-ne.com/MUI/eMkt/Messages">
  <ESFDailyDefault day="2024-06-06" ID="999">
    <LongName>Asset Long Name</LongName>
    <ShortName>ABC</ShortName>
    <RoundTripEfficiency>88.8</RoundTripEfficiency>
  </ESFDailyDefault>
</GetESFDailyDefaultResponse>
```

# 11. Continuous Storage Facilities (CSF)

# **CSF Concepts**

Continuous Storage Facilities (CSF) are capable of receiving electricity from the grid and storing the energy for later injection of electricity back to the grid. CSFs are enabled to participate in the energy and regulation markets. In eMarket application, these facilities are referred to as Energy Storage Devices (ESD).

A CSF is a combination of three asset types:



All three components of a CSF are registered in Customer and Asset Management System (CAMS) as parts of a single facility, but with separate asset IDs and names.

All three components of a CSF may participate simultaneously in the applicable market. Each of the components manages only its own responsibilities.

- The generator manages energy and reserves for MW at and above zero
- The DARD manages energy and reserves for MW below zero (consumption)
- The ATRR manages the regulation, positive or negative

CSFs operate in a continuous range of generation and consumption. They can switch automatically between generation and consumption. CSFs can switch between maximum generation and maximum consumption in 10 minutes or less.

The regulation can be provided while generating or consuming energy.

CSF Generator and CSF DARD participate in the Day-Ahead market by bidding in eMarket. CSF Generators are required to offer in eMarket if they have capacity supply obligation through Forward Capacity Market.

Both CSF Generator and CSF DARD are considered to be always online in Day-Ahead unless Participant declares them unavailable. Clearing in Day-Ahead is based on offers and economics independently for CSF Generator and CSF DARD. Participant is responsible for developing bids and offers so that a CSF does not get a Day-Ahead obligation to charge and discharge at the same time. In Real-Time market, CSF assets are dispatched based on charge status.

- When fully discharged (i.e., available energy = 0 MWh) only DARD is available
- When fully charged (i.e., available storage = 0 MWh) only the generator asset is available

• When partially charged or discharged, dispatch is based on offer parameters, availability status, and telemetered dispatch limits

CSFs can provide 10-minute spinning reserves.

### Managing CSFs in eMarket

CSF Generators, DARDs, and ATRRs are managed using the same eMarket displays as non-CSF assets. However, some specific validation rules apply to CSF assets.

Each component of a CSF is managed separately.

- Generation function group to support CSF Generator offers
- ARD function group to support CSF DARD offers
- Regulation function group to support CSF ATRR regulation offers

							Market	Status: OPEN(0)		eMarket User Interface Version: 5.0.12(201808012148)						
					Cert ReadOnly Participant:				ser: Superuser	8-Dec-2018 10:38:08						
	Public	Generation	Demar	nd ARI	Regulation	DRR										
	Priv Mes	vate Un ssages Par	t Default ameters	Portfolio Manager	Ramp Rate Default	Ramp Rate Hourly Updates	Schedule Manager	Schedule Detail Defaults	Schedule Offers Default	Schedule Offers Hourly Updates	Schedule Times Hourly Updates	Schedule Selection	Hourly Updates	Fuel Pr → Adjustr		

There is no cross-validation between offers of the three assets of a CSF.

For each asset type, the corresponding Portfolio Manager functionality is used to create a portfolio. There is no difference in Portfolio Manager functionality between creating portfolios for CSF and non-CSF assets. For more information, refer to section 0 Manage Portfolios.

### **CSF** Generator

CSF Generator's offers and limits are managed using sub-tabs in the Generation group function.

#### **Unit Daily Default Parameters**

The Unit Daily Default Parameters display allows the Participant to view the CSF Generator's default parameters, as well as update the default status and ramp rate.

Public Ge	Aublic Generation Demand ARD Regulation DRR													
<ul> <li>Private</li> <li>Messages</li> </ul>	Unit Default Parameters	Portfolio Manager	Ramp Rate Default	Ramp Rate Hourly Updates	Schedule Manager	Schedule Detail Defaults	Schedule Offers Default	Schedule Offe Hourly Update	s Schedule Times Hourly Updates	Schedule Selection	Hourly Updates	Fuel Price Adjustments	€ → E	
Unit Da	Unit Daily Default Parameters													
Select Date	and Unit		«	Unit Details for	Unit Details for MyFacility_GEN (12345) on 29-Dec-2018									
Date:	29-Dec-2018		•		Asset ID:	12345			Lead Participant ID:				^	
Portfolio:	My_CSF_GEN		*	Unit 9	Short Name:	ESD1		Le	ad Participant Name:	. 10000000000000000000				
Unit:	MyFacility_GE	N	*	Unit	Unit Long Name: MyFacility GEN			D	DA Schedule Required: No					
				<b>آ</b>	Type of Unit: Energy Storage Device				Regulation Resource: No					
				Ramp Rate	e (MW/Min):	100.0			Default Status:	O Economi	c			
				Ram	p Rate Cap:	UD				🔾 Unavaila	ble			
				Claim	10 Capable:	No				Must Ru	n			
				Clai	m 10 (MW):						_			
				d	aim 10 Cap:	UD								
				Claim	30 Capable:	No								
				Clai	m 30 (MW):									
				d	aim 30 Cap:	UD							~	

The format of the Unit Daily Default Parameter display is shown below:

Fields on this display are the same for CSF and non-CSF generators. For CSF generators, the Type of Unit is "Energy Storage Device", which is a synonym of Continuous Storage Device. Regulation Resource is always displayed as "No". Claim 10 and Claim 30 fields are not updateable because CSF Generators are not Claim10/Claim30 capable.

For more information on this display, refer to section 0 Unit Default Parameters Display.

#### 11.1.1.1 Modify CSF Generator Default Status

To specify the CSF Generator's status:

- 1. Select Unit Default Parameters in Generation function group.
- 2. Select the desired Portfolio.
- 3. Select the desired Unit.
- 4. In Default Status, select one of the following radio buttons

#### Must Run

- a. Unavailable
- 5. Click the **Update** button to save the selection.

#### 11.1.1.2 Modify CSF Generator Ramp Rate

To specify the CSF Generator's ramp rate:

- 1. Select Unit Default Parameters in Generation function group.
- 2. Select the desired Portfolio.
- 3. Select the desired Unit.
- 4. In Ramp Rate (MW/min), enter the ramp rate value. Note that the ramp rate must be high enough to allow the CSF to switch between maximum generation and maximum consumption in 10 minutes or less.
- 5. Click the **Update** button to save the changes.

### **Schedule Detail Defaults**

The Schedule Detail Defaults display allows the Participant to view the CSF Generator's schedule default parameters, as well as update the default operating limits, and maximum daily energy.

The format of the Schedule Detail Defaults display is shown below:

Public Ge	neration Demand A	RD Regulatio	n DRR										
Private Messages	Unit Default Parameters Portfolio Manager	Ramp Rate Default	Ramp Rate Hourly Updat	tes Schedule Manager	Schedule Detail Defaults	Schedule Offers Default	Schedule Offers Hourly Updates	Schedule Times Hourly Updates	Schedule Selection	Hourly Updates	Fuel Price Adjustments	Generation By Portfolio	XML Download
Sched	ule Detail Defa	ults											
Select Date,	Unit and Schedule		Schee	dule Details for	MyFacility_GEN (123	45) – DFLPRICE (12	34501 Price-based) o	on 31-Dec-2018					
Date:	31-Dec-2018			Schedule A	Available: Yes		Max	Daily Starts:			Emer	aency Min:	• •
Portfolio:	My_CSF_GEN		*	Day Abear	Market:		Max Daily En	errov (MWh): 120			Fre	nomic Min	0.0
Unit:	MyFacility_GEN		~	Pool Time	Market:		Min Do	watima (br): 0.0			Eco	nomic May	20.0
Schedule:	DFLPRICE		~	Near Time			Min Do	windine (m). 0.0	_		DT Web On each	IOTIIC Max.	30.0
							MILLE	cunume (nr): 0.0	_		KT High Operat		30.0
				Fast Start (	(10 min): No		Hot to Co	Id Time (hr): 0.0					
				Fast Start (	(30 min): No		Hot to Inte	er Time (hr): 0.0			Condense	e Available: [	
							Hot Notificatio	on Time (hr): 0.0		(	Condense Startu	p Cost (\$):	0.00
							Inter Notificatio	on Time (hr): 0.0			Condense Hour	ly Cost (\$):	0.00
							Cold Notificatio	on Time (hr): 0.0			Conde	nse Power:	0.0
							Hot Startu	up Time (hr): 0.0		Conde	ense Notification	Time (hr):	0.0
							Inter Startu	up Time (hr): 0.0					
							Cold Start	up Time (hr): 0.0					~

For CSF generators, the following rules are enforced:

- Emergency Min and Economic Min must be set to zero.
- Intertemporal parameters (runtime, downtime, notification and startup times) must be set to zero.

For more information on this display, refer to section 0 Schedule Detail Defaults Display.

#### 11.1.1.3 Modify Schedule Constraint Data

Constraint data include minimum downtime, minimum runtime, maximum daily starts and maximum daily energy. To specify the CSF Generator's schedule constraint data:

- 1. Select Schedule Detail Defaults in Generation function group.
- 2. Select the desired Portfolio.
- 3. Select the desired Unit.
- 4. Enter changes in any of the following fields:

Min Downtime – must be set to zero

Min Runtime – must be set to zero

Maximum Daily Starts

- a. Maximum Daily Energy (MWh) if left blank it means that the value is unlimited.
- 5. Click the **Update** button to save changes.

#### 11.1.1.4 Modify Schedule Operating Limits

To specify the CSF Generator's schedule operating limits:

- 1. Select Schedule Detail Defaults in Generation function group.
- 2. Select the desired Portfolio.
- 3. Select the desired Unit.
- 4. Enter changes in any of the following fields:

Emergency Min – must be set to zero Economic Min – must be set to zero Economic Max

- a. RT High Operating Limit
- 5. Click the **Update** button to save changes.

## Hourly Updates

The Hourly Updates display allows the Participant to view the CSF Generator's schedule default parameters, as well as update the hourly values for operating limits and generator's status.

The format of the Hourly Updates display is shown below:

Public Ge	neration De	mand A	RD Regulat	ion	DRR													
Private Messages	Unit Default Parameters	Portfolio Manager	Ramp Rate Default	Ramp	Rate V Updates	Schedule Manager	Schedule Detail Defa	ults Offen	lule Default	Schedule Of Hourly Upda	fers tes	Schedule Times Hourly Updates	Schedule Selection	Hourly Updates	Fuel Price	e Genera ents By Port	tion XML folio Dow	nload
Unit Ho	ourly Upd	lates																
Select Date	and Unit			~														
Date:	25-Jan-2019				Default Va	lues for N	/lyFacility_G	EN (12345) o	on 25-Jan-20	019								8
Dortfoliou	My CSE GE	N			Schedule	1	Emerg Min	Econ Min	Econ Max	RTHOL	Тур	pe Day Ahe	ad Real Ti	me Availa	ble		Claim10	Claim30
Portrollo:	IVIY_CSF_GE			×	DFLPRICE		0.0	0.0	30.0	0 4	0.0 Prie	ce X	х	V		Capable	No	· ∩
Unit:	MyFacility_	GEN		~	ESD9_M		0.0	0.0	99999.0	0000	9.9 Co:	st X	х	V		Default		~
					ESD9_R1		0.0	0.0	99999.0	9999	9.9 Co:	st X	x			Cap		
					<													>
					Override I	iourly Valu	es for MyFa	cility_GEN	(12345) on	25-Jan-201	9							
					Hour		Emerg Min	Econ Mir	Econ M	ax RT	HOL	Claim10	Claim3	30 Unavail	able	Economic	Must Run	
					~	🕶 Сору								(	$\sim$	0	0	
					01		0	0	0.0	25.0	30.0			(	0	0	۲	
					02		C	.0	0.0	25.0	25.0			(	0	0	۲	
					03		C	0	0.0	20.0	25.0			(	0	0	۲	
					04		0	.0	0.0	30.0	30.0			(	۲	0	0	
					05		0	0	0.0	30.0	30.0			(	$\odot$	0	۲	

For CSF generators, the following rules are enforced:

- Emergency Min and Economic Min must be set to zero.
- Status must be either Must Run or Unavailable.

For more information on this display, refer to section 0 Unit Hourly Updates Display.

#### 11.1.1.5 Enter Hourly Updates

To specify the CSF Generator's hourly updates of default schedule and default status:

- 1. Select Hourly Updates in Generation function group.
- 2. Select the desired Portfolio.
- 3. Select the desired Unit.
- 4. For any Hour of the market day, enter changes in any of the following fields:

Emergency Min – must be set to zero

Economic Min – must be set to zero

- a. Select either Unavailable or Must Run radio button.
- 5. Click the **Update** button to save changes.

## Schedule Offers Default

The Schedule Offers Default display allows the Participant to specify the CSF Generator's daily incremental energy offers.

The format of Schedule Offers Default display is shown below:

Public Ge	neration Demand A	ARD Regulatio	n D	ORR										
Private Messages	Unit Default Portfolio Parameters Manager	Ramp Rate Default	Ramp Hourly	Rate Updates	Schedule Manager	Schedule Detail Defaults	Schedule Offers Default	Schedule Offers Hourly Updates	Schedule Times Hourly Updates	Schedule Selection	Hourly Updates	Fuel Price Adjustments	Generation By Portfolio	XML Download
Schedu	ule Offers Daily	y Default												
Select Date,	Unit and Schedule		-	Schedule (	Offer for M	lyFacility_GEN (12	345) – DFLPRICE (1234	4501 Price-based) or	29-Dec-2018					
Date:	29-Dec-2018				Fue	Selection: MW								
Portfolio:	My_CSF_GEN		*		T GC	Delectorit. Pity	n							
Unit:	MyFacility_GEN		*		Hot Startu	p Cost (\$):	0.00							
Schedule:	DFLPRICE		*	Intermed	liate Startu	p Cost (\$):	0.00							
				(	Cold Startu	p Cost (\$):	0.00							
					No Loa	d Cost (\$):	0.00							
					Increi	mental Energy	Offers							
					Use C	Offer Slope: 🗌								
						MW	Price							
						10.0	60.00							^
						999.0	260.00							
														~

For CSF generators, the following rule is enforced:

• Startup and No Load Costs must be set to zero.

For more information on this display, refer to section 0 Schedule Offers Daily Default Display.

#### 11.1.1.6 Update Schedule Offers Default

To specify the CSF Generator's daily offer:

- 1. Select Schedule Offers Default in Generation function group.
- 2. Select the desired Portfolio.
- 3. Select the desired Unit.
- 4. Enter changes in any of the following fields:

Startup Cost (Hot, Intermediate, Cold) – must be set to zero

No Load Cost – must be set to zero

Use Offer Slope – checked on unchecked

- a. MW/Price pairs for incremental energy offer
- 5. Click the **Update** button to save changes.

## **Schedule Offers Hourly Updates**

The Schedule Offers Hourly Updates display allows the Participant to specify the CSF Generator's daily incremental energy offers for particular hours of the market day.

The format of Schedule Offers Hourly Updates display is shown below:

Public Gene	eration D	emand 4	RD Regulati	on	DRR						
Private U Messages Pa	nit Default arameters	Portfolio Manager	Ramp Rate Default	Ram Hour	p Rate Iy Updates	Schedule Manager	Schedule Detail Default	Schedule Offers Default	Schedule Offers Hourly Updates	Schedule Times Hourly Updates	Sched Select
Schedule	e Offers	s Hour	ly Updat	es							
Select Date, Uni	it and Sched	ule		«	Schedule (	Offer for My	Facility_GEN (1	2345) – DFLPRICE	(1234501 Price-base	d) on 29-Dec-2018	
Date:	25-Jan-201	.9		•	DEF 0	ī <u>02</u> 03	04 05	06 07 08	<b>09</b> 10 11	12 13 14	15
Portfolio:	My_CSF_	GEN		~		Fuel	Selection: MW	н			
Unit:	MyFacilit	y_GEN		~							
Schedule:	DFLPRICE			~		Hot Startup	Cost (\$):	0.00			
					Intermed	diate Startup	Cost (\$):	0.00			
						Cold Startup	Cost (\$):	0.00			
						No Load	Cost (\$):	0.00			
Copy From:	Default			~							
Copy To:		<ul> <li>Through</li> </ul>	n:	~		Increm	ental Energy	Offers			
						Use Of	fer Slope: 📃				
			Сору				MW	Price			
							10.0	115.00			~
							15.0	120.00			
							30.0	130.00			~

For CSF generators, the following rule is enforced:

• Startup and No Load Costs must be set to zero for every hour for which the update is made.

For more information on this display, refer to section 0 Schedule Offers Hourly Updates Display.

#### 11.1.1.7 Update Schedule Offers Default

To specify the CSF Generator's daily offer:

- 1. Select Schedule Offers Default in Generation function group.
- 2. Select the desired Portfolio.
- 3. Select the desired Unit.

Enter changes in any of the following fields:

Startup Cost (Hot, Intermediate, Cold) – must be set to zero

No Load Cost - must be set to zero

Use Offer Slope – checked on unchecked

- a. MW/Price pairs for incremental energy offer
- 4. Click the **Update** button to save changes.

# CSF DARD

CSF DARD's offers and limits are managed using sub-tabs in the ARD group function.

## **ARD Daily Default Parameters**

The ARD Daily Default Parameters display allows the Participant to view the CSF DARD's default parameters, as well as update the default status and ramp rate.

The format of the ARD Daily Default Parameter display is shown below:

Public Ge	eneration Dem	and ARD	Regulation	DRR									
Private Messages	ARD Default Parameters	Portfolio Manager	Ramp Rate Default	Ramp Rate Hourly Updates	Schedule Manager	Schedule Detail Defaults	Schedule Offers Default	Schedule Offers Hourly Updates	Schedule Selection	Hourly Updates	ARD By Portfolio	XML Download	
ARD D	Daily Defa	ult Par	ameters										
Select Date	and ARD			ARD Detail	s for MyFacil	ity_ARD (12345)	on 29-Dec-2018						
Date:	29-Dec-2018	_			Asset Typ	e: ESD			As	set short Na	me: CSF_	ARD	^
Portrolio:	IVIY_CSF_AR	0	~		Asset Numb	er: 12345				No	de: (3/3/3)		
ARD:	MyFacility_4	AKD	*	A	sset Longnam	e: MyFacility	ARD		DA Sch	edule Requir	red: No		
				Lead P	articipant(ID#	•):			Ramp	Rate(MW/M	lin): 100.	0	
				Lead Pa	articipant Nam	ne: (////////////////////////////////////				Ramp Rate C	ap: UD		
					Dispatch Zor	e: Boston			C	aim 10 Capa	ble: No		
					Dispatchab	le: Yes				Claim 10 (M	w):		
										Claim 10 C	ap: UD		
					Default State	us: 🔿 Economic			C	aim 30 Capa	ble: No		
						🔿 Unavailab	le			Claim 30 (M	w):		
						Must Run				Claim 30 C	ap: UD		~

For CSF DARDs, Asset Type is "ESD" (Energy Storage Device, synonym of Continuous Storage Facility) and the following rules are enforced:

- Default Status either Must Run or Unavailable
- Claim 10, Claim 30 not updateable. CSF DARDs are not Claim10/Claim30 capable.

For more information on this display, refer to section 0 ARD Default Parameters Display.

#### 11.1.1.8 Modify CSF DARD Default Status

To specify the CSF DARD's status:

- 1. Select ARD Default Parameters in ARD function group.
- 2. Select the desired Portfolio.
- 3. Select the desired ARD.

In Default Status, select one of the following radio buttons Must Run

- a. Unavailable
- 4. Click the **Update** button to save the selection.

#### 11.1.1.9 Modify CSF DARD Ramp Rate

To specify the CSF DARD's ramp rate:

- 1. Select ARD Default Parameters in ARD function group.
- 2. Select the desired Portfolio.
- 3. Select the desired ARD.
- 4. In Ramp Rate (MW/min), enter the ramp rate value. Note that the ramp rate must be high enough to allow the CSF to switch between maximum generation and maximum consumption in 10 minutes or less.
- 5. Click the **Update** button to save the changes.

## Schedule Detail Defaults

The Schedule Detail Defaults display allows the Participant to view the CSF DARD's schedule default parameters, as well as update the default operating limits, and maximum daily consumption.

The format of the Schedule Detail Defaults display is shown below:

Public Generation Demand ARD Regulation	DRR	_		
Private ARD Default Portfolio Ramp Rate Ra Messages Parameters Manager Default Ho	amp Rate Schedule Manager Schedule Detail Default	Schedule Off Offers Default Hourly Upda	fers Schedule Hourly ARD By Selection Updates Portfolio Dow	nload
ARD Schedule Detail Defaults		-		
Select Date, ARD and Schedule	Schedule Details for MyFacility_ARD	12345) – DFLPRICE (1234501 Pri	ce-based) on 29-Dec-2018	
Date:     29-Dec-2018     3       Portfolio:     My_CSF_ARD     v       ARD:     MyFacility_ARD     v       Schedule:     DFLPRICE     v	Description Schedule Available Day Ahead Marke Real Time Marke	C DELPRICE	Max Daily Starts: Max Daily Consumption (MWh): Min Downtime (hr): Min Runtime (hr): Max Consumption (MW): Min Consumption (MW):	80.0 0.0 0.0 30.0 0.0

For CSF DARDs, the following rules are enforced:

- Min Consumption must be set to zero.
- Min Downtime and Min Runtime are not updateable.

For more information on this display, refer to section 0 View Schedule Detail Defaults.

#### 11.1.1.10 Modify Schedule Default Data

To specify the CSF DARD's schedule constraint data and operating limits:

- 1. Select Schedule Detail Defaults in ARD function group.
- 2. Select the desired Portfolio.
- 3. Select the desired DARD.

Enter changes in any of the following fields:

Max Daily Consumption (MW/h)

Max Consumption (MW)

- a. Min Consumption (MW) must be set to zero
- 4. Click the **Update** button to save changes.

### **Hourly Updates**

The Hourly Updates display allows the Participant to view the CSF DARD's schedule default parameters, as well as update the hourly values of status and operating limits.

The format of the Hourly Updates display is shown below:

Public Generation	Demano	ARI	Regulatio	n DR	R												
Private ARD Defa	ult Po	rtfolio	Ramp Rate	Ramp	Rate	Schedule	Schedule	Schedule	Schedule Off	iers Schedule	Hourly	ARD By	XML				
Messages Paramete	rs Ma	nager	Default	Hourly	Updates	Manager	Detail Defaults	Offers Defau	It Hourly Updat	tes Selection	Updates	Portfolio	Download				
ARD Hourly	Upda	ates															
Select Date and ARD				~													
Date: 25-1an-	2019				Default Va	lues for N	/lyFacility_ARD	) (12345) oi	n 25-Jan-2019								*
Dutition Adv. (		0			Schedule		fin Consumption	Max Consump	tion Type	Day Ahead	Real Time	Available		Claim10	Claim30	Defendence O Harris	
Portfolio: IVIY_C	SF_AR	(D		×	DFLCOST		0.0		0.0 Cost	×	x		Capabl	le No	No	Derault Status: O Unavail	
ARD: MyFa	cility_/	ARD		*	DFLPRICE		0.0		15.0 Price	х	х		Defau	/t		<ul> <li>Econom</li> </ul>	lic
													Ca	ρ		Must R	
					Override H	lourly Valu	es for MyFacili	ty_ARD (12	345) on 25-Ja	n-2019				_			
					Hour		Min Consumpt	tion Ma	x Consumption	Claim10	Claim	30 Unavaila	ble Econo	mio Mu	st Run		
					~	<ul> <li>Copy</li> </ul>						()		0	0		
					08									0	0		
					09									0	0		
					10							(	)	0	0		
					11								>	0	0		
					12									0	0		
					13								2	0	0		
					14									0	0		
					10			0.0	20.0				2	0	0		
					17			0.0	20.0			6	2	ŏ	ŏ		
					18			0.0	20.0			0	5	õ			
					19			0.0	20.0				5	ŏ	ě		
					20			0.0	20.0			0		Õ l	۲		
					21			0.0	35.0				)	0	۲		
					22			0.0	30.0			(		0	۲		
					23			0.0	20.0			(	0	0	0		~
					24			0.0	20.0					0	0		
																Ret	resh

For CSF DARDs the following rules are enforced:

• Min Consumption must be set to zero.

• Status must be either Must Run or Unavailable.

For more information on this display, refer to section 0 ARD Hourly Updates Display.

#### 11.1.1.11 Enter Hourly Updates

To specify the CSF DARD's hourly updates of default status and operating limits:

- 1. Select Hourly Updates in ARD function group.
- 2. Select the desired Portfolio.
- 3. Select the desired DARD.

For any Hour of the market day, enter changes in any of the following fields:

Min Consumption – must be set to zero

Max Consumption – must be set to zero

- a. Select either Unavailable or Must Run radio button.
- 4. Click the **Update** button to save changes.

# CSF ATRR

CSF ATRR's parameters are managed using sub-tabs in the Regulation group function.

## Validation rules for CSF ATRR regulation limits

CSF ATRRs must operate symmetrically on positive and negative side, or be biased slightly to charging. The mid-point limits for each ATRR are set by the system. If the regulation range entered in this display violates the mid-point limits, an error message is displayed and the change is not accepted. This rule applies to both daily and hourly regulation limits.

MinMidpoint <= [(RHL+RLL)/2]/[Max(abs(RHL),abs(RLL))] <=MaxMidpoint

Example:

Mid-point limits set by the ISO:

- Max mid-point = 0
- Min mid-point = -0.15
  - If the Participant sets Reg High to 10, and Reg Low to -8, the calculated mid-point is 1. The ratio of mid-point to Reg High is 0.1, which exceeds the limit of 0. An error message is displayed.
  - If the Participant sets Reg High to 10, and Reg Low to -16, the calculated mid-point is -3. The ratio of mid-point to 16 is -0.19, which exceeds the limit of -0.15. An error message is displayed.

## **Regulation Offers Daily Default**

The ATRR Daily Default Parameters display allows the Participant to update the asset status and regulation limits.

The format of the Regulation Offers Daily Default display is shown below:

Public G	Generation	Demand ARD	Regulation	DRR													
Private Messages	Portfolio Manager	Regulation Offers Default	Regulation Hourly Updates	XML Download													
Regul	ation O	ffers Daily	Default														
Select Date	e and Portfol	io	~	Regulation Of	fers for Portfolio	My_CSF on	26-Jan-201	9									
Date	26-Jan-20	19		Resource Short Name	Reg Capability	Reg Cap ITO Cost	Reg Cap Offer Oth	Reg Serv Price	ARR	ARR Cap	Dispatch Method	Reg High	RHL Ceil	Reg Low	RLL Floor	Unavail	Derate Factor
Portfolio	My_CSF	_ATRR	~	CSF_ATRR	10	0.00	0.00	1.00	75.0	999.0	ENC	10.0	999.0	-10.0	-999.0		1.0

For details on validation of CSF ATRR regulation range, refer to section 0 Validation rules for CSF ATRR regulation limits.

For more information on this display, refer to section 0 Regulation Offers Default Display.

#### 11.1.1.12 Modify CSF ATRR Default Status

To specify the CSF ATRR's status:

- 1. Select Regulation Offers Default in Regulation function group.
- 2. Select the desired Portfolio.
- 3. Select the desired ATRR.
- 4. Check the Unavail checkbox to make the asset unavailable, or uncheck the checkbox to make the asset available.
- 5. Click the **Update** button to save the change.

#### 11.1.1.13 Modify CSF ATRR Regulation Range

To specify the CSF ATRR's regulation low and high limits:

- 1. Select Regulation Offers Default in Regulation function group.
- 2. Select the desired Portfolio.
- 3. Select the desired ATRR.
- 4. Enter values in Reg Low and Reg High.
- 5. Click the **Update** button to save the change.

## **Regulation Hourly Updates**

The Regulation Hourly Updates display allows the Participant to update the asset status and regulation limits for any particular hour of the market day.

The format of the Regulation Hourly Updates display is shown below:

Public Ge	eneration	Demand ARD	Regulation	DRR													
Private Messages	Portfolio Manager	Regulation Offers Default	Regulation Hourly Updates	XML Download													
Regula	ation H	ourly Up	dates														
Select Date	and Resour	rce	«	Regulation Daily De	fault Values for	MyFacilit	y_ATRR (1	2345) on 2	26-Jan-201	9							2
Date:	26-Jan-20	19		Resource Short Name	Reg Capability	Reg Low	Reg High	ARR	Unavail	Reg Cap ITO Cost	Reg Cap Offer Oth	Reg Serv Price	RLL Floor	RHL Ceil	Active ARR Cap	Dispatch Method	
Portfolio:	My CSF	ATRR	<b>v</b>	CSF_ATRR	10	-10.0	10.0	75.0		0.00	0.00	1.00	-999.	0 999.0	999.0	ENC	
Resource:	MyFaci	– lity ATRR	*	Regulation Hourly U	pdates for My	Facility_A	TRR (1234	5) on 26-Ja	in-2019								
				Hour	Reg Capability	Reg Low	Reg High	ARR	Unavail	Reg Cap ITO Cost	Reg Cap Offer Oth	Reg Serv Price		Legend			
				Y Y Copy	]									No Overrid	e: 🔳		
				09	10.0									Available:			
				10	9.5	-10.0	9.0	30.0		0.00	0.00	0.00	~	Unavailable	: 🔽		
				11	9.0	-10.0	8.0	30.0	V	0.00	0.00	0.00					
				12	10.0												

For details on validation of CSF ATRR regulation range, refer to section 0 Validation rules for CSF ATRR regulation limits.

For more information on this display, refer to section 0 Regulation Hourly Updates Display.

#### 11.1.1.14 Modify CSF ATRR Hourly Status

To specify the CSF ATRR's status for a particular hour:

- 1. Select Regulation Hourly Updates in Regulation function group.
- 2. Select the desired Portfolio.
- 3. Select the desired ATRR.
- 4. For a selected hour, check the Unavail checkbox to make the asset unavailable, or uncheck the checkbox to make the asset available.
- 5. Click the **Update** button to save the change.

#### 11.1.1.15 Modify CSF ATRR Hourly Regulation Range

To specify the CSF ATRR's regulation low and high limits for a particular hour:

- 1. Select Regulation Hourly Updates in Regulation function group.
- 2. Select the desired Portfolio.
- 3. Select the desired ATRR.
- 4. For a selected hour, enter values in Reg Low and Reg High.
- 5. Click the **Update** button to save the change.

# 12. Energy Offer Caps

# **Offer Caps Concepts**

Changes in eMarket for Offer Caps include implementation of the following rules:

- Participants are allowed to enter resource incremental energy offer prices higher than the current limit of \$1000/MWh. This is only applicable to Schedule Offers Hourly Updates for Generators and DRRs.
- Prices above \$1000 are immediately capped to \$1000, but uncapped price is stored for verification and is available for Participant viewing. In eMarket displays, this immediate capping to \$1000 is called "soft-capping", indicating that the price may be changed later by the verification process.
- The verification process uses the reference costs based on the approved fuel cost and other financial parameters to determine the maximum energy cost to which Participant's offer may be raised. For units with multiple fuels, the fuel blend in the offer determines the mitigation schedule price. For units with a single fuel or no fuel, the mitigation schedule price is the same as the reference schedule price. If the verified cost is above \$1000, the system automatically raises the offer price to this value or to the uncapped price, whichever price is lower.
- For Intraday market, the verification process occurs upon modification of Schedule Offers Hourly Updates, submittal of a Fuel Price Adjustment (FPA), or re-evaluation of a submitted FPA due to IMM's change of FPA threshold for a given fuel and time period. Verification results are visible in eMarket after about 1 or 2 minutes.
- For the next day offers, the verification process occurs after the closing of the Day-Ahead market, after closing of the Reoffer period, and after the publication of final fuel prices for the next day.
- The automatically raised price may exceed \$2000, but for the Locational Marginal Price (LMP) calculation by market clearing engines, the price will be capped to \$2000.
- Once an offer has been verified against the reference schedule, the system will never reduce the offer price, even if the reference cost is reduced.
- Resources with capped offers are still subject to mitigation evaluation.

## **Offer Caps Displays**

eMarket Schedule Offers Hourly Updates displays in Generation and DRR tabs show Uncapped Price, i.e. the original offer price if it exceeded the limit of \$1000. For details on these displays, refer to section 0 for Generators and section 0 for DRRs.

## **Offer Caps XML Reports**

Generation and DRR displays and reports show Uncapped Price, i.e. the original offer price if it exceeded the limit of \$1000. For details on these reports, refer to section 0 for Generators and section 0 for DRRs.

#### Appendix A. List of Fuel Index Names

FUEL INDEX NAME	FUEL INDEX DESCRIPTION	Third Party Vendor
Coal_HS	Coal Puerto Bolivar	Argus
Coal_LS	Coal Puerto Bolivar	Argus
No6_030	ARGUS, FUEL OIL, NO.6 0.3	Argus
No6_050	CALC AVG of 6_030 * 0.98	Argus/Internal Market Monitor
No6_070	CALC AVG of 6_100 * 1.08	Argus/Internal Market Monitor
No6_100	ARGUS, FUEL OIL, NO.6 1.0PC	Argus
No6_300	ARGUS, FUEL OIL, NO.6 3.0	Argus
LS_Jet_kero	ARGUS, JET KEROSENE, 55, NYH	Argus
Jet_fuel	ARGUS, JET KEROSENE, 54, NYH	Argus
No2	ARGUS, FUEL OIL, NO.2	Argus
ULSDiesel	ARGUS, Diesel 15 ppm NYH	Argus
ULSKerosene	ARGUS, Jet/kerosene 15 ppm	Argus
Henry	Hub: Henry	Intercontinental Exchage
NY_natgas	Hub: Transco-Z6 (NY)	Intercontinental Exchage
CT_natgas	Hub: Iroquois-Z2	Intercontinental Exchage
MA_natgas1	Hub: Algonquin Citygates	Intercontinental Exchage
MA_natgas2	Hub: TGP-Z6 200L	Intercontinental Exchage
MA_natgas3	Hub: Dracut	Intercontinental Exchage
avg_MA_natgas	Hub: Average Massachusetts	Intercontinental Exchage/Internal Market Monitor
Tetco_M3	Hub: TETCO-M3	Intercontinental Exchange
Transco_Z6	Hub: Transco-Z6 (non-NY)	Intercontinental Exchange
Portland_gas	Hub: PNGTS	Intercontinental Exchange
Baystate Gas	Hub: Baystate Gas	n/a
Yankee Gas	Hub: Yankee Gas	n/a
Propane	Propane Gas	n/a
Refuse	Refuse	n/a
Nuclear	Nuclear	n/a

FUEL INDEX NAME	FUEL INDEX DESCRIPTION	Third Party Vendor
Wood	Wood	n/a
Wind	Wind	n/a
Bio_Mass	Bio Mass	n/a
Solar	Solar	n/a
Hydro_Pondage	Hydro_Pondage	n/a
Hydro_Pumped Storage	Hydro_Pumped Storage	n/a
Hydro_Run_of_River	Hydro_Run_of_River	n/a
Tire_Derived_Fuel	Tire_Derived_Fuel	n/a
Black_Liquor	Black_Liquor	n/a
Other_Biomass_Liquid	Other_Biomass_Liquids	n/a
Landfill_Gas	Landfill_Gas	n/a
Other_Biomass_Solids	Other_Biomass_Solids	n/a
Agricultural	Refuse	n/a
Blast_Furnace	Natural Gas	n/a
Lignite_Coal	Coal	n/a
Other_Biomass_Gas	Methane	n/a
Petroleum_Coke	Oil	n/a
Purchased_Steam	Steam	n/a
Synfuel	Coal	n/a
Sludge_Waste	Refuse	n/a
Subbit_Coal	Coal	n/a
Waste_Other_Coal	Coal	n/a
Wood_Waste_Liquid	Wood	n/a
Waste_Other_Oil	Oil	n/a
MA_natgas4	Hub: Algonquin Citygates (non-G)	Intercontinental Exchange
MWH	Electricity used for Energy Storage	n/a
Marcellus	Marcellus	n/a
avg_MA_AGT	Hub: Average Mass AGT	n/a
DRR_Fuel_Index	Dummy fuel index for DRRs	n/a
MA_natgas5	Hub: TGP-Z6 200L North	Intercontinental Exchange
MA_natgas6	Hub: TGP-Z6 200L South	Intercontinental Exchange
MN_natgas	Hub: M&N US	Intercontinental Exchange
WindOnshore	Wind (Onshore)	n/a
WindOffshore	Wind (Offshore)	n/a
Energy_Storage_PS	Energy Storage (Pumped Hydro)	n/a
Energy_Storage_BAT	Energy Storage (Battery)	n/a
Energy_Storage_FC	Energy Storage (Fuel Cell)	n/a
Energy_Storage_OES	Energy Storage (Other)	n/a
Hybrid_WindBattery	Hybrid Wind/Battery	n/a
Hybrid_SolarBattery	Hybrid Solar/Battery	n/a

FUEL INDEX NAME	FUEL INDEX DESCRIPTION	Third Party Vendor
Geothermal	Geothermal	n/a
Other	Other	n/a